



## Lab Procedure for Python

## **Inverse Kinematics**

## Setup

- 1. It is recommended that you review Lab 2 Application Guide before starting this lab.
- 2. Launch Quanser Interactive Labs, scroll to the "QBot Platform" menu item and then select the "Warehouse" world.
- 3. Run observer.py first to initiate receiving data feeds.
- 4. On a separate terminal, run inv\_kin.py. When the script is run successfully, the QBot and the Environment should be spawn in Quanser Interactive Lab and User LEDs on the virtual QBot will turn blue. Verify that the QBot is spawn as shown in Figure 1, then press the "U" key to stop the script.




Figure 1. Successful set up of the Quanser Interactive Labs Workspace

## Inverse Kinematics Formulation

 In Section B of inv\_kin.py, right click on the QBPMovement() object and select "Go to Definition". Verify that diff\_drive\_forward\_velocity\_kinematics() function has been completed. If not, copy the code from last lab to compete the function.

- 2. When considering a pure forward velocity for a differential drive robot, what do you expect each wheel to do? How about when turning?
- 3. When commanding a positive turn velocity for the QBot (counterclockwise), which wheel should spin faster?
- 4. Navigate to diff\_drive\_inverse\_velocity\_kinematics() under QBPMovement(). This function is incomplete and must be compete before use. This function should take body speeds as input and output QBot wheel speeds in rad/s.
- 5. Complete the diff\_drive\_inverse\_velocity\_kinematics() function. Save your changes to QBPMovement(). Go back to the inv\_kin.py and use the function you completed on the previous step to complete Section D.
- 6. Run observer.py first, then run inv\_kin.py, and drive the QBot. Focusing on the scope display window, how closely do the commanded wheel speeds output from your inverse kinematics function match the measured wheel velocities? Revise your function if needed.
- 7. How closely do the commanded body velocities match the measured velocities through forward kinematics?
- 8. When you're satisfied with the output of your function, take a screenshot of the scope windows.
- 9. What is the key difference between this application and the drive mode in the Play lab?
- 10. What is the maximum forward or turn speed of the robot you can command? What wheel velocity command does this correspond to?
- 11. Stop your script using the "U" key. Ensure that you save a copy of your completed files for review later