

■ 60-SECOND OPERATOR LOOP

Approve containment for risky identities in 60 seconds

Evidence crosses threshold, a human approves, and the dossier keeps proof of the decision.

60s

visible evidence window

1 click

human approval gate

D1/KV/R2

stored proof chain

Containment Countdown

Menu

Mission

Decision

Dossier

Architecture

Replay

Q

Density

Comfortable

Inline policy note

Policy: human approval required after threshold

Seeded Splunk-compatible telemetry

Signal -> Context -> Decision -> Action -> Proof

Approve containment for risky identities in 60 seconds after evidence crosses threshold.

Replay seeded Splunk-compatible telemetry, approve containment, and generate an audit-ready dossier that proves why the action happened.

Open mission -> View dossier

RISK IDENTITY

ACTIVE

ava.kline@northstar.example

Privileged Finance Admin

Entity

risk-identity-ava-kline

Replay seed

splunk-identity-replay-060

Blue band

Threshold crossed

Public demo: containment-countdown.veithly.workers.dev

CONTAINMENT COMMAND

THRESHOLD

84% confidence

Signal -> Context

Splunk-compatible evidence rows feed the policy threshold.

Decision -> Replay action

Approval changes the demo incident from ACTIVE to CONTAINED in replay mode.

Proof

A dossier survives as an inspectable artifact.

10:04:12

impossible_travel_detected

Two successful sessions resolve to locations 4,810 miles apart inside 11 minutes.

Individual identity source/permissions events

impossible_travel_pattern

READY TO TEST

10:04:49

privileged_app_touch

+16

■ THE HANDOFF THAT FAILS

Risky identities still bounce between evidence and action.

The missing piece is not another summary. It is a human-approved replay-mode state change with an artifact a manager can verify later.

PATH A

Alert summary

The operator still assembles context from scattered evidence.

PATH B

Static dashboard

The incident looks serious, but no proof artifact follows.

PATH C

Full automation

The action is fast, but approval and verification are thin.

SCATTERED EVIDENCE

Impossible travel, MFA fatigue, privileged app touch.

The operator has signal, but not an action boundary.

POLICY LIMBO

Threshold crossed, but accountability is unclear.

Speed without a human record creates another review problem.

PROOF GAP

The result needs to survive the meeting.

Managers need the chain: signal, context, decision, replay action, proof.

■ WATCH THE REPLAY STATE CHANGE

Threshold crossed -> approval -> replay contained -> verified.

SEEDED SPLUNK-COMPATIBLE REPLAY · NO LIVE SPLUNK CREDENTIALS IN PUBLIC DEMO

Approve containment for risky identities in 60 seconds after evidence crosses threshold.

Replay seeded Splunk-compatible telemetry, approve containment, and generate an audit-ready dossier that proves why the action happened.

 Open mission →

 View dossier



RISK IDENTITY

 **ACTIVE**


ava.kline@northstar.example

▶ 0:00 / 1:01 Finance Admin

CONTAINMENT COMMAND

EVIDENCE TICKER

Seeded SPL-compatible replay



01

Hero claim lands before stack details.

02

Threshold crosses from Splunk-compatible evidence.

03

Operator approves replay-mode containment.

04

Dossier stores evidence, replay action, and verification.

05

Architecture states the live Splunk boundary.

Public video: youtube.com/watch?v=ZEs74UweOkc

Static deck includes the proof path; Devpost video carries the full 61-second walkthrough.

■ THE NON-OBVIOUS MECHANISM

Approval is the product surface. Proof storage is the receipt.

1

Signal + context

Seeded Splunk-compatible telemetry models impossible travel, MFA fatigue, privileged touch, and export risk.

2

Decision

The threshold policy crosses the line, but containment still waits for a human approval record.

3

Replay action

The deterministic executor changes the incident state from ACTIVE to CONTAINED in replay mode.

4

Proof

D1 stores rows, KV stores pointers, R2 stores dossiers, and the reasoning note comes from a server-side API.

CLAIM BOUNDARY

Seeded Splunk-compatible telemetry. Live Cloudflare proof storage. Live OpenAI-compatible reasoning route.

Telemetry

SPL / REST boundary

Threshold policy

Approval gate

Dossier store

■ DO NOT TRUST. VERIFY.

Every visible claim has a surface and evidence.

REPLAY ACTION	SURFACE	EVIDENCE
Build dossier	/api/dossier/build	persisted:true, cloudflare-d1-kv-r2
Approve replay containment	/api/containment/approve	Five D1 tables receive the replay proof chain
Reasoning note	/api/spl/generate	OpenAI-compatible API returns a SOC reasoning note

LIVE DEMO

Open app

containment-countdown.veithly.workers.dev

REPO

Public GitHub

github.com/veithly/containment-countdown

VIDEO

Watch demo

youtube.com/watch?v=ZEs74UweOkc

DECK PDF

Review deck

pitch/deck/containment-countdown-deck.pdf

LOOKING FOR

Splunk reviewers who can inspect the integration path while the public demo stays on seeded Splunk-compatible telemetry.

PLAIN LIMITATION

No live Splunk claim until SPLUNK_HOST, SPLUNK_TOKEN, and SPLUNK_INDEX are configured. Replay containment changes demo state only; no IAM or firewall change occurs.