

Prove 17 DFIR claims in 90 seconds.

CLAIM-004 · REVOKED

weak updater lead stopped

CLAIM-009 · CONFIRMED

powershell.log + network.log

RECEIPTS · WRITTEN

file · line · parser · hash

```
$ PYTHONPATH=src python3 -m tracewarden run examples/evidence/case-alpha --out runs/demo
```

```
[seal] evidence root locked · 5 artifacts · manifest hash written
```

```
[plan] parse timeline, auth, PowerShell, registry, network
```

```
[tool] read_powershell_log -> 5 evidence refs
```

```
[verify] CLAIM-004 lacks cross-source support
```

```
[correct] CLAIM-004 revoked; rerouting into PowerShell + network
```

```
[write] claim_receipts.json · accuracy_report.md · incident_report.html
```

- Sealed evidence root
- Typed read-only parsers
- Verifier-controlled claim states

Unverified agent claims pollute incident response.

The failure mode is not a weak hypothesis. It is a false lead.

Weak path

Process looks suspicious.

No second source. Benign vendor traffic.

CLAIM-004 -> revoked

Receipt path

PowerShell download chain.

Network beacon and auth anomaly line up.

confirmed -> claim_receipts.json

- Status quo: agent says a process is suspicious
- Breakage: responders chase the wrong artifact
- TraceWarden: unsupported claims get revoked

CLAIM-004 gets revoked on screen.

tracewarden terminal run

```
$ PYTHONPATH=src python3 -m tracewarden run examples/evidence/case-alpha --out runs/demo
[seal] evidence root locked · 5 artifacts · manifest hash written
[plan] parse timeline, auth, PowerShell, registry, network
[tool] read_powershell_log -> 5 evidence refs
[verify] CLAIM-004 lacks cross-source support
[correct] CLAIM-004 revoked; rerouting into PowerShell + network
[write] claim_receipts.json · accuracy_report.md · incident_report.html
```


- Run one terminal command
- Watch plan -> tool -> verify -> correct
- Open receipts and accuracy report

CLAIM-004 · REVOKED

the demo's self-correction

Guardrails live below the planner.

The LLM can plan, but the verifier controls what becomes a durable finding.



```
EvidenceRef(file, line, parser, sha256, tool_call_id)
```

The planner suggests. The verifier decides what survives.

- Evidence root is sealed and hashed
- Tools return typed EvidenceRef objects
- Receipts bind claims to file, line, parser, hash, and tool call

16 confirmed. 1 revoked. 0 hallucinations.

The package is reproducible from the repo and scored

at

17

claims evaluated

16

confirmed

1

revoked

0

hallucinations

1.0

precision / recall

Open: `runs/demo/incident_report.html` · `claim_receipts.json` · `accuracy_report.md`

Ask: inspect the proof chain, then add the next SIFT parser family.

- 17 claims evaluated
- precision 1.0, recall 1.0
- path escape blocked in tests