# Dokumentacija


Student: Veljko Radenkovic

Predmet: Web Programiranje php1

Indeks:128/15

# Opis funcktionalnosti:

Na svakoj stranici se nalazi dinamički meni čiji izgled zavisi od sesije,odnosno da li je admin ulogovan ili nije. Na stranici Schedule Prikazan je raspored treninga po danima koji je odradjen preko ajaxa. Na stranici team izlistani sus vi treneri I odradjena je paginacija takodje preko ajaxa.Na stranici about nalazi se anketa na koju mogu da glasaju samo ulogovani korisnici takodje preko ajaxa,anketa je realizovana da moze da ima neogranicen broj pitanja I odgovora.Na stranici classes izlistani su svi tipovi treninga.



Baza

# Javascript kod

#### Skripta.js

```
$(".day").click(function(){
  var that = \$(this);
  var id=that.data("id");
  $.ajax({
   url:'data/scheduleAjax.php',
   method: POST',
   dataType:'JSON',
    data:{
     id:id
   success:function(data){
     var lista="";
     $.each(data,function(index,d){
      lista+='<div class="col-md-3 col-sm-6"> <div class="program program-schedule"><img src="'+d.src+'"
alt="Cycling"> <small> '+d.time+'</small> <h3> '+d.classesName+'</h3> <span> '+d.teamName+'</span> </div> </div> ;
     $('#schedule').html(lista);
    error:function(xhr, status, error){
     alert(xhr.responseText);
$('.paginacija').click(function(Event){
  Event.preventDefault();
  var that=$(this);
 var broj=that.data('broj');
 $.ajax({
   url:'data/paginate.php',
   type: 'POST',
   data:{
     broj:broj
   success:function(data){
     var team="";
     $.each(data,function(index,t){
       team+='<div class="col-md-4 col-sm-6"><div class="team-section-grid animate-box fadeInUp animated"
style="background-image: url('+t.src+');"><div class="overlay-section"> <div class="desc"> <h3>'+t.name+'</h3>
circle"></i></a> <a href="#"><i class="icon-facebook-with-circle"></i></a> <a href="#"><i class="icon-instagram-with-circle"></i>
circle"></i></a>  </div> </div> </div>;
     console.log(team);
     $('#team').html(team);
   error:function(xhr, status, error){
     alert(xhr.status);
$('#anketa').on('click', 'button', function(e) {
 e.preventDefault();
```

```
var radio=$("#anketa input[type='radio']:checked").val();
  var postid=$("#anketa input[type='hidden']").val();
  if(radio === undefined){
    alert("Select grade!");
  else{
    $.ajax({
      url: 'data/anketa.php',
      data: {ocena:radio, postid:postid},
      method: "POST",
      success: function (data) {
        alert(data);
      error: function(xhr, status, error){
        var poruka = "Doslo je do greske.";
        switch(xhr.status) {
          case 404 :
            poruka = "Page not found.";
            break;
          case 409:
            poruka = "You have already voted.";
            break;
          case 422:
            poruka = "The data is invalid.";
            break;
          case 500:
            poruka = "Error.";
            break;
        alert(poruka);
    }).done(function(){
      $.ajax({
        url: data/anketa.php',
        method: "POST",
        data: {ID:postid},
        success: function (res) {
          $('.views > strong > span >i').text(res);
$('#glasaj').click(function(){
  var odgovor=document.getElementsByName('odgovor');
  var izabrani=";
 var id_pitanja=$('.odgovor').data('id_pitanja');
  for(var i = 0;i<odgovor.length;i++){</pre>
  if(odgovor[i].checked){
    izabrani+=odgovor[i].value;
  if(izabrani=="){
  alert("Niste izabrali odgovor");
  }else{
 $.ajax({
   url:'data/anketa.php',
   method:'POST',
   data:{
```

```
odgovor:izabrani,
 id_pitanja:id_pitanja
success:function(data) {
 if(data[2]==1){
   alert("VEC STE GLASALI, VAS GLAS SE NECE RACUNATI PONOVO!");
 console.log(data);
 var tabela=";
 var suma=data[0];
 tabela+='';
 $.each(data[1],function(index,value){
   tabela+=`${value.tekst_odgovora}:${value.broj*100/suma}%
 tabela+='';
 $('#anketa').html(tabela);
},error: function(xhr, status, error) {
 var err = xhr.responseText;
 alert(err);
```

# Php Kod

### Komponente

#### About.php

```
include ('connection.php');
$upit="SELECT *,odgovor.id as odgid FROM pitanje INNER JOIN odgovor on pitanje.id = odgovor.id_pitanja where
pitanje.id = 1";
try{
 $stmt=$conn->query($upit);
 $anketa=$stmt->fetchAll();
}catch (PDOException $ex){
 echo $ex->getMessage();
<div class="col-lg-offset-4">
 <img src="images/veljko1.jpg" width="500">
 <h4>Ja sam Veljko Radenković i rođen sam 1996. godine, u Gornjem Milanovcu.</h4>
 <h4>Zavrsio sam Ekonomsko-trgovačku školu "Knjaz Miloš".</h4>
   <h4>Živim u Beogrdu gde studiram Visoku ICT školu. Trenutno sam treca godina.</h4>
  Koji trening vam se najvise svidja?
   <?php foreach($anketa as $a):?>
     <?php echo $a['tekst_odgovora']?><input type="radio" data-id_pitanja="<?php echo $a['id']?>"
class="odgovor" value="<?php echo $a['odgid']?>" name="odgovor">
   <?php endforeach;?>
   <?php if(isset($_SESSION['id'])):?>
     <input type="button" class="btn btn-primary" id="glasaj" value="glasaj">
     <?php echo "Morate se prvo ulogovati"?>
   <?php endif;?>
```

```
</div>
```

#### Banner.php

#### Classes.php

```
$upit="SELECT * FROM classes INNER JOIN images on classes.id_image = images.id";
$classes=$conn->query($upit);
<div id="fh5co-programs-section">
  <div class="container">
    <div class="row">
     <div class="col-md-8 col-md-offset-2">
       <div class="heading-section text-center animate-box">
         <h2>Our Programs</h2>
         Separated they live in Bookmarksgrove right at the coast of the Semantics, a large language ocean.
       </div>
     </div>
    </div>
    <div class="row text-center">
      <?php foreach($classes as $c):?>
     <div class="col-md-4 col-sm-6">
       <div class="program animate-box">
         <img src="<?php echo $c['src']?>" alt="<?php echo $c['alt']?>">
         <h3><?php echo $c['name']?></h3>
         <?php echo $c['text']?> 
       </div>
     </div>
      <?php endforeach;?>
  </div>
```

#### Footer.php

```
<footer>
<div id="footer">
<div class="container">
<div class="row">
<div class="row">
<div class="col-md-4 animate-box">
<h3 class="section-title">About Us</h3>
```

```
Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, there live the
blind texts. Separated they live in Bookmarksgrove right at the coast of the Semantics.
       </div>
       <div class="col-md-4 animate-box">
         <h3 class="section-title">Our Address</h3>
         <|i><| class="icon-map-marker"></i>198 West 21th Street, Suite 721 New York NY 10016
           <i class="icon-phone"></i>+ 1235 2355 98
           <i class="icon-envelope"></i><a href="#">info@yoursite.com</a><i class="icon-globe2"></i><a href="#">www.yoursite.com</a>
         </div>
       <div class="col-md-4 animate-box">
         <h3 class="section-title">Drop us a line</h3>
         <form class="contact-form">
           <div class="form-group">
             <label for="name" class="sr-only">Name</label>
             <input type="name" class="form-control" id="name" placeholder="Name">
           </div>
           <div class="form-group">
             <label for="email" class="sr-only">Email</label>
             <input type="email" class="form-control" id="email" placeholder="Email">
           </div>
           <div class="form-group">
             <label for="message" class="sr-only">Message</label>
             <textarea class="form-control" id="message" rows="7" placeholder="Message"></textarea>
           </div>
           <div class="form-group">
             <input type="submit" id="btn-submit" class="btn btn-send-message btn-md" value="Send Message">
           </div>
         </form>
       </div>
      </div>
      <div class="row copy-right">
       <div class="col-md-6 col-md-offset-3 text-center">
         <a href="https://www.facebook.com/"><i class="icon-facebook2"></i></a>
           <a href="https://twitter.com"><i class="icon-instagram"></i>
           <a href="https://www.youtube.com/"><i class="icon-youtube"></i></a>
         Copyright 2016 Free Html5 <a href="#">Fitness</a>. All Rights Reserved. <br/>br>Made with <i class="icon-
heart3"></i> by <a href="http://freehtml5.co/" target="_blank">Freehtml5.co</a> / Demo Images: <a
href="https://unsplash.com/" target="_blank">Unsplash</a>
       </div>
  </div>
```

#### Header.php

```
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Fitness &mdash; 100% Free Fully Responsive HTML5 Template by FREEHTML5.co</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="Free HTML5 Template by FREEHTML5.CO" />
<meta name="keywords" content="free html5, free template, free bootstrap, html5, css3, mobile first, responsive" />
<meta name="author" content="FREEHTML5.CO" />
<meta property="og:title" content=""/>
<meta property = og.tttle content= "/>
<meta property = og:url" content=""/>
<meta property = og:site_name" content=""/>
<meta property="og:description" content=""/>
<meta name="twitter:title" content="" />
<meta name="twitter:image" content="" />
<meta name="twitter:url" content="" />
<meta name="twitter:card" content="" />
<link rel="shortcut icon" href="favicon.ico">
k href='https://fonts.googleapis.com/css?family=Roboto:400,100,300,700,900' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/icomoon.css">
<link rel="stylesheet" href="css/bootstrap.css">
<link rel="stylesheet" href="css/superfish.css">
<link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/login.css">
<script src="js/modernizr-2.6.2.min.js"></script>
```

```
</head>
<body>
<div id="fh5co-wrapper">
 <div id="fh5co-page">
   <div id="fh5co-header">
     <header id="fh5co-header-section">
       <div class="container">
         <div class="nav-header">
          <a href="#" class="js-fh5co-nav-toggle fh5co-nav-toggle"><i></a>
          <h1 id="fh5co-logo"><a href="index.html">Fit<span>ness</span></a></h1>
          <nav id="fh5co-menu-wrap" role="navigation">
            <?php foreach($navigation as $n):?>
                <a href="index.php?page=<?php echo $n['name']?>"><?php echo $n['name'];?></a>
              <?php ;endforeach?>
              <?php if(isset($_SESSION['uloga'])):?>
                class="active">
                <a href="logout.php">Logout</a>
                <?php if($_SESSION['uloga']=='admin'):?>
                  class="active">
                   <a href="admin.php">Admin Panel</a>
                <?php endif;?>
                <?php if(isset($_SESSION['id'])):?>
                  class="active">
                   <a href="admin.php"><?php echo $_SESSION['id'];?></a>
                <?php endif;?>
                <?php endif;?>
            </nav>
         </div>
       </div>
     </header>
```

#### LoginRegister.php

```
<input type="text" name="fname" id="fname" required autocomplete="off" />
      </div>
      <div class="field-wrap">
      <label>
Last Name<span class="req">*</span>
      </label>
      <input type="text" name="lname" id="lname" required autocomplete="off"/>
     </div>
     </div>
    <div class="field-wrap">
Email Address<span class="req">*</span>
     </label>
     <input type="email" name="email" id="email" required autocomplete="off"/>
     </div>
    <div class="field-wrap">
     <label>
Set A Password<span class="req">*</span>
     <input type="password" name="password" id="password" required autocomplete="off"/>
     </div>
    <button type="submit" name="register" class="button button-block"/>Get Started</button>
    </form>
    </div>
    <div id="login">
    <h1>Welcome Back!</h1>
    <form action="login.php" method="post">
     <div class="field-wrap">
Email Address<span class="req">*</span>
     <input type="email" name="email"required autocomplete="off"/>
     </div>
    <div class="field-wrap">
     <label>
Password<span class="req">*</span>
     </label>
     <input type="password" name="password"required autocomplete="off"/>
    <a href="#">Forgot Password?</a>
    <input type="submit" name="login" class="button button-block"/>Log In</button>
   </div>
  </div><!-- tab-content -
  <?php if(isset($_SESSION['greske'])){</pre>
   foreach($_SESSION['greske'] as $g){
```

```
echo \$g;
echo '</br>';
}
unset(\$_SESSION['greske']);
}?>
<?php if(isset(\$_SESSION['greska'])){
echo \$_SESSION['greska'];
unset(\$_SESSION['greska']);
}?>
</div> <!-- /form -->
</div></div>
```

#### Schedule.php

```
<?php
$upit="select * from days";
$days=$conn->query($upit);
<?php
$upit="SELECT *,classes.name as classesName,team.name as teamName FROM schedule INNER JOIN days on
schedule.id_day = days.id INNER JOIN classes on schedule.id_classes = classes.id INNER JOIN team on schedule.id_team =
team.id INNER JOIN images on classes.id_image = images.id where days.name = 'Monday'";
$schedule=$conn->query($upit);
<div id="fh5co-schedule-section" class="fh5co-lightgray-section">
  <div class="container">
    <div class="row">
     <div class="col-md-8 col-md-offset-2">
       <div class="heading-section text-center animate-box">
         <h2>Class Schedule</h2>
         Separated they live in Bookmarksgrove right at the coast of the Semantics, a large language ocean.
       </div>
     </div>
    </div>
    <div class="row animate-box">
     <div class="col-md-10 col-md-offset-1 text-center">
       <?php foreach($days as $d):?>
         <|i><a href="#" class="day" data-id="<?= $d['id']?>" data-sched="saturday"><?php echo $d['name']?></a>
         <?php endforeach;?>
       <div class="row text-center">
       <div class="col-md-12 schedule-container" id="schedule">
           <?php foreach($schedule as $s):?>
           <div class="col-md-3 col-sm-6">
             <div class="program program-schedule">
               <img src="<?php echo $s['src']?>" alt="Cycling">
               <small><?php echo $s['time']?></small>
               <h3><?php echo $s['classesName']?></h3>
               <span><?php echo $s['teamName']?></span>
             </div>
           </div>
           <?php endforeach;?>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

#### Team.php

```
$upit="SELECT * FROM team INNER JOIN images on team.id_image = images.id limit 3 ";
$team=$conn->query($upit);
$broj=$conn->query("SELECT * FROM team");
$broj=$broj->rowCount()/3;
$broj=ceil($broj);
echo $broj;
<div id="fh5co-team-section" class="fh5co-lightgray-section">
 <div class="container">
   <div class="row">
     <div class="col-md-8 col-md-offset-2">
       <div class="heading-section text-center animate-box">
         <h2>Meet Our Trainers</h2>
         Separated they live in Bookmarksgrove right at the coast of the Semantics, a large language ocean.
       </div>
     </div>
   </div>
   <div class="row text-center">
     <div class="team" id="team">
   <?php foreach($team as $t):?>
     <div class="col-md-4 col-sm-6">
       <div class="team-section-grid animate-box" style="background-image: url('<?php echo $t['src'];?>');">
         <div class="overlay-section">
           <div class="desc">
            <h3><?php echo $t['name']?></h3>
            <span><?php echo $t['type']?></span>
            <?php echo $t['text']?>
            <a href="#"><i class="icon-twitter-with-circle"></i></a>
              <a href="#"><i class="icon-facebook-with-circle"></i></a>
              <a href="#"><i class="icon-instagram-with-circle"></i></a>
           </div>
         </div>
       </div>
     <?php endforeach;?>
     </div>
     <?php for($i=1;$i<=$broj;$i++):?>
         class="paginacija" data-broj="<?php echo $i?>"> <a href="#"><?php echo $i?></a>
       <?php endfor;?>
     <br>
   </div>
  </div>
</div>
```

## AdminKomponente

#### Classes.php

```
<?php
$upit="select * from classes";
$classes=$conn->query($upit);
if(isset($_REQUEST['submit'])){
  $name=$_REQUEST['name'];
 $text=$_REQUEST['text'];
  $tmp_file=$_FILES['image']['tmp_name'];
  $putanja="images/".time().$_FILES['image']['name'];
  if(move_uploaded_file($tmp_file,$putanja));
  $upitSlikaInsert="INSERT INTO images(src,alt)values(:putanja,'aaaa')";
  $stmt=$conn->prepare($upitSlikaInsert);
  $stmt->bindParam(":putanja",$putanja);
   $stmt->execute();
   $id image=$conn->lastInsertId();
   $upitInsertclasses="INSERT INTO classes(name,text,id_image)values(:name,:text,:id_image)";
   $stmtS=$conn->prepare($upitInsertclasses);
   $stmtS->bindParam(":name",$name);
   $stmtS->bindParam(":text",$text);
   $stmtS->bindParam(":id_image",$id_image);
   $stmtS->execute();
  }catch (PDOException $ex){
   echo $ex->getMessage();
Id
   Name
   Text
   Image
  </thead>
  <?php foreach($classes as $c):?>
     <?php echo $c['id']?>
     <?php echo $c['name']?>
     <?php echo $c['text']?>
     <?php echo $c['id_image']?>
     <a href="#" class="users" data-table="classes" data-id="<?php echo $c['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $c['id']?>&&table=classes">Delete</a>
 <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=classes" enctype="multipart/form-data">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
```

```
placeholder="Name">
    </div>
   <div class="form-group">
     <label for="exampleInputEmail1">Text</label>
      <input name="text" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Text">
   <div class="form-group">
     <label for="exampleInputPassword1">Image</label>
      <input type="file" name="image" class="form-control" id="exampleInputPassword1" placeholder="Image">
   <button type="submit" name="submit" class="btn btn-primary">Submit</button>
</div>
<script src="js/jquery.min.js"></script>
<script>
 $('.users').click(function(){
   event.preventDefault();
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
       id:id,
       table:table
     success:function(data){
       var forma = "
       $.each(data,function(index,d){
          forma += `<form method="post" action="views/adminPanel/classesEdit.php" enctype="multipart/form-data">
  <div class="form-group">
   <label for="exampleInputEmail1">Name</label>
   <input type="hidden" name="id" value="${d.id}">
    <input name="name" value="${d.name}" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="First Name">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">TextName</label>
   <input name="text" value="${d.text}" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Last Name">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Image</label>
   <input name="image" type="file" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</p>
placeholder="Image">
  </div>
  <button type="submit" name="Edit" class="btn btn-primary">Edit</button>
</form>`
       $('#forma').html(forma);
```

```
<?php
include ('../../connection.php');
if(isset($_REQUEST['Edit'])){
  $id=$_REQUEST['id'];
  $name=$_REQUEST['name'];
  $text=$_REQUEST['text'];
  $tmp_file=$_FILES['image']['tmp_name'];
  if($tmp_file==""){
    $upit1="UPDATE classes SET name=:name,text=:text where id=:id";
    $stmt=$conn->prepare($upit1);
    $stmt->bindParam(":id",$id);
    $stmt->bindParam(":name",$name);
    $stmt->bindParam(":text",$text);
    $stmt->execute();
    header("Location:".$_SERVER['HTTP_REFERER']);
    $id=$_REQUEST['id'];
    $name=$_REQUEST['name'];
    $text=$_REQUEST['text'];
    $destinacija='../../images/'.time().$_FILES['image']['name'];
    $putanja='images/'.time().$_FILES['image']['name'];
    if(move_uploaded_file($tmp_file,$destinacija)){
      $upitSlika="INSERT INTO images(src,alt)values(:src,'aaaa')";
      $stmtSlika=$conn->prepare($upitSlika);
      $stmtSlika->bindParam(":src",$putanja);
       $stmtSlika->execute();
       $id_image=$conn->lastInsertId();
       $upit2="UPDATE classes SET name=:name,text=:text,id_image=:id_image where id=:id";
       $stmt2=$conn->prepare($upit2);
       $stmt2->bindParam(":id",$id);
       $stmt2->bindParam(":name",$name);
       $stmt2->bindParam(":text",$text);
       $stmt2->bindParam(":id_image",$id_image);
       $stmt2->execute();
       header("Location:".$_SERVER['HTTP_REFERER']);
     }catch (PDOException $ex){
       echo $ex->getMessage();
```

#### Days.php

```
$upit="select * from days";
$days=$conn->query($upit);
if(isset($_REQUEST['Add'])){
$name=$_REQUEST['name'];
$upit="INSERT INTO days(name)values(:name)";
$stmt=$conn->prepare($upit);
$stmt->bindParam(":name",$name);
try{
    $stmt->execute();
    header("Location:".$_SERVER['HTTP_REFERER']);
}catch(PDOException $ex){
    echo $ex->getMessage();
}
```

```
Id
   Name
 </thead>
 <?php foreach($days as $d):?>
     <?php echo $d['id']?>
     <?php echo $d['name']?>
     <a href="#" class="users" data-table="days" data-id="<?php echo $d['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $d['id']?>&&table=days">Delete</a>
   <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=days">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Name">
   </div>
   <button type="submit" name="Add" class="btn btn-primary">Add</button>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   event.preventDefault();
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
      id:id.
      table:table
     success:function(data){
       var forma = "
      $.each(data,function(index,d){
        forma += `<form method="post" action="views/adminPanel/daysEdit.php">
 <div class="form-group">
   <label for="exampleInputEmail1">Name</label>
   <input type="hidden" value="${d.id}" name="id">
   <input name="name" value="${d.name}" class="form-control" id="exampleInputEmail1" aria-
describedby="emailHelp" placeholder="Name">
 </div>
 <button type="submit" name="Edit" class="btn btn-primary">Edit</button>
</form>`;
```

```
$('#forma').html(forma);
}

});
});
</script>
```

#### DaysEdit.php

```
include ('../../connection.php');
if(isset($_REQUEST['Edit'])){
    $id=$_REQUEST['id'];
    $name=$_REQUEST['name'];
    $upit="UPDATE days SET name=:name where id=:id";
    $stmt=$conn->prepare($upit);
    $stmt->bindParam(":name",$name);
    $stmt->bindParam(":id",$id);
    $res=$stmt->execute();
    if($res){
        header("Location:".$_SERVER['HTTP_REFERER']);
    }
}
```

#### Get.php

```
/?php

include ('../../connection.php');
include('../../data/json.php');
$table=$_REQUEST['table'];
$id=$_REQUEST['id'];
$stmt=$conn->prepare("SELECT * from $table where id = :id");
$stmt->bindParam('id',$id);
$stmt->execute();
$niz=$stmt->fetchAll();
returnJson($niz);
}
```

#### Navigation.php

```
Id
   Name
 </thead>
 <?php foreach($navigation as $n):?>
     <?php echo $n['id']?>
     <?php echo $n['name']?>
     <a href="#" class="users" data-table="navigation" data-id="<?php echo $n['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $n['id']?>&&table=navigation">Delete</a>
   <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=navigation">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Name">
   </div>
   <button type="submit" name="add" class="btn btn-primary">Add</button>
</div>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   event.preventDefault();
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
       id:id,
       table:table
     success:function(data){
       var forma = "
       $.each(data,function(index,d){
         forma += `<form method="post" action="views/adminPanel/navigationEdit.php">
 <div class="form-group">
   <label for="exampleInputEmail1">Name</label>
   <input type="hidden" value="${d.id}" name="id">
   <input name="name" value="${d.name}" class="form-control" id="exampleInputEmail1" aria-
describedby="emailHelp" placeholder="Name">
 </div>
 <button type="submit" name="Edit" class="btn btn-primary">Edit</button>
</form>`;
       $('#forma').html(forma);
```

```
});
</script>
```

#### NavigationEdit.php

```
// connection.php");
if(isset($_REQUEST['Edit'])){
    $id=$_REQUEST['aid'];
    $name=$_REQUEST['name'];
    $upit="UPDATE navigation SET name=:name where id=:id";
    $stmt=$conn->prepare($upit);
    $stmt->bindParam(".id",$id);
    $stmt->bindParam("name",$name);
    try{
        $stmt->execute();
        header("Location:".$_SERVER['HTTP_REFERER']);
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}
```

#### OdgovorEdit.php

```
// connection.php");
if(isset($_REQUEST['Edit'])){
    $id=$_REQUEST['id'];
    $name=$_REQUEST['name'];
    $upit="UPDATE odgovor SET tekst_odgovora=:name where id=:id";
    $stmt=$conn->prepare($upit);
    $stmt->bindParam(":id",$id);
    $stmt->bindParam("name",$name);
    try{
        $stmt->execute();
        header("Location:".$_SERVER['HTTP_REFERER']);
} catch (PDOException $ex){
        echo $ex->getMessage();
}
}
```

#### Odgovor.php

```
<?php
$upit="Select * from odgovor";
$odgovor=$conn->query($upit);
$upit2="Select * from pitanje";
$pitanje=$conn->query($upit2);
if(isset($_REQUEST['add'])){
  $name=$_REQUEST['name'];
  $id_pitanja=$_REQUEST['pitanje'];
  $upit="INSERT INTO odgovor(tekst_odgovora,id_pitanja)VALUES(:name,:id_pitanja)";
  $stmt=$conn->prepare($upit);
  $stmt->bindParam(":name",$name);
  $stmt->bindParam(":id_pitanja",$id_pitanja);
  try{
    $stmt->execute();
   header("Location:".$_SERVER['HTTP_REFERER']);
  }catch (PDOException $ex){
```

```
echo $ex->getMessage();
Id
   Tekst Odgovora
   id_pitanja
   Broj
 </thead>
 <?php foreach($odgovor as $o):?>
     <?php echo $o['id']?>
     <?php echo $o['tekst_odgovora']?>
     <?php echo $o['id_pitanja']?>
     <?php echo $o['broj']?>
     <a href="#" class="users" data-table="odgovor" data-id="<?php echo $o['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $o['id']?>&&table=odgovor">Delete</a>
   <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=odgovori">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Name">
   <div class="form-group">
     <select name="pitanje">
      <?php foreach($pitanje as $p):?>
        <option value="<?php echo $p['id'];?>"><?php echo $p['tekst_pitanja'];?></option>
      <?php endforeach;?>
     </select>
   </div>
   <button type="submit" name="add" class="btn btn-primary">Add</button>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
      id:id,
      table:table
     success:function(data){
      var forma = ""
      $.each(data,function(index,d){
```

#### Pitanja.php

```
<?php
$upit="select * from pitanje";
$pitanje=$conn->query($upit);
if(isset($_REQUEST['add'])){
 $name=$_REQUEST['name'];
 $upit="INSERT INTO pitanje(tekst_pitanja)VALUES(:name)";
 $stmt=$conn->prepare($upit);
 $stmt->bindParam(":name",$name);
 try{
   $stmt->execute();
   header("Location:".$_SERVER['HTTP_REFERER']);
 }catch (PDOException $ex){
   echo $ex->getMessage();
Id
   Name
 </thead>
 <?php foreach($pitanje as $p):?>
     <?php echo $p['id']?>
     <?php echo $p['tekst_pitanja']?>
     <a href="#" class="users" data-table="pitanje" data-id="<?php echo $p['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $p['id']?>&&table=pitanje">Delete</a>
 <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=pitanja">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
```

```
placeholder="Name">
    </div>
   <button type="submit" name="add" class="btn btn-primary">Add</button>
 </form>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
      url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
       id:id,
       table:table
     success:function(data){
       var forma = "
       $.each(data,function(index,d){
          forma += `<form method="post" action="views/adminPanel/pitanjeUpdate.php">
  <div class="form-group">
   <label for="exampleInputEmail1">Name</label>
   <input type="hidden" value="${d.id}" name="id">
   <input name="name" value="${d.tekst_pitanja}" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="Name">
  </div>
  <button type="submit" name="Edit" class="btn btn-primary">Edit</button>
</form>`;
       $('#forma').html(forma);
```

#### PianjaUpdate.php

```
/?php

include("../../connection.php");
if(isset($_REQUEST['Edit'])){
    $id=$_REQUEST['id'];
    $name=$_REQUEST['name'];
    $upit="UPDATE pitanje SET tekst_pitanja=:name where id=:id";
    $stmt=$conn->prepare($upit);
    $stmt->bindParam(":id",$id);
    $stmt->bindParam("name",$name);
    try{
        $stmt->execute();
        header("Location:".$_SERVER['HTTP_REFERER']);
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}
```

#### Rezultat.php

```
<?php
$upit="Select * from rezultat";
$rezultat=$conn->query($upit);
Id
  id_odgovor
  id_user
  id_pitanja
 </thead>
 <?php foreach($rezultat as $r):?>
   <?php echo $r['id']?>
   <?php echo $r['id_odgovor']?>
   <?php echo $r['id_user']?>
   <?php echo $r['id_pitanja']?>
   <a href="delete.php?id=<?php echo $r['id']?>&&table=rezultat">Delete</a>
  <?php endforeach;?>
```

#### Schedule.php

```
<?php
$upitdays="select * from days";
$days=$conn->query($upitdays);
$upitclasses="select * from classes";
$classes=$conn->query($upitclasses);
$upitteam="Select * from team";
$team=$conn->query($upitteam);
if(isset($_REQUEST['Add'])){
  $time=$_REQUEST['time'];
  $days=$_REQUEST['days'];
  $team=$_REQUEST['team'];
  $classes=$_REQUEST['classes'];
  $upit="INSERT INTO schedule(time,id_day,id_team,id_classes)values(:vreme,id_day,id_team,id_classes)";
  $stmt=$conn->prepare($upit);
  $stmt->bindParam(":vreme",$time);
  $stmt->bindParam(":id_day",$days);
  $stmt->bindParam(":id_team",$team);
  $stmt->bindParam(":id_classes",$classes);
  $stmt->execute();
$upit="SELECT *,schedule.id as sId,classes.name as classesName,days.name as dayName,team.name as teamName FROM
schedule INNER JOIN days on schedule.id_day = days.id INNER JOIN classes on schedule.id_classes = classes.id INNER
JOIN team on schedule.id_team = team.id INNER JOIN images on classes.id_image = images.id";
$schedule=$conn->query($upit);
```

```
Id
   Time
   Day
   Classes
   Team
 </thead>
 <?php foreach($schedule as $s):?>
    <?php echo $s['sId']?>
    <?php echo $s['time']?>
    <?php echo $s['dayName']?>
    <?php echo $s['classesName']?>
    <?php echo $s['teamName']?>
   <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
 <form method="post" action="admin.php?page=schedule">
   <div class="form-group">
    <label for="exampleInputEmail1">Time</label>
     <input name="time" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Time">
   </div>
   <div class="form-group">
   <select name="days">
     <?php foreach($days as $d):?>
    <option value="<?php echo $d['id'];?>"><?php echo $d['name'];?></option>
     <?php endforeach;?>
   </select>
   </div>
   <div class="form-group">
    <select name="classes">
      <?php foreach($classes as $c):?>
        <option value="<?php echo $c['id'];?>"><?php echo $c['name'];?></option>
      <?php endforeach;?>
   </div>
   <div class="form-group">
    <select name="team">
      <?php foreach($team as $t):?>
        <option value="<?php echo $t['id'];?>"><?php echo $t['name'];?></option>
      <?php endforeach;?>
   </div>
   <button type="submit" name="Add" class="btn btn-primary">Submit/button>
```

#### Team.php

```
<?php

$upit="Select * from team";
$team=$conn->query($upit);
if(isset($_REQUEST['submit'])){
    $name=$_REQUEST['name'];
```

```
$type=$_REQUEST['type'];
 $text=$_REQUEST['text'];
 $target_dir = "images/";
 $target_file=$_FILES["image"]["tmp_name"];
 $src=time().$_FILES['image']['name'];
 $odrediste=$target_dir.time().($_FILES["image"]["name"]);
 if(move_uploaded_file($target_file,$odrediste)){
   $upitslika="INSERT INTO images(src,alt)values(:src,'aaaa')";
  $stmt=$conn->prepare($upitslika);
   $stmt->bindParam(":src",$odrediste);
    $stmt->execute();
    $poslednji=$conn->lastInsertId();
    $upitTeamInsert="INSERT INTO team(name,type,text,id_image)values(:name,:type,:text,:id_image)";
    $stmtt=$conn->prepare($upitTeamInsert);
    $stmtt->bindParam(":name",$name);
    $stmtt->bindParam(":type",$type);
    $stmtt->bindParam(":text",$text);
    $stmtt->bindParam(":id_image",$poslednji);
     $stmtt->execute();
     header("Location:".$_SERVER['HTTP_REFERER']);
  }catch(PDOException $ex){
    echo $ex->getMessage();
<thead>
   Id
   Name
   Type
   Text
   Image
 </thead>
 <?php foreach($team as $t):?>
     <?php echo $t['id']?>
     <?php echo $t['name']?>
     <?php echo $t['type']?>
     <?php echo $t['text']?>
     <?php echo $t['id_image']?>
     <a href="#" class="users" data-table="team" data-id="<?php echo $t['id']?>">Update</a>
     <a href="delete.php?id=<?php echo $t['id']?>&&table=team">Delete</a>
   <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma" >
 <form method="post" action="admin.php?page=team" enctype="multipart/form-data">
   <div class="form-group">
     <label for="exampleInputEmail1">Name</label>
     <input name="name" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Name">
   <div class="form-group">
     <label for="exampleInputEmail1">Type</label>
```

```
<input name="type" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Type">
   </div>
   <div class="form-group">
     <label for="exampleInputEmail1">Text</label>
      <input name="text" type="text" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Text">
   <div class="form-group">
     <label for="exampleInputPassword1">Image</label>
     <input type="file" name="image" class="form-control" id="exampleInputPassword1" placeholder="Image">
   </div>
   <button type="submit" name="submit" class="btn btn-primary">Submit</button>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   event.preventDefault();
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url:'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
       id:id,
       table:table
     success:function(data){
       var forma = "
       $.each(data,function(index,d){
         forma += `<form method="post" action="views/adminPanel/teamEdit.php" enctype="multipart/form-data">
  <div class="form-group">
   <label for="exampleInputEmail1">Name</label>
   <input type="hidden" name="id" value="${d.id}">
   <input name="name" value="${d.name}" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="Name">
  </div>
  <div class="form-group">
   <label for="exampleInputEmail1">Type</label>
    <input name="type" value="${d.type}" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</p>
placeholder="Type">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Text</label>
   <input name="text" value="${d.text}" type="text" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="Text">
 <div class="form-group">
      <label for="exampleInputPassword1">Image</label>
      <input name="image" type="file" class="form-control" id="exampleInputPassword1" placeholder="Image">
  <button type="submit" name="Edit" class="btn btn-primary">Edit</button>
</form>`
       $('#forma').html(forma);
```

```
});
}/s
</script>
```

#### Teamedit.php

```
<?php
include('../../connection.php');
if(isset($_REQUEST['Edit'])){
  $id=$ REOUEST['id'];
  $name=$_REQUEST['name'];
  $type=$_REQUEST['type'];
  $text=$_REQUEST['text'];
$tmp_file=$_FILES['image']['tmp_name'];
  if($tmp_file==""){
    $upit1="UPDATE team SET name=:name,type=:type,text=:text where id=:id";
     $stmt=$conn->prepare($upit1);
     $stmt->bindParam(":id",$id);
$stmt->bindParam(":name",$name);
$stmt->bindParam(":text",$text);
$stmt->bindParam(":type",$type);
     $stmt->execute();
     header("Location:".$_SERVER['HTTP_REFERER']);
  }else{
     $id=$ REQUEST['id'];
     $name=$_REQUEST['name'];
     $text=$_REQUEST['text'];
     $destinacija='../../images/'.time().$_FILES['image']['name'];
$putanja='images/'.time().$_FILES['image']['name'];
     if(move_uploaded_file($tmp_file,$destinacija)){
        $upitSlika="INSERT INTO images(src,alt)values(:src,'aaaa')";
        $stmtSlika=$conn->prepare($upitSlika);
        $stmtSlika->bindParam(":src",$putanja);
        try{
          $stmtSlika->execute();
          $id image=$conn->lastInsertId();
          $upit2="UPDATE team SET name=:name,type=:type,text=:text,id_image=:id_image where id=:id";
          $stmt2=$conn->prepare($upit2);
          $stmt2-$com->prepare($upit2);
$stmt2->bindParam(":id",$id);
$stmt2->bindParam(":name",$name);
$stmt2->bindParam(":text",$text);
$stmt2->bindParam(":id_image",$id_image);
$stmt2->bindParam(":type",$type);
        $stmt2->execute();
header("Location:".$_SERVER['HTTP_REFERER']);
}catch (PDOException $ex){
          echo $ex->getMessage();
```

#### Users.php

```
<?php

$upit="select *,users.id as uId from users INNER JOIN roles on users.id_role = roles.id";
$users=$conn->query($upit);
if(isset($_REQUEST['submit'])){
```

```
$fname=$_REQUEST['fname'];
 $lname=$_REQUEST['lname'];
 $email=$_REQUEST['email'];
 $password=$_REQUEST['password'];
 $role=$_REQUEST['role'];
$stmt = $conn->prepare ("INSERT INTO users (first_name, last_name, email, password, id_role) VALUES (:fname,
:lname,:email,:password,:id_role)");
$stmt -> bindParam(':fname', $fname);
$stmt -> bindParam(':lname', $lname);
$stmt -> bindParam(':email', $email);
$stmt -> bindParam(':password', $password);
$stmt -> bindParam(':id_role', $role);
try {
 $stmt->execute();
 header("Location:".$_SERVER['HTTP_REFERER']);
}catch(PDOException $ex){
 echo $ex->getMessage();
Id
   First
   Last
   Email
   Password
   Role
 </thead>
 <?php foreach($users as $u):?>
   <?php echo $u['uId']?>
   <?php echo $u['first_name']?>
   <?php echo $u['last_name']?>
   <?php echo $u['email']?>
   <?php echo $u['password']?>
   <?php echo $u['name']?>
   <a href="#" class="users" data-table="users" data-id="<?php echo $u['uId']?>">Update</a>
   <a href="delete.php?id=<?php echo $u['uId']?>&&table=users">Delete</a>
 <?php endforeach;?>
 <div class="col-lg-4 col-lg-offset-4" id="forma">
<form method="post" action="admin.php?page=users">
 <div class="form-group">
   <label for="exampleInputEmail1">First Name</label>
   <input name="fname" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="First Name">
 <div class="form-group">
   <label for="exampleInputEmail1">Last Name</label>
   <input name="lname" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
placeholder="Last Name">
 <div class="form-group">
   <label for="exampleInputEmail1">Email</label>
   <input name="email" type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"</pre>
```

```
placeholder="Enter email">
  </div>
  <div class="form-group">
   <label for="exampleInputPassword1">Password</label>
   <input name="password" type="password" class="form-control" id="exampleInputPassword1"</pre>
placeholder="Password">
 <div class="form-group">
   <label form="ExampleInputRole">Role</label>
   <select name="role">
     <option value="1">Admin</option>
     <option value="2">User</option>
   </select>
 <button type="submit" name="submit" class="btn btn-primary">Submit/button>
</form>
<script src="js/jquery.min.js"></script>
 $('.users').click(function(){
   event.preventDefault();
   var that=$(this);
   var table=that.data('table');
   var id=that.data('id');
   $.ajax({
     url: 'views/adminPanel/get.php',
     method:'post',
     dataType:'JSON',
     data:{
       id:id,
       table:table
     success:function(data){
       var forma = ""
       $.each(data,function(index,d){
          forma += `<form method="post" action="views/adminPanel/usersEdit.php">
  <div class="form-group">
   <label for="exampleInputEmail1">First Name</label>
   <input type="hidden" name="id" value="${d.id}">
   <input name="fname" value="${d.first_name}" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="First Name">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Last Name</label>
   <input name="lname" value="${d.last_name}" class="form-control" id="exampleInputEmail1" aria-</p>
describedby="emailHelp" placeholder="Last Name">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Email</label>
   <input name="email" value="${d.email}" type="email" class="form-control" id="exampleInputEmail1" aria-</pre>
describedby="emailHelp" placeholder="Enter email">
  </div>
  <div class="form-group">
   <label for="exampleInputPassword1">Password</label>
    <input name="password" type="password" class="form-control" id="exampleInputPassword1"</p>
placeholder="Password">
  </div>
  <div class="form-group">
   <label form="ExampleInputRole">Role</label>
    <select name="role">
```

#### Usersedit.php

```
<?php
include ('../../connection.php');
if(isset($_POST['Edit'])){
  $id=$_POST['id'];
$fname=$_POST['fname'];
$lname=$_POST['lname'];
$email=$_POST['email'];
$password=$_POST['password'];
$uloga=$_POST['role'];
if($password==""&&$uloga==0){
  $sql="UPDATE users SET first_name=:fname,last_name=:lname,email=:email where id=:id";
  $stmt=$conn->prepare($sql);
  $stmt->bindParam("id",$id);
  $stmt->bindParam(":fname",$fname);
  $stmt->bindParam(":lname",$lname);
  $stmt->bindParam(":email",$email);
  try{
    $stmt->execute();
   header('Location: '. $_SERVER['HTTP_REFERER']);
  }catch (PDOException $ex){
    echo $ex->getMessage();
}else{
  if($password!="" && uloga!=0){
    $sql="UPDATE users SET first_name=:fname,last_name=:lname,email=:email,id_role=:uloga,password=:password
where id=:id";
    $stmt=$conn->prepare($sql);
    $stmt->bindParam(":uloga",$uloga);
    $stmt->bindParam(":password",md5($password));
    $stmt->bindParam(":id",$id);
    $stmt->bindParam(":fname",$fname);
    $stmt->bindParam(":lname",$lname);
    $stmt->bindParam(":email",$email);
    try{
     $stmt->execute();
   }catch (PDOException $ex){
     echo $ex->getMessage();
  if($password!=""){
    $sql="UPDATE users SET first_name=:fname,last_name=:lname,email=:email,password=:password where id=:id";
    $stmt=$conn->prepare($sql);
```

```
$stmt->bindParam(":id",$id);
 $stmt->bindParam(":password",md5($password));
$stmt->bindParam(":fname",$fname);
 $stmt->bindParam(":lname",$lname);
 $stmt->bindParam(":email",$email);
 try{
    $stmt->execute();
   header('Location: '. $_SERVER['HTTP_REFERER']);
 }catch (PDOException $ex){
   echo $ex->getMessage();
}if($uloga!=0){
 $sql="UPDATE users SET first_name=:fname,last_name=:lname,email=:email,id_role=:uloga where id=:id";
 $stmt=$conn->prepare($sql);
 $stmt->bindParam(":uloga",$uloga);
 $stmt->bindParam(":id",$id);
 $stmt->bindParam(":fname",$fname);
 $stmt->bindParam(":lname",$lname);
 $stmt->bindParam(":email",$email);
 try{
    $stmt->execute();
   header("Location:".$_SERVER['HTTP_REFERER']);
 }catch (PDOException $ex){
   echo $ex->getMessage();
```

#### Admin.php

```
<?php
session_start();
include('connection.php');
$admin=";
<?php if(isset($_SESSION['uloga'])):?>
<?php if($_SESSION['uloga']=='admin'):?>
<!DOCTYPE html>
<html lang="en" class="no-js">
 <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"</pre>
integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRg320mUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
</head>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
   <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
     <a href="admin.php?page=users">Users</a>
       <a href="admin.php?page=team">Team</a>
```

```
<a href="admin.php?page=schedule">Schedule</a>
       <a href="admin.php?page=navigation">Navigation</a>
       <a href="admin.php?page=days">Days</a>
       <a href="admin.php?page=classes">Classes</a>
       <a href="admin.php?page=pitanja">Pitanja</a>
       <a href="admin.php?page=odgovori">Odgovori</a>
       <a href="admin.php?page=rezultat">Rezultat</a>
       <a href="logout.php">Logout</a>
     </div><!-- /.navbar-collapse -->
 </div><!-- /.container-fluid -->
<?php
if(isset($_REQUEST['page'])){
 $page=$_REQUEST['page'];
 switch ($page){
   case "users":
     include("views/adminPanel/users.php");
     break;
   case "team":
     include("views/adminPanel/team.php");
     break;
   case "classes":
     include("views/adminPanel/classes.php");
   case "days":
     include("views/adminPanel/days.php");
     break;
   case "navigation":
     include("views/adminPanel/navigation.php");
     break:
   case "schedule":
     include("views/adminPanel/schedule.php");
     break;
   case "pitanja":
     include("views/adminPanel/pitanja.php");
   case "odgovori":
     include("views/adminPanel/odgovori.php");
     break:
   case "rezultat":
     include("views/adminPanel/rezultat.php");
     break;
</body>
<?php endif;?>
<?php else:;?>
<?php header("Location:index.php");?>
<?php endif;?>
```

### Ostalo

#### Delete.php

```
//php

include ('connection.php');

$table=$_REQUEST['table'];

$id=$_REQUEST['id'];

$stmt=$conn->prepare("Delete from $table where id = :id");

$stmt->bindParam('id',$id);

try{

$stmt->execute();

header("Location:".$_SERVER['HTTP_REFERER']);

}

catch(PDOException $ex){
    echo $ex;
}
```

#### Forma.php

```
<?php
<div class="col-lg-4 col-lg-offset-4">
 <div class="form-group">
   <label for="exampleInputEmail1">First Name</label>
   <input type="fname" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="First</pre>
Name">
 </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Last Name</label>
   <input type="lname" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Last</pre>
Name">
  </div>
 <div class="form-group">
   <label for="exampleInputEmail1">Email</label>
   <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter</p>
email">
 </div>
 <div class="form-group">
   <label for="exampleInputPassword1">Password</label>
   <input type="password" class="form-control" id="exampleInputPassword1" placeholder="Password">
 </div>
 <input type="submit" name="submit" class="btn btn-primary">Submit</input>
```

#### Index.php

```
</php
include('connection.php');
include('views/commponents/header.php');
include ('views/commponents/banner.php');
if(isset($_GET['page'])){
    $page=$_GET['page'];</pre>
```

```
switch ($page){
   case "Team":
     include('views/commponents/team.php');
   case "Schedule":
     include('views/commponents/schedule.php');
   case "Classes":
     include('views/commponents/classes.php');
     break;
   case "Login/Register":
     include('views/commponents/loginRegister.php');
   case "About":
     include('views/commponents/about.php');
     break;
}else{
  include('views/commponents/classes.php');
include('views/commponents/footer.php');
```

#### Login.php

```
<?php
session_start();
include ('connection.php');
if(isset($_POST['login'])){
  $email=$_POST['email'];
  $password=md5($_POST['password']);
  $upit="select *,users.id as uId from users INNER JOIN roles on users.id_role = roles.id where email = '$email' and
password = '$password'";
  $result=$conn->query($upit);
  $rezultat=$result->fetchAll();
  if(count($rezultat)>0){
   foreach($rezultat as $r){
     $_SESSION['uloga']=$r['name'];
     $_SESSION['id']=$r['uId'];
   header("Location: index.php");
    header('Location:'.$_SERVER['HTTP_REFERER']);
    $_SESSION['greska']="Ne postoji korisnik sa takvim mailom ili sifrom";
```

#### Logout.php

```
<?php
session_start();
session_destroy();
header("Location:index.php");</pre>
```

#### Register.php

```
<?php
include ("connection.php");
if(isset($_POST['register'])) {</pre>
```

```
$fname = $_POST['fname'];
  $lname = $_POST['lname'];
  $email = addslashes($_POST['email']);
  $password = $_POST['password'];
 $regfname="/^[A-Z]{1}[a-z]{2,20}$/";
$reglname="/^[A-Z]{1}[a-z]{2,20}$/";
$rePassword="/\w{5,19}/";
 $wrong=[];
  if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
   array_push($wrong, "Email is in invalid format");
 if(!preg_match($regfname, $fname)){
   array_push($wrong, "First name is invalid format");
 if(!preg_match($reglname, $lname)){
   array_push($wrong, "Last name is invalid format");
 if(!preg_match($rePassword, $password)){
   array_push($wrong, "Password is in invalid format, must be between 5 and 21 caracters, onlu cab have [A-z] and
numbers");
 if(count(\$wrong) == 0){
    $query = $conn->prepare("SELECT * FROM users WHERE email = :email");
    $query->bindParam(':email', $email);
   $query->execute();
   if($query->rowcount() == 0)
       $query=$conn->prepare("INSERT INTO users(id_role,first_name, last_name, email, password)VALUES(2, ?, ?, ?
,?)");
       $query->execute(array($fname, $lname,$email, md5($password)));
       header('Location:index.php?page=Login/Register');
     }catch(PDOException $ex){
       header('Location:index.php?page=Login/Register?message=$wrong');
   else {
     header('Location:index.php?page=Login/Register?message=$wrong');
  session_start();
 $_SESSION['greske']=$wrong;
 header('Location:'.$_SERVER['HTTP_REFERER']);
```