crypto·signals

User Manual

Automatic support and resistance discovery
and 3-touch signal alerts for crypto markets



Version 1.0 · September 2026

Analysis and alerting only. Not financial advice.

Contents

1. What this app does 3

2. Opening the app 4

3. The Signals screen 5

4. The Levels and Config screens 8

5. Statuses explained 10

6. Telegram alerts 12

7. Settings and what they change 13

8. How a signal is decided 14

9. Troubleshooting 15

10. Quick reference 16

1. What this app does

crypto·signals watches cryptocurrency prices on Binance and finds price levels that the market keeps bouncing off. When price comes back to the same level for the **third separate time** without breaking through it, the app raises a **signal** — and it raises another one each time the level is tested again (4th touch, 5th touch, and so on).

You never tell it which price to watch. It discovers the levels itself from the price history, for every coin and every timeframe being watched, and keeps watching them live.

> **Important.** The app only analyses and alerts. It never places trades and never touches an exchange account. Signals are information, not financial advice.

Key terms

Term	Meaning
Level	A price the market has repeatedly turned at. Found automatically from past highs and lows.
Resistance	A level price keeps rising up to and then falling back from — a ceiling. Shown in **red**.
Support	A level price keeps falling down to and then bouncing up from — a floor. Shown in **green**.
Zone	Price is never exactly the same twice, so each level is a narrow band (by default ±0.1% of the level). Anything inside the band counts as reaching the level.
Touch	One separate visit to the zone. Several candles in a row sitting on the level are a *single* touch; price has to move clearly away before a new touch can start.
Breakout	Price closing clearly beyond the level (by default more than 0.2% past it). A single wick poking through does *not* count. A broken level stops being tracked.
Signal	The alert raised when a level reaches its third touch without being broken — and again on every further touch (a 4-touch signal, a 5-touch signal, …). Each touch count is signalled only once.
Timeframe	The candle size being analysed, e.g. 5m or 1h. Each coin and timeframe is analysed separately.

Example

Resistance at 100,000 with a 0.1% zone covers 99,900 – 100,100. Price rises to 99,980, falls away, rises to 100,015 a week later, falls away again, then reaches 99,992 today without closing above 100,200. That third visit produces a signal. The visits can be hours apart or months apart — both are valid.

2. Opening the app

The app runs on a server and is used in a web browser — there is nothing to install. Open the web address your administrator gave you. It works in any modern browser; a desktop or laptop screen is recommended, since the screens show a list and a chart side by side.

The screen has three tabs at the top:

Tab	Use it to
signals	See every signal and inspect the touches behind it. This is the main screen.
levels	See every level the app is tracking, including those that have not signalled yet.
config	See which coins and timeframes are watched and which rules are in use.

Status badges

The two badges in the top-right corner show whether the app is up to date:

Badge	Meaning
ready	Everything is up to date. This is the normal state.
pending / running	The app has just (re)started and is catching up on price history, usually for a minute or two. The screens work, but lists may still be filling.
failed	Start-up hit an error. Tell your administrator.
stream live	Receiving live prices. New signals appear as they happen.
stream down	Temporarily not receiving live prices. The app reconnects on its own and fills in anything it missed. If it stays down for more than a few minutes, tell your administrator.

> **Tip.** All times in the app are in **UTC**, not your local time.

3. The Signals screen

This is the main screen. It lists every signal, newest first.




Figure 1 — the Signals list, with the filter bar at the top and the status badges on the right.

Columns

Column	Meaning
Detected (UTC)	When the third touch began and the signal was raised.
Symbol, TF	The coin pair and timeframe the signal belongs to.
Type	**RES** = resistance (ceiling), **SUP** = support (floor).
Level	The detected price level.
Touches	How many separate touches the level had when this signal was raised: 3 for the first signal on a level, then 4, 5 … for later ones. More touches means a more tested level.
Strength	A 0 – 1 quality score. Higher means more touches, stronger bounces away from the level and a level that has held for longer.
Status	**active**: the level is still holding. **invalidated**: price later broke through it. Full explanation in section 5.

Filtering

- **Symbol** — type a pair such as BTCUSDT and press Enter. Leave empty for all coins.
- **Timeframe**, **Type**, **Status** — pick from the lists. Choose *active* to see only levels that are still holding.
- **Refresh** reloads the list. It does not refresh on its own, so press it to pick up new signals.

> **Tip.** An **invalidated** signal is not necessarily a wrong one. A level that holds for two days and then gives way did its job. Most levels break eventually.

Inspecting a signal

Click any row to open its details on the right.




Figure 2 — a signal opened in the detail panel: XRPUSDT resistance with touches seven days apart.

The detail panel has three parts:

- **Summary** — the level, its zone, touch count, strength, detection time, whether a breakout has happened since, and its origin: *live* (seen as it happened) or *replay* (found in past price history when the app last started).
- **Chart** — recent candles with the level drawn as a solid line, the zone as two dashed lines, and each touch marked with a numbered amber arrow. Drag to scroll, use the mouse wheel to zoom. The chart shows the latest 500 candles, so a very old first touch may sit at or beyond its left edge; it is always listed in the table below.
- **Touches table** — one row per touch, described below. If the level has since been broken, a breakout table appears underneath.

Touch column	Meaning
Time (UTC), Price	When price got furthest into the level during this touch, and that price.
Distance	How far that price was from the level, in percent. Small is a precise test.
Gap	Candles spent away from the level since the previous touch.
Since previous	The same gap in time (m = minutes, h = hours, d = days).
Rejection	How far price moved away from the level after this touch. Bigger means a stronger bounce.
State	**closed**: price has clearly left. **open**: price is still at or near the level.

4. The Levels and Config screens

Levels

The **levels** tab lists every level the app has found, including those that have not reached three touches yet and those that have been broken. Use it to see what the app is tracking before a signal appears.




Figure 3 — the Levels screen with one level selected.

It uses the same filters and detail panel as the Signals screen. The extra **Swings** figure is how many past highs or lows the level was built from. It can differ from the touch count; that is expected.

Each level is **active** (still valid and counting touches), **broken** or **expired** — all explained in section 5.

Config

The **config** tab shows exactly which rules the app is running with, which coins and timeframes it watches, and whether Telegram alerts are switched on. It is read-only; the settings are explained in section 7.




Figure 4 — the Config screen.

5. Statuses explained

Statuses answer one question: *is this still valid?* The app uses four kinds — one for signals, one for levels, one for individual touches and one for where a signal came from. The badges at the top of the screen, which describe the app itself, are explained in section 2.

Signal status

Shown in the **Status** column of the Signals screen and at the top of a signal's detail panel.

Status	Meaning	How it gets there	What it tells you
active	The level that produced the signal has not been broken since.	Every signal starts as active and stays active for as long as price does not break the level.	The signal is still current. The level is holding and worth watching.
invalidated	Price broke through the level after the signal was raised.	A candle closed beyond the level by more than the breakout distance (0.2% by default), for the required number of candles.	The level no longer holds. The detail panel shows when and at what price it broke. This is permanent: an invalidated signal never becomes active again.
expired	Not used by the current version of the app.	—	It appears in the Status filter only so it can be used in a later version. Selecting it shows an empty list.

> **Tip. Invalidated does not mean the signal was wrong.** A support that holds for two days and then gives way did its job for those two days. To see how long it held, compare the *Detected* time with the *Breakout* time in the detail panel.

Level status

Shown in the **Status** column of the Levels screen.

Status	Meaning	What happens next
active	The level is valid and the app is still counting touches on it. It may have fewer than three touches (no signal yet) or already have signalled.	Each new separate visit adds a touch. The third one raises a signal. It stays active until it is broken.
broken	Price closed beyond the level by more than the breakout distance. Any signals it raised are now *invalidated*.	Nothing — the level is finished and no more touches are counted. If price later forms a new level at the same price, it appears as a *separate* new level that starts again from touch 1.
expired	The level went a long time without being touched and was retired.	Only happens if your administrator has switched level expiry on; it is off by default. The level stops counting touches. A signal it already gave keeps showing *active*.

	Life of a level
1	A turning point in price creates the level: **active**, touch 1.
2	Price moves away and later returns: touch 2. Still **active**.
3	Price moves away and returns again: touch 3 — a **signal** is raised, status **active**.
4a	Price keeps respecting the level: level stays **active**, and each further touch raises a new signal — a 4-touch signal, then a 5-touch signal, and so on.
4b	Price closes clearly beyond the level: level becomes **broken**, *every* signal it raised (3-touch, 4-touch …) becomes **invalidated**.

Touch state

Shown in the **State** column of the touches table in the detail panel.

State	Meaning
open	The touch is still in progress: price is at the level, or has left it but not yet far enough or for long enough. Its price and rejection figures can still change. The newest touch of an active level is often open.
closed	Price has clearly left: it spent at least 10 candles outside the zone *and* moved at least 0.3% away from the level (default settings). The figures are final, and the next visit will count as a new touch.

This is why a signal's third touch is usually *open* at the moment it is raised — the signal fires as soon as price arrives, before it is known how strongly it will bounce.

Origin: live or replay

Shown as **Origin** in a signal's detail panel.

Origin	Meaning
live	Detected while the app was running, the moment the candle closed. Sent to Telegram (if switched on).
replay	Found in past price history when the app last started — including anything that happened while the server was down. Shown on screen but *not* sent to Telegram, so a restart does not flood the chat with old alerts. Otherwise identical to a live signal.

Breakout

The **Breakout** figure in the detail panel is **none** while the level holds. Once it breaks, it shows the time of the breakout, and a breakout table appears under the touches with the price that had to be crossed, the closing price that crossed it, and how many touches the level had when it broke.

6. Telegram alerts

Signals always appear on the Signals screen. The app can also send each new signal to a Telegram chat, so you are notified on your phone.

Getting alerts

Your administrator connects the app to Telegram. To receive the alerts yourself:

- Open the app's Telegram bot (your administrator will tell you its name) and press **Start**. A bot cannot message you until you have messaged it first.
- Open **@userinfobot** in Telegram. It replies with your numeric **chat id**.
- Send that chat id to your administrator. Alerts can also go to a group chat.

Whether alerts are switched on is shown on the Config screen as `"telegramEnabled": true`.

What an alert looks like

This is a real alert produced by the app (the first line starts with a fire emoji):

```
NEW 3-TOUCH SIGNAL

Symbol: ETHUSDT
Timeframe: 15m

Type: SUPPORT

Level: 2,630.74
Zone: 2,628.10926 - 2,633.37074

Touches:
1. 2026-09-19 09:30 @ 2,632.32
2. 2026-09-19 13:30 @ 2,629.16
3. 2026-09-19 19:15 @ 2,632

Breakout: NO
Strength: 0.62

Signal generated:
2026-09-19 19:15 UTC
```

When you will not get a message

- **Signals found in past history** when the app starts or restarts are not sent, so a restart never floods your chat with old alerts. They still appear on the Signals screen, marked *replay*.
- **Signals more than 1 hour old** are not sent, for the same reason.
- **If Telegram is briefly unreachable**, the alert is retried every minute until it goes through or becomes older than 1 hour. You never receive the same alert twice.

> **Note.** The same level can alert several times — on its 3rd, 4th, 5th touch and so on. Each is a separate message; the first line shows the touch count, e.g. *NEW 5-TOUCH SIGNAL*.

7. Settings and what they change

The coins, timeframes and detection rules are set on the server by your administrator. This section explains what each setting does, so you can judge the signals and ask for changes. The values currently in use are always shown on the Config screen.

What is watched

- **Coins** — any Binance spot pair, such as BTCUSDT or SOLUSDT.
- **Timeframes** — any of 1m 3m 5m 15m 30m 1h 2h 4h 6h 12h 1d. Every coin is analysed on every timeframe, and each combination is completely separate: a signal on BTCUSDT 5m has nothing to do with one on BTCUSDT 1h.
- **History** — how far back the app looks for levels, from 24 hours to all available history. Longer finds levels that formed further back.

Detection rules

Rule (name on Config screen)	Default	Effect of raising it
Touches needed `minTouches`	3	More touches needed before a signal: fewer, more established signals.
Zone width `touchTolerancePercent`	0.1%	Wider zone: more price action counts as reaching the level.
Breakout distance `breakoutTolerancePercent`	0.2%	Price must go further past the level to break it: levels survive longer.
Separation between touches `minCandlesBetweenTouches`	10 candles	Touches must be further apart: fewer, more clearly separate touches.
Retreat between touches `minDeparturePercent`	0.3%	Price must move further away before it can touch again.
Breakout confirmation `confirmationCandles`	1 candle	Several closes beyond the level needed to break it: fewer false breakouts.
Signal on every further touch `emitSignalOnEveryTouchAfterMin`	on	When on, a level signals on touch 3 and again on each later touch. When off, only on touch 3.

Important. The defaults suit short timeframes (1m – 5m). On 4h and daily candles they are too tight: normal price movement looks like a breakout, and levels are broken almost as soon as they appear. If you mainly use higher timeframes, ask your administrator for wider values, such as the starting points below.

Timeframe	Zone width	Breakout distance	Confirmation
1m – 5m	0.1%	0.2%	1 candle
15m – 1h	0.2%	0.6%	1 candle
4h – 1d	0.5%	2.0%	2 candles

The rules apply to all timeframes at once, so they are a compromise if several timeframes are watched. Your administrator can test a proposed change against past prices before switching it on.

8. How a signal is decided

You do not need this to use the app, but it helps when judging a signal.

- **Finding levels.** The app looks for turning points: a candle whose high is above the three candles either side of it (for resistance) or whose low is below them (for support). Turning points at nearly the same price are grouped into one level.
- **Counting touches.** Each time price enters the level's zone, a touch begins. It ends only after price has spent at least 10 candles outside the zone *and* moved at least 0.3% away from the level. Returning before both happen continues the same touch.
- **Watching for a breakout.** If a candle closes more than 0.2% beyond the level, the level is broken and any signal it gave is marked *invalidated*.
- **Signalling.** When the third touch begins and the level is not broken, a signal is raised. Every further touch raises another signal with the new touch count; each count is only ever signalled once, and simply resting on the level never raises one.

Things worth knowing

- A turning point can only be recognised a few candles after it happens (three candles by default), because the app has to see price move away from it. This is why a brand-new level appears slightly after the fact.
- Signals are raised the moment price reaches the level for the third time — before it is known whether the level will hold. That makes them timely; the *Status* column later shows whether it held.
- Everything is percentage-based, so the app behaves the same on a coin priced at 0.0001 as on one priced at 100,000.
- Given the same prices and settings, the app always produces exactly the same levels and signals.

Judging a signal

- **Touches far apart** (a large Gap) mean the level has been respected over a long period.
- **Large rejection** values mean price bounced away from the level strongly each time.
- **Small distance** values mean the touches landed precisely on the level.
- **Higher strength** combines all of these into one number.

9. Troubleshooting

Problem	What to do
The page does not load	Check the address, then try again in a minute — the server may be restarting. If it persists, tell your administrator.
The badge shows running	The app has just restarted and is catching up on history. Wait a minute or two.
The badge shows failed	Tell your administrator.
stream down	The app reconnects on its own and fills in missed prices. If it stays down for several minutes, tell your administrator.
A coin is missing	Check the Config screen for the list of watched coins. To add one, ask your administrator.
No signals at all	A level needs three clearly separate touches, which takes time — especially on longer timeframes. Check again later.
Many signals that are quickly invalidated	The rules are probably too tight for the timeframe. See section 7 and ask your administrator about wider values.
No Telegram messages	Check the Config screen shows `telegramEnabled: true` and that you pressed Start in the bot. Remember that old and replayed signals are not sent (section 6).
The list shows old data	Press Refresh — lists do not update on their own.
The chart does not show the first touch	It happened more than 500 candles ago. Its time and price are in the touches table.

10. Quick reference

Task	How
See only live, holding signals	Signals screen → Status: active
See one coin	Type it in Symbol and press Enter
See one timeframe	Pick it in Timeframe
Get the newest signals	Press Refresh
Understand a signal	Click it; read the chart and the touches table
Understand a status	Section 5
See what is being tracked	Levels tab
See the rules in use	Config tab
Get phone alerts	Section 6
Add a coin or change a rule	Ask your administrator