crypto·signals

User Manual

Automatic support and resistance discovery
and 3-touch signal alerts for crypto markets



Version 1.1 · October 2026

Analysis and alerting only. Not financial advice.

Contents

1. What this app does 3

2. Opening the app 4

3. The Signals screen 5

4. The Levels and Config screens 9

5. Statuses explained 11

6. Telegram alerts 14

7. Settings and what they change 15

8. How a signal is decided 16

9. Troubleshooting 17

10. Quick reference 18

1. What this app does

crypto·signals watches cryptocurrency prices on Binance and finds price levels that the market keeps bouncing off. When price comes back to the same level for the **third separate time** without breaking through it, the app raises a **signal** — and it raises another one each time the level is tested again (4th touch, 5th touch, and so on).

You never tell it which price to watch. It discovers the levels itself from the price history, for every coin and every timeframe being watched, and keeps watching them live.

> **Important.** The app only analyses and alerts. It never places trades and never touches an exchange account. Signals are information, not financial advice.

Key terms

Term	Meaning
Level	A price the market has repeatedly turned at. Found automatically from past highs and lows.
Resistance	A level price keeps rising up to and then falling back from — a ceiling. Shown in **red**.
Support	A level price keeps falling down to and then bouncing up from — a floor. Shown in **green**.
Zone	Price is never exactly the same twice, so each level is a narrow band (by default ±0.1% of the level). Anything inside the band counts as reaching the level.
Touch	One separate visit to the zone. Several candles in a row sitting on the level are a *single* touch; price has to move clearly away before a new touch can start.
Breakout	Price closing clearly beyond the level (by default more than 0.2% past it). A single wick poking through does *not* count.
Superseded	Price moved past a level and a stronger level just beyond it became the nearer one, so the first level is retired. See section 5.
Signal	The alert raised when a level reaches its third touch without being broken — and again on every further touch. Each touch count is signalled only once.
Timeframe	The candle size being analysed: 15m, 30m or 1h. Each coin and timeframe is analysed separately.

Example

Resistance at 100,000 with a 0.1% zone covers 99,900 – 100,100. Price rises to 99,980, falls away, rises to 100,015 a week later, falls away again, then reaches 99,992 today without closing above 100,200. That third visit produces a signal. The visits can be hours apart or months apart — both are valid.

2. Opening the app

The app runs on a server and is used in a web browser — there is nothing to install. Open the web address your administrator gave you. A desktop or laptop screen is recommended: the screens show a list on the left and a live chart on the right.

The screen has three tabs at the top:

Tab	Use it to
signals	See every signal and inspect the touches behind it. This is the main screen.
levels	See every level the app is tracking, including those that have not signalled yet.
config	See which coins and timeframes are watched and which rules are in use.

Your time zone

All times are shown in **your** time zone, chosen with the **Time zone** box in the top-right corner. It starts at your computer's own zone. Changing it updates every time in the app at once — the lists, the details and the chart's time axis — and the column headings show which zone is in use, for example *Detected (GMT+4)*.

> **Note.** The choice is saved in your browser only. Other people using the same app keep their own time zone, and you will need to choose it again on a different computer or browser.

Status badges

The two badges in the top-right corner show whether the app is up to date:

Badge	Meaning
ready	Everything is up to date. This is the normal state.
pending / running	The app has just (re)started and is catching up on price history, usually for a minute or two. The screens work, but lists may still be filling.
failed	Start-up hit an error. Tell your administrator.
stream live	The server is receiving live prices. New signals appear as they happen.
stream down	The server is temporarily not receiving live prices. It reconnects on its own and fills in anything it missed. If it stays down for more than a few minutes, tell your administrator.

3. The Signals screen

This is the main screen. It lists signals, newest first, with the number of matching signals shown above the list. When no signal is selected, the right-hand side shows a live chart of any watched market — pick it with the **Market** and **Timeframe** boxes.




Figure 1 — the Signals list with the filter bar, and a live chart of BTCUSDT on the right.

Columns

Column	Meaning
Detected	When the touch that raised the signal began, in your time zone.
Symbol, TF	The coin pair and timeframe the signal belongs to.
Type	**RES** = resistance (ceiling), **SUP** = support (floor).
Level	The detected price level.
Touches	How many separate touches the level had when this signal was raised: 3 for the first signal on a level, then 4, 5 … for later ones.
Strength	A 0 – 1 quality score. Higher means more touches, stronger bounces away from the level and a level that has held for longer.
Status	**active**, **superseded**, **invalidated** or **expired** — see section 5.

Filtering

Every filter lets you tick **several values at once**. Click a filter, tick the values you want, and click anywhere outside to close it. The list updates immediately.




Figure 2 — the Touches filter open with 4 and 5 ticked. Symbol shows two coins chosen.

Filter	What you can pick
Symbol	One or more coins. Nothing ticked means all coins.
Timeframe	Any of 15m, 30m, 1h.
Type	Resistance, support, or both.
Status	Any combination, e.g. *active* and *superseded* together.
Touches	Exact touch counts — e.g. 4 and 5 — and **8+** for eight or more.

- Values ticked **within one filter** are alternatives: *BTCUSDT and SOLUSDT* shows signals for either coin.
- **Different filters** combine: *SOLUSDT + 15m + 4 touches* shows only signals that match all three.
- **Clear** inside a filter resets that filter to all; **Clear filters** resets every filter.
- Your filters are remembered in your browser for next time. **Refresh** reloads the list with the latest data.

Inspecting a signal

Click any row to open its details on the right.




Figure 3 — a superseded SOLUSDT support with a measurement drawn on its live chart.

- **Summary** — the level, its zone, touch count, strength, when it was detected, whether it has broken since, whether it was superseded (when, and by which level), and its origin: *live* or *replay*.
- **Explanation box** — shown for a superseded level, saying in plain words what took over.
- **Live chart** — described below, with the level drawn as a solid line, its zone as two dashed lines, and each touch marked with a numbered amber arrow.
- **Touches table** — one row per touch. If the level has broken, a breakout table follows.

Touch column	Meaning
Time, Price	When price got furthest into the level during this touch, and that price.
Distance	How far that price was from the level, in percent. Small is a precise test.
Gap	Candles spent away from the level since the previous touch.
Since previous	The same gap in time (m = minutes, h = hours, d = days).
Rejection	How far price moved away from the level after this touch. Bigger means a stronger bounce.
State	**closed**: price has clearly left. **open**: price is still at or near the level.

The live chart

The chart on the right moves in real time: the newest candle updates every couple of seconds and the current price is shown in amber at the top. It reads prices straight from Binance, so it keeps moving even between the app's own analysis updates.

Control	What it does
live / connecting / reconnecting	Whether live prices are arriving. If the connection drops, it reconnects by itself.
stored data — not live	Binance cannot be reached from your network, so the chart shows the app's stored candles instead. It is still correct, but only updates as candles finish.
Go to live	Jumps back to the newest candle after you have scrolled into the past.
Measure	Turns on the measuring tool, described below.
Mouse	Drag to scroll through time, use the mouse wheel to zoom, and drag the price scale on the right to stretch it vertically.

Measuring a move

- Click **Measure**. The button turns amber and the cursor becomes a cross.
- Click the **start** point on the chart, then move the mouse — a box follows it.
- Click the **end** point. The box stays, labelled with the price change, the change in percent, and how many candles and how much time lie between the two points.
- Click again to start a new measurement. **Esc** clears it; clicking **Measure** again turns the tool off.

The box is green for a rise and red for a fall. For example *+2.547 (+2.16%) 43 bars, 10h 45m* means price rose 2.547, or 2.16%, over 43 candles lasting 10 hours 45 minutes.

4. The Levels and Config screens

Levels

The **levels** tab lists every level the app has found, including those that have not reached three touches yet and those that have been broken or superseded. Use it to see what the app is tracking before a signal appears. It has the same filters, detail panel and live chart as the Signals screen; the Touches filter here also offers 1 and 2.




Figure 4 — the Levels screen with a SOLUSDT resistance selected; its three touches are numbered on the live chart.

The extra **Swings** figure is how many past highs or lows the level was built from. It can differ from the touch count; that is expected. Each level is **active**, **superseded**, **broken** or **expired** — all explained in section 5.

Config

The **config** tab shows exactly which rules the app is running with, which coins and timeframes it watches, and whether Telegram alerts are switched on. It is read-only; the settings are explained in section 7.




Figure 5 — the Config screen.

5. Statuses explained

Statuses answer one question: *is this still valid?* The app uses four kinds — one for signals, one for levels, one for individual touches and one for where a signal came from. The badges at the top of the screen, which describe the app itself, are explained in section 2.

Signal status

Shown in the **Status** column of the Signals screen and at the top of a signal's detail panel.

Status	Meaning	How it gets there	What it tells you
active	The level that produced the signal is still the one that matters.	Every signal starts as active.	The signal is current. The level is holding and worth watching.
superseded	A closer level took over before this one broke.	Price moved past the level, and a stronger level of the same kind just beyond it became nearer to price.	Watch the level that took over instead — the detail panel shows its price. Permanent.
invalidated	Price broke through the level.	A candle closed beyond the level by more than the breakout distance (0.2% by default).	The level no longer holds. The detail panel shows when and at what price it broke. Permanent.
expired	Not used by the current version of the app.	—	It appears in the Status filter only for future use. Selecting it alone shows an empty list.

> **Tip. Invalidated and superseded do not mean the signal was wrong.** A support that holds for two days and then gives way did its job for those two days. Compare the *Detected* time with the *Breakout* or *Superseded* time in the detail panel to see how long it held.

Superseded, in detail

When two levels of the same kind sit close together, only the one nearest to price really matters. A level is **superseded** when *all* of these are true at a candle's close:

- price has moved **past** it — above a resistance, or below a support;
- another level of the same kind lies just **beyond** it, no further away than the limit for the timeframe (table below);
- that other level is **established** — it has at least three touches itself;
- that other level is now **closer to price** than the passed one.

Timeframe	Maximum distance between the two levels
15m	0.50%
30m	0.60%
1h	0.75%
4h	1.50%

Example. SOL has resistances at 121.59 (3 touches) and 122.0075 (4 touches), 0.34% apart. While SOL trades at 121.20, below both, **both stay active** — 121.59 is still the first obstacle. When SOL reaches 121.80 it is past 121.59 and nearer to 122.0075, so **121.59 becomes superseded** and 122.0075 stays active.

- Two nearby levels are never retired just because the other exists — price must actually move past one first.
- A superseded level stops counting touches and stops raising signals. Any signal it already raised becomes *superseded* too.
- If price later breaks through it, the breakout is still recorded in its details, but its status stays *superseded*.
- If a candle touches a level and, by the time that same candle closes, has already moved past it towards a nearer level, price simply passed through — no signal is raised for that touch.

Level status

Shown in the **Status** column of the Levels screen.

Status	Meaning	What happens next
active	The level is valid and the app is still counting touches on it.	Each new separate visit adds a touch; touch 3 and every later touch raise a signal.
superseded	A stronger level just beyond it took over once price moved past it.	Retired: no more touches or signals. A later breakout is still recorded.
broken	Price closed beyond the level by more than the breakout distance. Its signals are now *invalidated*.	Finished. A new level forming at the same price later appears as a separate level, starting again from touch 1.
expired	The level went a long time without being touched and was retired.	Only if your administrator has switched level expiry on; it is off by default.

	Life of a level
1	A turning point in price creates the level: **active**, touch 1.
2	Price moves away and later returns: touch 2. Still **active**.
3	Price moves away and returns again: touch 3 — a **signal** is raised.
4a	Price keeps respecting the level: it stays **active**, and each further touch raises a new signal (4-touch, 5-touch …).
4b	Price moves past it while a stronger level just beyond is nearer: **superseded**, and so are its signals.
4c	Price closes clearly beyond it: **broken**, and its signals become **invalidated**.

Touch state

State	Meaning
open	The touch is still in progress: price is at the level, or has left it but not yet far enough or for long enough. Its figures can still change.
closed	Price has clearly left: at least 10 candles outside the zone *and* at least 0.3% away from the level. The figures are final, and the next visit counts as a new touch.

Origin: live or replay

Origin	Meaning
live	Detected while the app was running, the moment the candle closed. Sent to Telegram (if switched on).
replay	Found in past price history when the app last started — including anything that happened while the server was down. Shown on screen but *not* sent to Telegram. Otherwise identical to a live signal.

6. Telegram alerts

Signals always appear on the Signals screen. The app can also send each new signal to a Telegram chat, so you are notified on your phone.

Getting alerts

Your administrator connects the app to Telegram. To receive the alerts yourself:

- Open the app's Telegram bot (your administrator will tell you its name) and press **Start**. A bot cannot message you until you have messaged it first.
- Open **@userinfobot** in Telegram. It replies with your numeric **chat id**.
- Send that chat id to your administrator. Alerts can also go to a group chat.

Times in Telegram messages use one time zone for the whole chat, chosen by your administrator, and the message says which one. This is separate from the time zone you pick in the web app.

What an alert looks like

This is a real alert produced by the app (the first line starts with a fire emoji):

```
NEW 3-TOUCH SIGNAL

Symbol: ETHUSDT
Timeframe: 15m

Type: SUPPORT

Level: 2,630.74
Zone: 2,628.10926 - 2,633.37074

Touches:
1. 2026-09-19 09:30 @ 2,632.32
2. 2026-09-19 13:30 @ 2,629.16
3. 2026-09-19 19:15 @ 2,632

Breakout: NO
Strength: 0.62

Signal generated:
2026-09-19 19:15 UTC
```

When you will not get a message

- **Signals found in past history** when the app starts or restarts are not sent, so a restart never floods your chat with old alerts.
- **Signals more than 1 hour old** are not sent, for the same reason.
- **If Telegram is briefly unreachable**, the alert is retried every minute until it goes through or becomes older than 1 hour. You never receive the same alert twice.
- No message is sent when a level becomes superseded or broken — only when a signal is raised.

> **Note.** The same level can alert several times — on its 3rd, 4th, 5th touch and so on. Each is a separate message; the first line shows the touch count, e.g. *NEW 5-TOUCH SIGNAL*.

7. Settings and what they change

The coins, timeframes and detection rules are set on the server by your administrator. This section explains what each setting does, so you can judge the signals and ask for changes. The values currently in use are always shown on the Config screen.

What is watched

- **Coins** — any Binance spot pair, such as BTCUSDT or SOLUSDT.
- **Timeframes** — currently 15m, 30m and 1h. Every coin is analysed on every timeframe, and each combination is completely separate.
- **History** — how far back the app looks for levels (currently 30 days).

Detection rules

Rule (name on Config screen)	Default	Effect of raising it
Touches needed `minTouches`	3	More touches needed before the first signal.
Zone width `touchTolerancePercent`	0.1%	Wider zone: more price action counts as reaching the level.
Breakout distance `breakoutTolerancePercent`	0.2%	Price must go further past the level to break it: levels survive longer.
Separation between touches `minCandlesBetweenTouches`	10 candles	Touches must be further apart.
Retreat between touches `minDeparturePercent`	0.3%	Price must move further away before it can touch again.
Breakout confirmation `confirmationCandles`	1 candle	Several closes beyond the level needed to break it.
Signal on every further touch `emitSignalOnEveryTouchAfterMin`	on	On: signal on touch 3 and every later touch. Off: only on touch 3.
Superseded rule `supersedeEnabled`	on	Off: levels are never superseded, only broken.
Superseded distance `supersedeMaxDistanceByTimeframe`	15m 0.5% 30m 0.6% 1h 0.75%	Larger: levels further apart can take over from each other.

Important. The zone and breakout defaults suit short timeframes. On 30m and 1h candles normal price movement can look like a breakout, so levels break sooner than you might expect. If you mainly use the longer timeframes, ask your administrator about wider values, e.g. a 0.2% zone and a 0.6% breakout distance.

8. How a signal is decided

You do not need this to use the app, but it helps when judging a signal.

- **Finding levels.** The app looks for turning points: a candle whose high is above the three candles either side of it (for resistance) or whose low is below them (for support). Turning points at nearly the same price are grouped into one level.
- **Counting touches.** Each time price enters the level's zone, a touch begins. It ends only after price has spent at least 10 candles outside the zone *and* moved at least 0.3% away. Returning before both happen continues the same touch.
- **Watching for a breakout.** If a candle closes more than 0.2% beyond the level, the level is broken and its signals are marked *invalidated*.
- **Watching for a nearer level.** If price moves past a level and a stronger level just beyond it becomes nearer, the level is *superseded* (section 5).
- **Signalling.** When the third touch begins and the level is still active at the close of that candle, a signal is raised; every further touch raises another with the new count.

Things worth knowing

- A turning point can only be recognised a few candles after it happens, because the app has to see price move away from it. A brand-new level therefore appears slightly after the fact.
- Signals are raised as soon as price reaches the level — before it is known whether the level will hold. The *Status* column later shows what happened.
- Everything is percentage-based, so the app behaves the same on a coin priced at 0.0001 as on one priced at 100,000.
- Given the same prices and settings, the app always produces exactly the same levels and signals.

Judging a signal

- **Touches far apart** (a large Gap) mean the level has been respected over a long period.
- **Large rejection** values mean price bounced away from the level strongly each time.
- **Small distance** values mean the touches landed precisely on the level.
- **Higher strength** combines all of these into one number.
- Use **Measure** on the chart to see how far price has moved from the level, and how quickly.

9. Troubleshooting

Problem	What to do
The page does not load	Check the address, then try again in a minute — the server may be restarting. If it persists, tell your administrator.
The badge shows running	The app has just restarted and is catching up on history. Wait a minute or two.
The badge shows failed	Tell your administrator.
stream down	The server reconnects on its own and fills in missed prices. If it stays down for several minutes, tell your administrator.
The chart says *stored data — not live*	Your network cannot reach Binance directly (some workplaces and countries block it). The chart still shows the app's stored data; only the second-by-second movement is missing.
The chart says *reconnecting…*	The live connection dropped. It reconnects by itself within seconds.
Times look wrong	Check the Time zone box in the top-right corner.
The list is empty	Your filters may exclude everything. Click **Clear filters**.
A coin is missing	Check the Config screen for the list of watched coins. To add one, ask your administrator.
Many signals that are quickly invalidated	The rules are probably too tight for the timeframe. See section 7.
No Telegram messages	Check the Config screen shows `telegramEnabled: true` and that you pressed Start in the bot. Old and replayed signals are not sent (section 6).
The chart does not show the first touch	It happened before the start of the chart. Scroll left, or read its time and price in the touches table.

10. Quick reference

Task	How
See only live, holding signals	Status filter → tick active
See several coins at once	Symbol filter → tick each coin
See only well-tested levels	Touches filter → tick e.g. 5, 6, 7 and 8+
Reset all filters	Clear filters
Get the newest signals	Refresh
Understand a signal	Click it; read the summary, the chart and the touches table
Follow a market live	Deselect any row, then pick a Market and Timeframe on the right
Measure a move	Measure → click start → click end; Esc clears
Return to the newest candle	Go to live
Change the time zone	Time zone box, top-right
Understand a status	Section 5
Get phone alerts	Section 6
Add a coin or change a rule	Ask your administrator