crypto·signals

User Manual

Automatic support and resistance discovery
and 3-touch signal alerts for crypto markets



Version 1.5 · November 2026

Analysis and alerting only. Not financial advice.

Contents

1. What this app does 3

2. Opening the app 4

3. The Signals screen 5

4. The Levels and Config screens 10

5. Statuses explained 12

6. Telegram alerts 15

7. Settings and what they change 16

8. How a signal is decided 18

9. Troubleshooting 19

10. Quick reference 20

1. What this app does

crypto·signals watches cryptocurrency prices on Binance and finds price levels that the market keeps bouncing off. When price comes back to the same level for the **third separate time** without breaking through it, the app raises a **signal** — and it raises another one each time the level is tested again (4th touch, 5th touch, and so on).

You never tell it which price to watch. It discovers the levels itself from the price history, for every coin and every timeframe being watched, and keeps watching them live.

> **Important.** The app only analyses and alerts. It never places trades and never touches an exchange account. Signals are information, not financial advice.

Key terms

Term	Meaning
Level	A price the market has repeatedly turned at. Found automatically from past highs and lows.
Resistance	A level price keeps rising up to and then falling back from — a ceiling. Shown in **red**.
Support	A level price keeps falling down to and then bouncing up from — a floor. Shown in **green**.
Zone	Price is never exactly the same twice, so each level is a narrow band (by default ±0.1% of the level). Anything inside the band counts as reaching the level.
Touch	One separate visit to the zone. Several candles in a row sitting on the level are a *single* touch; price has to move clearly away before a new touch can start.
Breakout	Price closing clearly beyond the level (by default more than 0.2% past it). A single wick poking through does *not* count.
Superseded	Hidden in favour of another level of the same kind close by — not broken. Of close-together levels only the highest resistance or lowest support stays visible. See section 5.
Signal	The alert raised when a level reaches its third touch without being broken — and again on every further touch. Each touch count is signalled only once.
Timeframe	The candle size being analysed: 15m, 30m or 1h. Each coin and timeframe is analysed separately.

Example

Resistance at 100,000 with a 0.1% zone covers 99,900 – 100,100. Price rises to 99,980, falls away, rises to 100,015 a week later, falls away again, then reaches 99,992 today without closing above 100,200. That third visit produces a signal. The visits can be hours apart or months apart — both are valid.

2. Opening the app

The app runs on a server and is used in a web browser — there is nothing to install. Open the web address your administrator gave you. A desktop or laptop screen is recommended: the screens show a list on the left and a live chart on the right.

The screen has three tabs at the top:

Tab	Use it to
signals	See every signal and inspect the touches behind it. This is the main screen.
levels	See every level the app is tracking, including those that have not signalled yet.
config	See which coins and timeframes are watched and which rules are in use.

Your time zone

All times are shown in **your** time zone, chosen with the **Time zone** box in the top-right corner. It starts at your computer's own zone. Changing it updates every time in the app at once — the lists, the details and the chart's time axis — and the column headings show which zone is in use, for example *Detected (GMT+4)*. Daylight-saving changes are taken into account.

> **Note.** The choice is saved in your browser only. Other people using the same app keep their own time zone, and you will need to choose it again on a different computer or browser.

Status badges

The two badges in the top-right corner show whether the app is up to date:

Badge	Meaning
ready	Everything is up to date. This is the normal state.
pending / running	The app has just (re)started and is catching up on price history, usually for a minute or two. The screens work, but lists may still be filling.
failed	Start-up hit an error. Tell your administrator.
stream live	The server is receiving live prices. New signals appear as they happen.
stream down	The server is temporarily not receiving live prices. It reconnects on its own and fills in anything it missed. If it stays down for more than a few minutes, tell your administrator.

3. The Signals screen

This is the main screen. It lists signals, newest first, with the number of matching signals shown above the list. When no signal is selected, the right-hand side shows a live chart of any watched market — pick it with the **Market** and **Timeframe** boxes.




Figure 1 — the Signals list with the filter bar and the Next low/high column, and a live chart of BTCUSDT on the right.

Columns

Column	Meaning
Detected	When the signal fired, in your time zone: the moment the candle that completed it closed. A signal on the 14:00 one-hour candle shows 15:00.
Symbol, TF	The coin pair and timeframe the signal belongs to.
Type	**RES** = resistance (ceiling), **SUP** = support (floor).
Level	The detected price level.
Next low/high	The **next potential low** (support) or **high** (resistance): how far, in percent, the nearest earlier turning point at least 1% beyond the level is. **N/A** when there is none. See *Next potential low / high* below.
Touches	How many separate touches the level had when this signal was raised: 3 for the first signal on a level, then 4, 5 … for later ones.
Strength	A 0 – 1 quality score. Higher means more touches, stronger bounces away from the level and a level that has held for longer.
Status	**active**, **superseded**, **invalidated** or **expired** — see section 5.

Filtering

Every filter lets you tick **several values at once**. Click a filter, tick the values you want, and click anywhere outside to close it. The list updates immediately.




Figure 2 — the Touches filter open with 4 and 5 ticked. Symbol shows two coins chosen.

Filter	What you can pick
Symbol	One or more coins. Nothing ticked means all coins. With many coins watched, type in the search box at the top of the list; **Enter** ticks the only match.
Timeframe	Any of 15m, 30m, 1h.
Type	Resistance, support, or both.
Status	Any combination, e.g. *active* and *superseded* together.
Touches	Exact touch counts — e.g. 4 and 5 — and **8+** for eight or more.

- Values ticked **within one filter** are alternatives: *BTCUSDT and SOLUSDT* shows signals for either coin.
- **Different filters** combine: *SOLUSDT + 15m + 4 touches* shows only signals that match all three.
- **Clear** inside a filter resets that filter to all; **Clear filters** resets every filter.
- Your filters are remembered in your browser for next time. **Refresh** reloads the list with the latest data.

Inspecting a signal

Click any row to open its details on the right.




Figure 3 — an ADAUSDT resistance signal. The orange box shows its next potential high, +1.33% at 0.1832; the chart shows the same high as an orange dashed line, with a dot on the turning point.

- **Summary** — the level, its zone, touch count, strength, when it was detected, whether it has broken since, whether it was superseded (when, and by which level), and its origin: *live* or *replay*.
- **Next potential low / high** — the orange box under the summary, explained below.
- **Explanation box** — shown for a superseded level, saying in plain words what took over.
- **Live chart** — described below, with the level drawn as a solid line, its zone as two dashed lines, each touch marked with a numbered amber arrow, and the next potential low / high as an orange dashed line with an orange dot on the turning point that set it.
- **Touches table** — one row per touch. If the level has broken, a breakout table follows.

Touch column	Meaning
Candle, Price	The candle in which price got furthest into the level during this touch — shown by its opening time, as on the chart — and that price.
Distance	How far that price was from the level, in percent. Small is a precise test.
Gap	Candles spent away from the level since the previous touch.
Since previous	The same gap in time (m = minutes, h = hours, d = days).
Rejection	How far price moved away from the level after this touch. Bigger means a stronger bounce.
State	**closed**: price has clearly left. **open**: price is still at or near the level.

Next potential low / high

Every signal shows where price turned last time it was on the other side of the level: the next area that may stop a move if the level gives way.

- **Support signal — next potential low.** Of the turning points (swing lows) before the signal that are at least **1% below** the signal price, the one **nearest** to it. Shown as a negative percentage, e.g. **−1.50%**.
- **Resistance signal — next potential high.** Of the swing highs before the signal at least **1% above** the signal price, the nearest one. Shown as a positive percentage, e.g. **+1.50%**.
- It is the **closest** qualifying one in price — not the lowest low or highest high, and not the most recent. Small turning points count as much as big ones.
- Turning points less than 1% away are ignored. Exactly 1% counts.
- Only the 30 days before the signal are searched, and only turning points already complete when the signal was raised.
- **N/A** means no turning point that far beyond the level exists in that period.

Example	Earlier turning points	Selected	Shown
Support at 100	lows 95, 93, 98, 96, 98.5	98.5	−1.50%
Resistance at 100	highs 105, 107, 102, 104, 101.5	101.5	+1.50%

> **Note.** It is information about the past, not a prediction: price may stop before it, or go straight through it.

The live chart

The chart on the right moves in real time: the newest candle updates every couple of seconds and the current price is shown in amber at the top. It reads prices straight from Binance, so it keeps moving even between the app's own analysis updates.

Control	What it does
live / connecting / reconnecting	Whether live prices are arriving. If the connection drops, it reconnects by itself.
stored data — not live	Binance cannot be reached from your network, so the chart shows the app's stored candles instead. It is still correct, but only updates as candles finish.
Go to live	Jumps back to the newest candle after you have scrolled into the past.
Measure	Turns on the measuring tool, described below.
Mouse	Drag to scroll through time, use the mouse wheel to zoom, and drag the price scale on the right to stretch it vertically.

Measuring a move

- Click **Measure**. The button turns amber and the cursor becomes a cross.
- Click the **start** point on the chart, then move the mouse — a box follows it.
- Click the **end** point. The box stays, labelled with the price change, the change in percent, and how many candles and how much time lie between the two points.
- Click again to start a new measurement. **Esc** clears it; clicking **Measure** again turns the tool off.

The box is green for a rise and red for a fall. For example *+2.547 (+2.16%) 43 bars, 10h 45m* means price rose 2.547, or 2.16%, over 43 candles lasting 10 hours 45 minutes.

4. The Levels and Config screens

Levels

The **levels** tab lists every level the app has found, including those that have not reached three touches yet and those that have been broken or superseded. Use it to see what the app is tracking before a signal appears. It has the same filters, detail panel and live chart as the Signals screen; the Touches filter here also offers 1 and 2.





Figure 4 — the Levels screen with a SOLUSDT resistance selected; its three touches are numbered on the live chart.

The extra **Swings** figure is how many past highs or lows the level was built from. It can differ from the touch count; that is expected. Each level is **active**, **superseded**, **broken** or **expired** — all explained in section 5.

Config

The **config** tab starts with the **watch list**: every coin being analysed, whether it is *fixed* (always watched) or was chosen *by volume*, its average daily trading volume, and since when it has been on the list. Below it are exactly which rules the app is running with and whether Telegram alerts are switched on. It is read-only; the settings are explained in section 7.



WATCH LIST — 43 COINS, EACH ON EVERY TIMEFRAME

The fixed coins are always watched. On top of them come the most traded other coins: those averaging at least **$5.0M** a day over the last **7 days**, highest first, up to **50** coins in all. Stablecoins, tokenized stocks and gold are skipped. A coin on the list stays until its volume falls below 70% of that threshold. Checked every day; last checked 2026-11-10 11:54.

COIN	ON THE LIST	DAILY VOLUME	CHOSEN SINCE
BTCUSDT	fixed	$1.17B	
ETHUSDT	fixed	$521.8M	
SOLUSDT	fixed	$165.2M	
BNBUSDT	fixed	$82.2M	
XRPUSDT	fixed	$122.2M	
DOGEUSDT	fixed	$31.9M	
ADAUSDT	fixed	$14.3M	
TRXUSDT	fixed	$22.7M	
ZECUSDT	fixed	$196.7M	
HYPEUSDT	fixed	$42.9M	
LINKUSDT	fixed	$19.0M	
XLMUSDT	fixed	$7.0M	
NEARUSDT	fixed	$73.2M	
BCHUSDT	fixed	$8.2M	
LTCUSDT	fixed	$11.0M	
UNIUSDT	fixed	$45.7M	
AVAXUSDT	fixed	$18.4M	
SUIUSDT	fixed	$29.1M	
HBARUSDT	fixed	$5.3M	
GRAMUSDT	fixed	$7.2M	
QNTUSDT	fixed	$10.5M	
TAOUSDT	fixed	$9.9M	
SHIBUSDT	fixed	$1.9M	
ENAUSDT	fixed	$24.9M	
PUMPUSDT	fixed	$14.6M	
AAVEUSDT	fixed	$15.5M	
ONDOUSDT	fixed	$9.6M	
PEPEUSDT	by volume	$54.7M	2026-11-10 11:54
WLDUSDT	by volume	$16.9M	2026-11-10 11:54
TRUMPUSDT	by volume	$15.4M	2026-11-10 11:54
ONEUSDT	by volume	$14.6M	2026-11-10 11:54
ARBUSDT	by volume	$13.5M	2026-11-10 11:54
INJUSDT	by volume	$12.7M	2026-11-10 11:54
BMTUSDT	by volume	$7.9M	2026-11-10 11:54
FETUSDT	by volume	$7.3M	2026-11-10 11:54
WLFIUSDT	by volume	$6.9M	2026-11-10 11:54
ZROUSDT	by volume	$6.5M	2026-11-10 11:54
CELOUSDT	by volume	$6.3M	2026-11-10 11:54
ASTERUSDT	by volume	$6.2M	2026-11-10 11:54
XPLUSDT	by volume	$5.9M	2026-11-10 11:54
HOTUSDT	by volume	$5.2M	2026-11-10 11:54
CYBERUSDT	by volume	$5.1M	2026-11-10 11:54
HUMAUSDT	by volume	$5.1M	2026-11-10 11:54

Figure 5 — the watch list at the top of the Config screen: the fixed coins first, then the coins chosen by volume.

5. Statuses explained

Statuses answer one question: *is this still valid?* The app uses four kinds — one for signals, one for levels, one for individual touches and one for where a signal came from. The badges at the top of the screen, which describe the app itself, are explained in section 2.

Signal status

Shown in the **Status** column of the Signals screen and at the top of a signal's detail panel.

Status	Meaning	How it gets there	What it tells you
active	The level that produced the signal is still the one that matters.	Every signal starts as active.	The signal is current. The level is holding and worth watching.
superseded	Its level was hidden in favour of a nearby level of the same kind before it broke.	Another level with three or more touches sits close by, further out (a higher resistance or lower support) — or price moved past the level towards a nearer one.	Watch the level that took over instead — the detail panel shows its price. Permanent.
invalidated	Price broke through the level.	A candle closed beyond the level by more than the breakout distance (0.2% by default).	The level no longer holds. The detail panel shows when and at what price it broke. Permanent.
expired	The app no longer follows the level behind it.	The level formed before the period the app analyses (normally the last 30 days), so it was not rebuilt when the app last restarted.	Treat it as history: nothing about it is updated any more. Permanent.

> **Tip. Invalidated and superseded do not mean the signal was wrong.** A support that holds for two days and then gives way did its job for those two days. Compare the *Detected* time with the *Breakout* or *Superseded* time in the detail panel to see how long it held.

Superseded, in detail

Several lines a few hundredths of a percent apart describe one price area, so the app shows only one of them. A level is **superseded** — hidden, *not* broken — in one of two ways. Both use the same distance for each timeframe:

Timeframe	Distance within which two levels count as one area
15m	0.50%
30m	0.60%
1h	0.75%
4h	1.50%

1. Close-together levels: only the outermost stays. Levels of the same kind — on the same coin and timeframe, each with at least three touches — are lined up by price, and each is compared with the next one. If the gap is within the distance, the two belong to one group, and the group keeps growing as long as every next gap is within it, even if its first and last level end up further apart. In each group only the **highest resistance** (or the **lowest support**) stays active; all the others become superseded. Where price is right now does not matter.

Example. BTC 15m has resistances at 100,000, 100,400 and 100,800, each with three or more touches. Each gap is 0.40% — inside 0.50% — so all three form one group, although 100,000 and 100,800 are 0.80% apart. **Only 100,800 stays active.**

- Levels with fewer than three touches are left alone and do not link a group together.
- A level that gets its third touch right next to a higher resistance (or lower support) is folded into it at once, without a signal — it is part of a line you are already watching.
- If price later comes back to a hidden level, no new line appears there.

2. Price passes through a level. A level is also superseded when, at a candle's close, price has moved **past** it, and another level of the same kind with at least three touches lies just **beyond** it, within the distance, and is now **closer to price**. This mostly concerns levels that had fewer than three touches when price went through them — established levels that close together are already grouped by rule 1.

Example. SOL has a resistance at 121.59 with two touches and one at 122.0075 with four, 0.34% apart. When SOL reaches 121.80 it is past 121.59 and nearer to 122.0075, so **121.59 becomes superseded**.

- A superseded level stops counting touches and stops raising signals. Any signal it already raised becomes *superseded* too.
- If price later breaks through it, the breakout is still recorded in its details, but its status stays *superseded*.
- If a candle touches a level and, by the time that same candle closes, has already moved past it towards a nearer level, price simply passed through — no signal is raised for that touch.
- The explanation box in the detail panel says which of the two rules applied and which level took over.

Level status

Shown in the **Status** column of the Levels screen.

Status	Meaning	What happens next
active	The level is valid and the app is still counting touches on it.	Each new separate visit adds a touch; touch 3 and every later touch raise a signal.
superseded	Hidden in favour of a nearby level of the same kind: a higher resistance or lower support close by, or a level price moved through towards a nearer one.	Retired: no more touches or signals. A later breakout is still recorded.
broken	Price closed beyond the level by more than the breakout distance. Its signals are now *invalidated*.	Finished. A new level forming at the same price later appears as a separate level, starting again from touch 1.
expired	The app no longer follows the level: it formed before the period the app analyses (normally the last 30 days).	Finished; kept for history only.

	Life of a level
1	A turning point in price creates the level: **active**, touch 1.
2	Price moves away and later returns: touch 2. Still **active**.
3	Price moves away and returns again: touch 3 — a **signal** is raised.
4a	Price keeps respecting the level: it stays **active**, and each further touch raises a new signal (4-touch, 5-touch …).
4b	A higher resistance (lower support) with three touches sits close by, or price moves past it towards a nearer level: **superseded**, and so are its signals.
4c	Price closes clearly beyond it: **broken**, and its signals become **invalidated**.

Touch state

State	Meaning
open	The touch is still in progress: price is at the level, or has left it but not yet far enough or for long enough. Its figures can still change.
closed	Price has clearly left: at least 10 candles outside the zone *and* at least 0.3% away from the level. The figures are final, and the next visit counts as a new touch.

Origin: live or replay

Origin	Meaning
live	Detected while the app was running, the moment the candle closed. Sent to Telegram (if switched on).
replay	Found in past price history when the app last started — including anything that happened while the server was down. Shown on screen but *not* sent to Telegram. Otherwise identical to a live signal.

6. Telegram alerts

Signals always appear on the Signals screen. The app can also send each new signal to a Telegram chat, so you are notified on your phone.

Getting alerts

Your administrator connects the app to Telegram. To receive the alerts yourself:

- Open the app's Telegram bot (your administrator will tell you its name) and press **Start**. A bot cannot message you until you have messaged it first.
- Open **@userinfobot** in Telegram. It replies with your numeric **chat id**.
- Send that chat id to your administrator. Alerts can also go to a group chat.

Times in Telegram messages use one time zone for the whole chat, chosen by your administrator, and the message says which one. This is separate from the time zone you pick in the web app.

What an alert looks like

This is a real alert produced by the app (the first line starts with a fire emoji):

```
NEW 3-TOUCH SIGNAL

Symbol: ETHUSDT
Timeframe: 15m

Type: SUPPORT

Level: 2,630.74
Zone: 2,628.10926 - 2,633.37074

Touches:
1. 2026-09-19 09:30 @ 2,632.32
2. 2026-09-19 13:30 @ 2,629.16
3. 2026-09-19 19:15 @ 2,632

Breakout: NO
Strength: 0.62

Signal generated:
2026-09-19 19:15 UTC
```

When you will not get a message

- **Signals found in past history** when the app starts or restarts are not sent, so a restart never floods your chat with old alerts.
- **Signals more than 1 hour old** are not sent, for the same reason.
- **If Telegram is briefly unreachable**, the alert is retried every minute until it goes through or becomes older than 1 hour. You never receive the same alert twice.
- No message is sent when a level becomes superseded or broken — only when a signal is raised.

> **Note.** The same level can alert several times — on its 3rd, 4th, 5th touch and so on. Each is a separate message; the first line shows the touch count, e.g. *NEW 5-TOUCH SIGNAL*.

7. Settings and what they change

The coins, timeframes and detection rules are set on the server by your administrator. This section explains what each setting does, so you can judge the signals and ask for changes. The values currently in use are always shown on the Config screen.

What is watched

- **Fixed coins** — a list set by your administrator, such as BTCUSDT or SOLUSDT. They are always watched.
- **Coins chosen by volume** — on top of the fixed coins, the most traded other Binance coins (paired with USDT) are added automatically: those that traded at least **5 million USDT a day** on average over the last 7 days, highest first, up to **50 coins** in all. The list is checked once a day; new coins are added and fading ones removed without interrupting the app.
- **Skipped automatically** — stablecoins (USDC, FDUSD, ...), tokenized stocks (NVIDIA, Tesla, ...), gold, the euro, and wrapped copies of other coins. Their prices do not form crypto support and resistance.
- **Staying on the list** — a coin already watched stays until its volume falls below 70% of the threshold (3.5 million USDT a day), so a coin near the line does not come and go every day. When a coin leaves, its open levels are marked *expired*; its past signals stay visible.
- **Timeframes** — currently 15m, 30m and 1h. Every coin is analysed on every timeframe, and each combination is completely separate.
- **History** — how far back the app looks for levels (currently 30 days).

Detection rules

Rule (name on Config screen)	Default	Effect of raising it
Touches needed `minTouches`	3	More touches needed before the first signal.
Zone width `touchTolerancePercent`	0.1%	Wider zone: more price action counts as reaching the level.
Breakout distance `breakoutTolerancePercent`	0.2%	Price must go further past the level to break it: levels survive longer.
Separation between touches `minCandlesBetweenTouches`	10 candles	Touches must be further apart.
Retreat between touches `minDeparturePercent`	0.3%	Price must move further away before it can touch again.
Breakout confirmation `confirmationCandles`	1 candle	Several closes beyond the level needed to break it.
Signal on every further touch `emitSignalOnEveryTouchAfterMin`	on	On: signal on touch 3 and every later touch. Off: only on touch 3.
Superseded rules `supersedeEnabled`	on	Off: levels are never superseded, only broken.
Close-together grouping `supersedeNearbyLevels`	on	Off: close-together levels all stay active.
Price-passed rule `supersedeOnPricePass`	on	Off: passing through a level does not retire it.

Rule (name on Config screen)	Default	Effect of raising it
Superseded distance `supersedeMaxDistanceByTimeframe`	15m 0.5% 30m 0.6% 1h 0.75%	Larger: levels further apart are treated as one area.
Next low/high distance `nextPotential.minDistancePercent`	1%	Turning points must be further beyond the level to count.
Next low/high period `nextPotential.lookback`	30 days	Searches further back before each signal.

Important. The zone and breakout defaults suit short timeframes. On 30m and 1h candles normal price movement can look like a breakout, so levels break sooner than you might expect. If you mainly use the longer timeframes, ask your administrator about wider values, e.g. a 0.2% zone and a 0.6% breakout distance.

Coin selection

Setting (name on Config screen)	Default	Effect of raising it
Minimum daily volume `volumeSelection.minDailyVolume`	5,000,000 USDT	Fewer, more heavily traded coins.
Most coins `volumeSelection.maxSymbols`	50	More coins (fixed ones included). Each coin adds three analyses, so more memory and a longer restart.
Keep share `volumeSelection.keepPercent`	70%	Coins leave the list sooner when their volume drops.
Volume period `volumeSelection.window`	7 days	Already the most Binance allows. Shorter makes the list react faster to one busy or quiet day.

8. How a signal is decided

You do not need this to use the app, but it helps when judging a signal.

- **Finding levels.** The app looks for turning points: a candle whose high is above the three candles either side of it (for resistance) or whose low is below them (for support). Turning points at nearly the same price are grouped into one level.
- **Counting touches.** Each time price enters the level's zone, a touch begins. It ends only after price has spent at least 10 candles outside the zone *and* moved at least 0.3% away. Returning before both happen continues the same touch.
- **Watching for a breakout.** If a candle closes more than 0.2% beyond the level, the level is broken and its signals are marked *invalidated*.
- **One line per area.** Of close-together levels with three or more touches only the highest resistance or lowest support stays active, and a level price moves through towards a nearer one is retired. Both become *superseded* (section 5).
- **Signalling.** When the third touch begins and the level is still active at the close of that candle, a signal is raised; every further touch raises another with the new count.

Things worth knowing

- A turning point can only be recognised a few candles after it happens, because the app has to see price move away from it. A brand-new level therefore appears slightly after the fact.
- Signals are raised as soon as price reaches the level — before it is known whether the level will hold. The *Status* column later shows what happened.
- Everything is percentage-based, so the app behaves the same on a coin priced at 0.0001 as on one priced at 100,000.
- Given the same prices and settings, the app always produces exactly the same levels and signals.

Judging a signal

- **Touches far apart** (a large Gap) mean the level has been respected over a long period.
- **Large rejection** values mean price bounced away from the level strongly each time.
- **Small distance** values mean the touches landed precisely on the level.
- **Higher strength** combines all of these into one number.
- Use **Measure** on the chart to see how far price has moved from the level, and how quickly.

9. Troubleshooting

Problem	What to do
The page does not load	Check the address, then try again in a minute — the server may be restarting. If it persists, tell your administrator.
The badge shows running	The app has just restarted and is catching up on history. Wait a minute or two.
The badge shows failed	Tell your administrator.
stream down	The server reconnects on its own and fills in missed prices. If it stays down for several minutes, tell your administrator.
The chart says *stored data — not live*	Your network cannot reach Binance directly (some workplaces and countries block it). The chart still shows the app's stored data; only the second-by-second movement is missing.
The chart says *reconnecting…*	The live connection dropped. It reconnects by itself within seconds.
Times look wrong	Check the Time zone box in the top-right corner; each zone is listed with its offset, e.g. *Asia/Yerevan (GMT+4)*. Detected, First seen and Breakout times are when the candle closed; touch times are when their candle opened, as on the chart.
The list is empty	Your filters may exclude everything. Click **Clear filters**.
A coin is missing	Check the watch list on the Config screen. Coins join automatically once they trade 5 million USDT a day on average; stablecoins and tokenized stocks never do. To always watch a coin, ask your administrator to add it to the fixed coins.
Many signals that are quickly invalidated	The rules are probably too tight for the timeframe. See section 7.
No Telegram messages	Check the Config screen shows `telegramEnabled: true` and that you pressed Start in the bot. Old and replayed signals are not sent (section 6).
The chart does not show the first touch	It happened before the start of the chart. Scroll left, or read its time and price in the touches table.

10. Quick reference

Task	How
See only live, holding signals	Status filter → tick active
See several coins at once	Symbol filter → tick each coin
See only well-tested levels	Touches filter → tick e.g. 5, 6, 7 and 8+
Reset all filters	Clear filters
Get the newest signals	Refresh
Understand a signal	Click it; read the summary, the chart and the touches table
Follow a market live	Deselect any row, then pick a Market and Timeframe on the right
Measure a move	Measure → click start → click end; Esc clears
Return to the newest candle	Go to live
Change the time zone	Time zone box, top-right
Understand a status	Section 5
Get phone alerts	Section 6
Add a coin or change a rule	Ask your administrator