

Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

Different Ways to Write in HTML



Learning Outcome:

Describe common simple incidents at work in a simple spoken or written situation with a supportive interlocutor. Assess the incident of data in the macrosystem processes, based on the data dictionary to consolidate intervening data, based in established parameters.

Can Do Statements:

- I can understand written information about the ways text appears in HTML.
- I can list the different ways text appears in HTML.
- I can write down examples on some ways text appears in HTML.

Ask your partner:

- Mention different word processing programs you are familiar with.
- How can a website format be modified using HTML? INTEGRAR!!! Se hicieron cambios



Let's Explore!

HTML Tags Tutorial



Instructions: Read the text below.

Professor: Today in class, we are reviewing HTML formatting. So, when we use HTML or any other word processor, we can use commands to make the text appear differently. In the class blog, many of you mentioned three common ways in which text appears: Bold, italic or underlined text. Can someone tell me the commands for these texts?

Annie: Sure! For bold we use the `< b >...< /b >` tags; for italic `< i >... < /i>`; and for underlined text `< u >... < /u >`.

Professor: That's right. Some of you told me that nothing appeared when you tried to follow the strike and monospaced commands. Can anybody explain what these are and how to write them?

Annie: Yes! We use strike text when we want to draw a line over a word or sentence. For this, we use the `< strike >...< /strike >` tags. And monospaced font refers to a type of font where all letters have the same width. As we all know, most fonts are variable-width font as letters such as 'i' and 'l' take less space than 'o' or 'b'. But in monospaced font, we get all letters to occupy the same space by using the `< tt >...< /tt >` tags.

Professor: Perfect. Now, nobody mentioned superscript and subscript texts in the blog, so I'm going to explain them quickly. We use them when we want a text to appear a character's height above or below the other characters, respectively. For the first one we use `< sup >... < /sup>` and for the second one `< sub >... < /sub>`. Is there anything else we are missing?

Annie: Yes, inserted and deleted texts. These two usually go together and we use them to indicate a text we insert and one we delete. The first one is underlined and the second one is crossed out. The tags are simple: `< ins >...< /ins >` and `< del >...< /del >`. Is that everything?

Professor: You forgot larger and smaller texts. As their names suggest, we use them to make a piece of text look bigger or smaller than the rest of the text. We use the following commands respectively: `< big >... < /b >` and `< small >... < /small >`. Is there something else someone wants to add? ...






Let's Practice!

These are the commands you need in HTML.

Instructions: Read the clues. Find the words in the wordsearch below.

1. Nobody told me that I could use `<b>...</b>` tags to make a text appear _____.
2. Professor: Can anyone tell me what we use the `<i>...</i>` tags for?
Student: For writing _____ text.
3. No one used the `<u>...</u>` text. Remember that we can write these commands when we want to _____ a text.
4. Professor: Did someone use _____ text?
Student: Yes, I used `<tt>...</tt>` tags for it.
5. Everything you write between the `<sup>...</sup>` tags will appear a character's height above other characters. This is called _____ text.



Let's Practice!

Can you name the commands?

Instructions: Select the correct answer.

COLUMN A

1. BOLD TEXT
2. ITALIC TEXT
3. UNDERLINED TEXT
4. THIN LINE THROUGH THE TEXT

COLUMN B

- a. **Commands**
- b. *Commands*
- c. Commands
- d. ~~Commands~~





Extension Activity

I am going to study a website.

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Look for a website you like.
- Identify the different ways in which the text appears.
- Write 5 examples of the different styles using the commands you learned in this learning material.
- Share it with a partner.

Self-Assessment

Yes

No

- I identify the different styles in a HTML text.
- I write examples of the HTML commands I learned in the learning material.
- I use the proper structure to write HTML texts.

☐	☐
☐	☐
☐	☐



Target Words

- word processor** (noun): a software that edits or formats a text in an electronic device
e.g. When we use HTML or any other word processor, we can use commands to make the text appear differently.
- appear** (verb): to come into being, to look in certain way
e.g. When we use HTML or any other word processor, we can use commands to make the text appear differently.
- above** (adverb): over something, over a point of reference
e.g. Nobody mentioned superscript and subscript texts in the blog, so I'm going to explain them quickly. We use them when we want a text to appear a character's height above or below the other characters, respectively.
- respectively** (adverb): in the order given or mentioned
e.g. Nobody mentioned superscript and subscript texts in the blog, so I'm going to explain them quickly. We use them when we want a text to appear a character's height above or below the other characters, respectively.
- underline** (verb): to put a line mark under a word
e.g. For bold we use the `< b >...< /b >` tags; for italic `< i >... < /i>`; and for underlined text `< u >... < /u >`.
- width** (noun): the measurement of something from side to side
e.g. Monospaced font refers to a type of font where all letters have the same width.



Learning Points

Indefinite Pronouns in Negative Statements and Questions

We use **indefinite pronouns** to talk about a person or a thing without referring to it directly.

We normally use **indefinite pronouns** to talk about people or things. For **people**, indefinite pronouns end in **-body** or in **-one**. For **things**, indefinite pronouns end in **-thing**. Let's take a look at the following chart of **indefinite pronouns** that we can use in negative statements:

People	Things
Anybody Anyone	Anything
Nobody No one	Nothing

Examples:

No one knows how HTML works.

There is **nothing** we can do to improve the code.

We can also ask questions with indefinite pronouns when we do not need to specify the thing or person we are talking about. Let's take a look at the indefinite pronouns that we can use when asking questions:

People	Things
Anybody Anyone	Anything
Nobody No one	Nothing
Everybody Everyone	Everything
Somebody Someone	Something

Examples:

Does **somebody** know about HTML here?

Do I have to include **everything** in the code? Se cambió todo el Learning Point. Volver a integrarlo!!!!

Examples

- Can someone tell me the commands for these texts?
- Some of you told me that nothing appeared when you tried to follow the strike and monospaced commands.
- Is there anything else we are missing?
- Nobody mentioned superscript and subscript texts in the blog, so I'm going to explain them quickly.





Learning Points

Commands For Writing Different Types of Text in HTML

HTML has different commands to write text.

In the chart below we can appreciate some common commands used in HTML to write text.

COMMAND	DESCRIPTION
...	BOLD TEXT
<i>...</i>	ITALIC TEXT
<u>...</u>	UNDERLINED TEXT
<strike>...</strike>	THIN LINE THROUGH THE TEXT
<tt>...</tt>	MONOSPACED TEXT
<sup>...</sup>	SUPERSCRIPTEXT
<sub>...</sub>	SUBSCRIPT TEXT
<ins>...</ins>	INSERTED TEXT
...	DELETED TEXT
<big>...</big>	LARGER TEXT
<small>...</small>	SMALLER TEXT

Examples

- But in monospaced font, we get all letters to occupy the same space by using the `<tt>...</tt>` tags.
- Inserted and deleted texts. These two usually go together and we use them to indicate a text we insert and one we delete. The first one is underlined and the second one is crossed out. The tags are simple: `<ins>...</ins>` and `<del>...</del>`.