

Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start!
- Let's Explore!
- Let's Practice!
- Extension Activity
- Target Words
- Learning Points



Let's Start!

Let's learn more about the most used text language.

```
<!DOCTYPE html PUBLIC "-//W3C//
<html xmlns="http://www.w3.org/
  <head>
    <meta http-equiv="Content-1
    <meta http-equiv="Content-2
    <meta http-equiv="Content-3
    <title>Document Title</titl
    <link rev="made" href="mail
    <link rev="start" href="."/
    <style type="text/css" medi
    @import "style/boas.css"
```

Learning Outcome:

Describe common simple incidents at work in a simple spoken or written situation with a supportive interlocutor. Assess the incident of data in the macrosystem processes, based on the data dictionary to consolidate intervening data, based in established parameters.

Can Do Statements:

- I can say what an attribute for an HTML tag is.
- I can talk about the elements that compose an attribute for an HTML tag.
- I can list the different types of attributes for HTML tags.

Ask your partner:

- Why do you think HTML is considered a text language?
- What image formats do you work with?





Let's Explore!

The oral exam is today!



Instructions: Read the text below.

Teacher: Good afternoon, class! It is time for your oral exam. Beth, please stand up and answer the questions I'm going to ask you.

Beth: Good afternoon, Teacher. Ok, I'm ready!

Teacher: Nowadays, globalization and new technologies are allowing people to know more about computer programming programs and its components. That's why everyone is familiar with terms like HTML. As we all now, HTML has attributes which contain extra bits of information. I dare to say that everybody knows how to use HTML attributes. But, tell me, Beth, what do we use these attributes for?

Beth: Attributes determine the properties of an HTML element.

Teacher: That's correct, Beth. You find these attributes inside the opening tag. Everyone can learn how to manage HTML attributes, but you have to be careful since somebody, a programmer or any person who needs to use a computer programming program, can get confused if you use the wrong attribute. Now, tell me, how many parts do these attributes have?

Beth: They have two parts: One is the name, which is the property you want to set on the page, and the other one is the value. For example, `< p >` is the tag for paragraph and it is part of the align attribute, and left, center or right are the values for that paragraph.

Teacher: Good answer, Beth! Is there anything else you can say? Maybe you can list some types of attributes.

Beth: Sure. There are three types of attributes: Core attributes in which we can find id, title, class attribute, and style; internalization attributes which are dir, lang, and xml:lang; as well as the generic attributes.

Teacher: Would you like to add something else?

Beth: No. I think that's all.

Teacher: Thank you and good job, Beth!



**Let's Practice!**

Rephrase what Beth said.

Instructions: Use the word(s) from the box to correctly complete the sentence. Use: everybody, everything, somebody

1. Beth said _____ can learn to use HTML.
2. She also said that _____ can get confused if we use the wrong attribute.
3. I think I remember almost _____ she said.

**Let's Practice!**

Attribute characteristics

Instructions: Select the correct answer.

1. An attribute is a piece of information concerning _____ the tags.
 - a. the construction of the website.
 - b. the programming language.
 - c. display of the information.
2. The attribute controls the _____ of the screen.
 - a. color
 - b. font
 - c. size
 - d. data
3. Attributes are made of their _____.
 - a. name and value.
 - b. properties.
 - c. tags.
 - d. paragraph.
4. In core attributes we can find:
 - a. id.
 - b. dir.
 - c. xml.
 - d. generic.
5. There are three types of attributes: core, internalization, and _____.
 - a. name
 - b. generic
 - c. value
 - d. tag
6. An attribute that does not belong to the internalization set is:
 - a. lang.
 - b. dir.
 - c. xml.
 - d. class.





Extension Activity

Let's make a poster about HTML attributes.

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Look on internet and create a definition for HTML attributes.
- Mention the characteristics of an attribute, give examples.
- Mention the types of attributes websites can have.
- Present your poster to your classmates

Self-Assessment

Yes No

- I can define and describe HTML attributes. ☐ ☐
- I can demonstrate the properties of attributes and give examples. ☐ ☐
- I can list the types of attributes for HTML. ☐ ☐
- I can produce a poster about HTML attributes and present it to my classmates. ☐ ☐



Target Words

- **class attribute** (noun): in HTML is the tool used to associate an element with a style sheet
e.g. There are three types of attributes: Core attributes in which we can find id, title, class attribute, and style
- **dir attribute** (noun): in HTML this tool indicates the direction in which the text flows
e.g. Internalization attributes which are dir, lang, and xml:lang.
- **list** (noun): series of names printed in sequence
e.g. Maybe you can list some types of attributes.
- **wrong** (adjective): not correct or mistaken
e.g. Everyone can learn how to manage HTML attributes, but you have to be careful because somebody can get confused if you use the wrong attribute.
- **align** (verb): to put in a straight line
e.g. < p > is the tag for paragraph and it is part of the align attribute.



Learning Points

Indefinite Pronouns in Affirmative Statements

We use **indefinite pronouns** when we want to refer to an unspecified person, thing or amount.

Indefinite pronouns are used to talk about things or people without mentioning exactly what or who they are.

Examples:

Everybody uses HTML to create programs.
Someone is teaching me how to use HTML attributes.

When using an **indefinite pronoun** you have to conjugate the verb in singular.

Example:

Everyone works with the browser.

However, if you need to make reference to the **indefinite pronoun again**, the subject pronoun that you use goes generally in *plural*.

Example:

Everybody in the company knows about HTML attributes. *They* receive constant training.

People	Things	Places
Somebody - Someone	Something	Somewhere
Everybody - Everyone	Everything	Everywhere

Examples

- *That's why everyone is familiar with terms like HTML.*
- *I dare to say that everybody knows how to use HTML attributes.*
- *Would you like to add something else?*
- *Everyone can learn how to manage HTML attributes, but you have to be careful because somebody can get confused if you use the wrong attribute.*





Learning Points

Generic Attributes

There are many HTML's attributes that are easy to use with many of the HTML tags. Those attributes are called **generic attributes**.

Attribute	Function	Options
align	horizontal align	right, left, center
valign	vertical align	top, middle, bottom
background	places a background behind an element	URL
id	names an element, it is used with CSS	user defined
class	classifies an element, it us used with CSS	user defined
title	pop-up titles	user defined