

Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

JavaScript and HTML



Learning Outcome:

Describe common simple incidents at work in a simple spoken or written situation with a supportive interlocutor. Assess the incident of data in the macrosystem processes, based on the data dictionary to consolidate intervening data, based in established parameters.

Can Do Statements:

- I can talk about the concept of script in HTML.
- I can list different types of scripts in HTML.
- I can say how to write commands for scripts in HTML.

Ask your partner:

- Why do you think tags are important in HTML?
- Is there any difference between Java and JavaScript? Explain.





Let's Explore!

Miguel is explaining to Dakota what JavaScript is for.



Instructions: Read the text below.

Miguel: I know that by now, you all have to be a little confused with the use of JavaScript and HTML, but indeed, they are really easy to understand. Let's imagine that by means of HTML commands and string codes, you display the content of your website, but just that. You can't make it interactive. I mean, you can't change anything from what is there. But, if you want to change or modify aspects of your webpage, you have to use script language.

Dakota: Sorry, teacher. But, what's a script?

Miguel: Ok... to answer that question, let's imagine you have to create a drop-down box that allows you to edit the content or aspect of a box, image, or text that your HTML code displays on the website. To do so, you have to add some extra codes that for obvious reason differ from the common HTML codes, you have to write those codes in script language. The most common script languages that we can use are JavaScript and VBScript. Is that clear now?

Dakota: Yes, sir. But, could you give some examples about it?

Miguel: Sure, some important scripts that you have to know by heart are, the internal and external JavaScript's ones, the event handlers and the nonscript elements.

Dakota: How do they work?

Miguel: That's an excellent question, if you want to write a script in different HTML documents, you have to use the external one, but if you only want to write the script in one webpage, you have to use the internal one. If you need to call an event like a pop up when the mouse is over an element, you have to implement an event handler. Now, you have to remember that not all browsers allow scripts because they are blocked or the browser is too old to display them; in those cases, you have to insert the nonscript element in your HTML code to alert the user of that issue...





Let's Practice!

Do you remember what you have to do to implement a script in HTML?

Instructions: Select all the correct answers.

1. What is a script for in HTML?
 - a. ____ You have to implement scripts to allow the user modify html tags while interacting with the website.
 - b. ____ You have to use script languages to display information in the browser.
 - c. ____ Users have to use scripts to clear up the cache of the webpage as HTML doesn't do it.
 - d. ____ You have to implement scripts inside HTML documents if you want to make your webpage dynamic.



Let's Practice!

How can you use scripts in your coding?

Instructions: Select the correct answer.

1. What do you have to do if you want to implement a script in multiple HTML documents?
 - a. You have to implement an external script.
 - b. You have to use JavaScript.
 - c. You have to write the script in all documents.
 - d. You have to use VBScript.
2. Remember you have to write the _____ tags to alert the user when the browser doesn't support scripts.
 - a. script
 - b. <no> </script>
 - c. <nonscript></nonscript>
 - d. <SupportScript></support>
3. What is the language you have to use in order to add interactivity to a website?
 - a. Strings
 - b. Script
 - c. Scripts
 - d. HTML
4. When you want to generate an error pop up right after the user clicks on a wrong area, you have to implement the Event _____ command.
 - a. trigger
 - b. handler
 - c. extension
 - d. Integer
5. Each script you write within html has to be in their specific _____.
 - a. tag
 - b. bag
 - c. tar
 - d. tac



Extension Activity

It is time for you to show how much you know about JavaScript and HTML.

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Open any website and select the tools for developers option and copy all the codes of the page to a text document.
- Select at least 5 JavaScript tags that you find and explain the function they perform in the webpage.
- Show your results to your classmates and instructor.

Self-Assessment

Yes

No

- I open any website and save the HTML content to my computer.
- I select 5 JavaScript tags and explain their function.
- I share my findings with my classmates and instructor.

☐ ☐
☐ ☐
☐ ☐


Target Words

- drop-down box** (noun): a menu that lists a set of choices when you click on it
e.g. Let's imagine you have to create a drop-down box that allows you to edit the content or aspect of a box, image, or text.
- display** (verb): to show on a screen
e.g. You have to remember that not all browsers allow scripts because they are blocked or the browser is too old to display them
- issue** (noun): a problem
e.g. You have to insert the nonscript element in your HTML code to alert the user of that issue...
- VBScript** (noun): a script language based on Visual Basic
e.g. The most common script languages that we can use are JavaScript and VBScript.
- JavaScript** (noun): a script language programmers use in web design to implement scripts
e.g. I know that by know, you all have to be a little confused with the use of JavaScript and HTML, but indeed, they are really easy to understand.



Learning Points

Verbs with Infinitives: Have to in Affirmative Statements and Yes No Questions

In English, there are many verbs that demand the following action to be in infinitive form, that is, with **to**. **Have** is one of those verbs that demand the action to be in infinitive form.

We in present can use **have to** tense and interrogative form to express necessity, obligation and certainty.

Use the following structure to make a sentence with have to.

Subject + **have to** + **base form of verb** + complement.

Example:

- You **have to implement** JavaScript to create script lines into html.
- The browser **has to have** the script options activated to display the web app.

Note that the conjugation of have to in third person singular is **has to**.

Use the following structure to make close-ended (yes/no) questions with have to.

Do/Does + Subject + **have to** + **main verb base form** + complement + ?

- **Do I have to work** with Java and JavaScript to create web apps?
- **Does the app have to allow** scripts to work?

Notice that you use the auxiliary do to make questions with have.

Examples

- if you want to change or modify aspects of your webpage, you have to use script language.
- If you need to call an event like a pop up when the mouse is over an element, you have to implement an event handler.





Learning Points

Commands for Different Types of HTML Scripts

HTML and JavaScript commonly work together within a website to provide the user more interactivity.

As you probably know, HTML is the base that programmers use to display webpages, but unfortunately, it is the only property HTML has. Therefore, what really provides interactivity between the user and the website is JavaScript.

JavaScript is a programming language based on Java that allows the programmers to make a webpage dynamic, that is, to change the values of an HTML tag by interacting with the webpage everytime the user clicks on a drop-down box or a button.

Depending on how you design your website you can make use of many of the script commands that can allow you to insert scripts into your HTML text.

Let's check in the following chart some of the most common script types that are there in HTML-based pages.

Script	Description
External JavaScript	You create the script commands in a separate file with the extension .js to use the scripts in different HTML files.
Internal JavaScript	You generate the script code in any part of your HTML document inside a script tag (<script text></script>)
Event handlers	An event handler script is a command that allows an action to take place after you click or move the mouse.
Hide scripts	As some browsers do not accept or support scripts, you can protect the script and hide it from users between HTML commands. Example: <script type="text/javascript">...</script>
<nonscript> Elements	You can use the HTML command <nonscript>...</nonscript> to warn the users that their browser does not accept or allow scripts.