

Instructor: Date:

Learner: Regional Branch:

Program: Center:


CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

Time to work with MySQL!



Learning Outcome:

Uses the four basic functions in persistent storage to create the system. Talks about the four basic functions for persistent storage.

Can Do Statements:

- I can talk about CRUD stored procedures.
- I can describe how to access each procedure using a database.

Ask your partner:

- What is a database for?
- What kind of databases do you know?





Let's Explore!

Jane is having some problems with a code. What are they?



Instructions: Read the text below.

- Jane:** Francis, I don't know what I'm doing wrong, but the **CRUD** I'm coding is not displaying the information I logged before. If you see the database, I can insert information in each cell, I can also ask the database to read and update the operations I stored as well as delete them; but I can't find the information that was stored before.
- Francis:** hmm, did you check the code lines?
- Jane:** Sure, like a zillion times, but I haven't found anything.
- Francis:** Did you create the database?
- Jane:** No, not really. I'm just updating the one Frank did.
- Francis:** I see, maybe you might want to talk to him to see if the codes he made are different.
- Jane:** You're right. I ought to call him in the afternoon.
- Francis:** But, he is not going to answer, I think he is programming the apps in the afternoon since they're due for tomorrow.
- Jane:** What am I going to do then? I think I'll check the code lines again. I mean, I'd better do it. That's something I have to finish by tonight.
- Francis:** I think you might want to check the prefixes Frank is using. He sometimes changes the table names and that may affect the operations; remember that prefixes ought to be different from the other users so that **CRUD** operations can work well. However, there are naming conventions you might want to include to establish differences between each storage procedure. On the other hand, you ought to check that the procedure names have the name of the **CRUD** operation at the end of each line.
- Jane:** Thanks, Francis, I'll do that, and I tell you later how it went.
- Francis:** Yes, you'd better check that before doing anything else.

**Let's Practice!**

Let's know about Database Procedures!

Instructions: Write the words to correctly complete the sentences. Use words from the box below.

had better use a / ought to establish naming / had better not
update the / ought to check / might want to identify

1. First, you _____ the database you are going to use.
2. You _____ table customer in order to present how the implementation of each operation is going to be.
3. You _____ database until the codes are verified.
4. He _____ the data prefixes; they are not being identified by the system database.
5. You _____ conventions in order to standardize the database organization.

**Let's Practice!**

They are going to talk about CRUD stored procedures!

Instructions: Select the best option in the table. There is only one answer per sentence.



Let's Practice!

AUDIO	Francis is going to check the...	Jane is trying to log-in the database...	...but he needs to unblock the codes to do it.	The information will be displayed...	...but something doesn't work.
... after set the codes into the system.					
...to update some operations.					
... codes before editing any information.					
Jane needs to update the database...					
He will insert some data in the cells...					



Extension Activity

CRUD stored procedures mind map!

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Research about CRUD stored procedures
- Describe in a mind map the process to access CRUD procedures using a database.
- Explain your mind map in your own words to your class.
- Write five questions about CRUD stored procedures and ask your classmates.

Self-Assessment

Yes**No**

- I read about CRUD stored procedures
- I design a mind map about CRUD procedures
- I explain my mind map to my class and I ask to my classmates about CRUD stored procedures

☐	☐
☐	☐
☐	☐



Target Words

- **display** (verb): to show in a screen
e.g. The CRUD I'm coding is not displaying the information I logged before.
- **log** (verb): to type or record into a system
e.g. The CRUD I'm coding is not displaying the information I logged before.
- **zillion** (noun): an extremely large number that is not counted
e.g. Sure, like a zillion times, but I haven't find anything.
- **due** (adjective): to be expected for a specific time
e.g. They're due for tomorrow.
- **code line** (noun): a line with text that works to code or program software
e.g. I'll check the code lines again.
- **prefix** (noun): a word, part of a word or letters that are before a word
e.g. You might want to check the prefixes Frank is using.



Learning Points

Had better, Ought to, and Might Want to for What is Advisable

We can use **ought to**, **might want to** or **had better** to express advice at the moment of speaking.

You can express advice by using any of the modal verbs mentioned before, but there are some differences you should know before using them in a common conversation.

Ought to has the same meaning as **should**, as it expresses advice and can be used interchangeably.

Let's see how they look:

- You **should** call the programmer.
- You **ought to** call the programmer.
- You **ought not to** call the programmer for such thing.
- You **should not** call the programmer for such thing.

Had better has the same meaning as **should**, but it usually comes with a stronger and sometimes negative connotation if it is not done.

Let's see the following examples in affirmative and negative form:

- You **had better** call the programmer before it is too late.
- You **had better not** change that string.

The only difference between **should**, **had better** and **ought to** is the interrogative form as none of them are used in interrogative structures.

Let's see the following examples:

- **Should I call the IT guy?** - **Correct**
- **Ought I to call the IT guy?** - **Incorrect**
- **Had I better call the IT guy?** - **Incorrect**

You can also use **might want to** in order to express advice in a more polite way and say that something is possible to happen.

Look at the following example :

- You **might want to call** the programmer. There is something wrong with this database.

Examples

- You **might want to talk** to him.
- I **ought to call** him in the afternoon.
- You'd **better check that** before doing anything else.





Learning Points

CRUD stored procedures

CRUD is commonly used to organize data in databases as it is complied with the four basic functions **C**reate **R**ead **U**pdate and **D**elete.

In order to store data into a database, there are some simple features and steps that such database must meet. Among those features, we find the **CRUD** operations.

As we know **CRUD** means Create, Read, Update and Delete, and all together form the basics of a database, you must be capable of adding (create) information such as names, addresses, emails, phones, etc. At the same time, you must be able to access (read) that information, update, modify and delete it where necessary. If the database does not meet those requirements, we can say the database is incomplete.

In order to store information into a **CRUD**, you need to have a server for your web page that supports PHP files. Besides, you will need specialized software to work with the scripts and a database such as **MySQL**.

Once you have everything set, you need to use your knowledge of PHP or HTML to create the bars with the specific code lines to specify what values are going to be in the tables of your database.

Some tips we can give you are:

Be organized; name your tables so you know what information you are working with.

Know what table types you are going to need to make the cells limited or unlimited such as string types like "VARCHAR" or "CHAR" to give a limited amount of characters.

Each procedure name should end with the name of the **CRUD** operation you are working with.