

Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

You can count on these types of backups.



Learning Outcome:

Implement data migration processes and data backups within the IT solution. Understand the different types of data movements, making an emphasis on data migration movements as well as data backups.

Can Do Statements:

- I can talk about the full, incremental and differential backups.
- I can describe the synthetic full backup and the incremental-forever backup.

Ask your partner:

- How do you back up your personal data?
- How would you explain data backup to someone who is not into technology?





Let's Explore!

An expert talks about the importance of knowing the different types of backup.



Instructions: Read the text below.

In data migration, there are different types of data backup that employ different times and techniques to join and connect information. When performing data movement, it's important to ponder on the time and resources as it sometimes can be an expensive process. However, it's crucial for anyone who plans to perform the backup, to know the different available techniques that will help people save time and money. People work on data backup for hours or even days, but this varies according to the type of backup the person has chosen.

The first is the full backup that people use to copy full data. This backup is performed usually in a couple of days, but it all depends on the size of the data. It is time-consuming and hence it's performed occasionally. The next is an incremental backup, in which data modified after each backup is copied. Though it is less consuming than the first, it takes more time when restoring and it gets more demanding for backup operators. Another one is the differential backup which consists of fully backing up the information that has changed since the last full backup. This one is advantageous because it takes less time to restore, making unnecessary to work for hours and hours organizing pieces of backed up data.

The last two are the synthetic full backup and incremental-forever backup. The first one is similar to an incremental backup but it creates full backup combining the data of full and incremental backups, of course, it reduces exponentially the restore time; the second works as a regular incremental backup, but the server automatizes the restoration process saving time and avoiding dull and repetitive procedures.



Let's Practice!

Some Types of Backups

Instructions: Proofread the paragraph. Correct the mistakes.

There are different types of backups, and I will tell you about 3 of those. Firstly, the full backup, who have performed in a couple of days; secondly, the incremental backup whose are less time-consuming than the first one, but it takes more time when restoring. Finally, engineers, which can need less time to restore, use the differential backup. So, as I told you, backups are quite important, and these are the ones I have used in the different companies.



Let's Practice!

I will tell you about my experience.

Instructions: Circle the correct words to complete the paragraph.

(Since / For / In) last year, I have attended to conferences about the different types of backups. (Since / For / In) December, I started working with these backups in the different companies. At the beginning, I could understand the differences and similarities between synthetic and incremental-forever backup. The first one is similar to an incremental backup, but it creates a full backup by combining all data from full and incremental backup. In addition, this one works (since / for / in) a couple of hours, while the incremental-forever backup doesn't do it. On the other hand, the incremental-forever backup automatizes the restoration process (since / for / in) the first backup, and it saves time by preventing repetitive procedures.





Extension Activity

Let's look for more information about backups!

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Look for more information about the types of backups.
- Identify facts of each type of backup regarding time duration.
- Write down a descriptive text explaining what you found out about the types of backups in terms of time duration.
- Share your text with your class.

Self-Assessment

Yes

No

- | | | |
|---|-----------------------|-----------------------|
| 1. I look for information about types of backups. | ☐ | ☐ |
| 2. I identify facts of each type of backup regarding time duration. | ☐ | ☐ |
| 3. I write down a text explaining types of backups and facts about time duration. | ☐ | ☐ |
| 4. I share my text and talk about the topic. | ☐ | ☐ |



Target Words

- **ponder on** (verb): to reflect on or think about something.
e.g. When performing data movement, it's important to ponder on the time and resources as it sometimes can be an expensive process.
- **restore** (verb): to recover something or to get it back.
e.g. This one is advantageous because it takes less time to restore, making unnecessary to work for hours and hours organizing pieces of backed up data.
- **backup operator** (noun): someone who is able to manipulate files that regular users cannot access.
e.g. It takes more time when restoring and it gets more demanding for backup operators.
- **advantageous** (adjective): beneficial or favorable.
e.g. This one is advantageous because it takes less time to restore.
- **exponentially** (adverb): it expresses an increase.
e.g. It reduces exponentially the restore time; the second works as a regular incremental backup.
- **automatize** (verb): to make a process automatic.
e.g. The server automatizes the restoration process saving time and avoiding dull and repetitive procedures.



Learning Points

Since, For, and in For duration

There are different time expressions people can use to talk about different **time duration**.

It is possible to use adverbs and prepositions to express time in different ways. In this case, you can use **since**, **for**, and **in** to talk about duration.

Since can be used when people want to talk about an action that started in the past, and it continues in the present. This preposition is used when you want to make the starting point of the action explicit.

*Example: I knew you were coming **since** last year.*

For is used with a period of time. When the action has an established duration, you use this preposition. Some periods of time are ambiguous like "for a long time, for ages", among others.

*Example: I've been working on types of backup **for** two years now.*

In is used when talking about months, years, and long periods of time.

*Example: **In** January, I will start the backup.*

Examples

- *People work on data backup for hours or even days but this varies according to the type of backup the person chooses.*
- *It is time consuming and hence it's performed once in a while.*
- *Another one is the differential backup which consists of fully backing up the information that has changed since the last full backup.*

Types of Backups

There are different **types of backups** that might help people save data according to the size of information the person manages.

Among the types of backups, we can find some alike but that varies slightly. But let's begin with the basics.

A **full backup** is the one people perform when saving the whole data is necessary. A full copy of information is made. From this type of backup, other subsequent types of backup can be performed. The **incremental backup** is one of those. This one implies to back up the files that have been modified since the previous backup. The one that is pretty close to this one is the **differential backup** because it backs up the information that has been modified since the last full backup.

The other one is the **synthetic full backup**, which combines the data from full backups and incremental backups. The last one is the **incremental-forever backup**, which works as a regular incremental backup, but the software used allows the server to automatize the restoration process.

In most of the backup procedures, restoration is very time-consuming, especially with incremental and differential backups. However, some processes don't require extensive working periods spent on retrieving and organizing information.

