

Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

Getting to know HTML controls to handle ASP.NET



Learning Outcome:

Understand information about web applications, their principles and basic concepts in a range of work contexts. Describe applications for an operating system for personal computers in a range of work contexts.

Can Do Statements:

- I can give basic information about the HTML server controls in ASP.NET.
- I can mention ideas about the advantages of using HTML server controls in ASP.NET.
- I can discuss some observations to use HTML server controls in ASP.NET.

Ask your partner:

- How do you think ASP.NET builds up modern web apps?
- How do you figure out the role of HTML server controls in the development of web apps?





Let's Explore!

Martin has some questions about HTML server controls.



Instructions: Read the text below.

- Martin:** Hi, I need you to give me some basic information about HTML server controls. How do you deal with HTML server controls?
- Programmer:** Well, when you add a `runat="server"` attribute to an HTML element. Then, it can be treated as a server control. Those HTML server controls work within tags.
- Martin:** What are the advantages of using HTML server controls in an ASP.NET framework?
- Programmer:** HTML server controls help to get the information popped up in a web app. Thus, when an HTML element is not closed, ASP.NET does not recognize it, and the web page can mess up. Also, HTML server controls are useful for layout purposes. However, are HTML server controls extremely necessary in compilation process?
- Martin:** Well, the ASP. NET framework does not require a well-structured HTML content, but a content with properly closed tags to compile.
- Programmer:** I just figured out the way it works; the input elements need to have either anchor or header tags properly closed in order to run the information on the web.
- Martin:** Exactly! In that way, HTML server controls are considered a great advantage to create static tables for the web content layout, and you can turn an HTML page into an available source to run on ASP.NET as well.
- Programmer:** I see now.
- Martin:** Check out the programming language in this web page; scroll down for more information and tell me: What can you observe on that?
- Programmer:** I noticed that the standard HTML tags are generally used for the page layout. Additionally, I see the ID attribute and the `runat` attribute are needed for the server-side processing to display data.
- Martin:** Now, log in and back up the data on your computer. You're ready to pass.



Let's Practice!

Martin has just figured out* the way server controls work.

*To "figure out" means to understand something.

Instructions: Read the sentences. Write the missing word in the blank. Use: add up, turn into, popped up, and account for.

1. HTML server controls are based on the standard HTML controls but they _____ server-side processing.
2. HTML server controls help to get the _____ in web pages or applications.
3. They allow to _____ HTML pages _____ a format that is able to run on ASP.NET.
4. **A:** How do we do to _____ HTML server controls?
B: You normally have to write the HTML syntax of the element, but a `runat="server"` attribute is also needed.



Let's Practice!

What are the advantages of using HTML server controls in an ASP.NET framework?

Instructions: Organize the mystery sentence. Read the sentences aloud. Check your pronunciation with your instructor.

1. treated / you / add / a / to / a / HTML element, / as / server control. /
`runat="server"` attribute / When / it / is / an

2. information / HTML / server / are / to / the / popped up / in / a / controls / applied /
web app. / get

3. closed, / mess up. / When / an / HTML / is / not / ASP.NET / does / not / it / and
/the / web / page / can / element / recognize

4. layout / controls / are / for / purposes. / server / used / HTML

5. static / They / a great / advantage / to / tables / for / the / content / layout. /
considered / create / web / are



Extension Activity

What page features can you control with HTML server controls on an ASP.NET page or application?

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Search for further information about HTML server controls in ASP.NET.
- Create a list of the features that can be controlled by the HTML controls when you program an ASP.NET page or application.
- Use examples to illustrate the information.
- Prepare a poster or a slide presentation to present the information.
- Make an oral presentation.

Self-Assessment

- I search for further information about HTML server controls in ASP.NET.
- I create a list of the features that these elements can control.
- I exemplify to illustrate the information.
- I prepare a poster or slide presentation to present the information.
- I make an oral presentation.

Yes No

☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐


Target Words

- anchor tag** (noun): an HTML markup that generally contains a uniform source identifier or URI
e.g. Are header tags, anchor tags, and input elements server-side controls too?
- header tag** (noun): a representation of a container to introduce navigation links and it typically contains different heading elements, a logo or icon and authorship information
e.g. Are header tags, anchor tags, and input elements server-side controls too?
- static tables** (noun): forms that contain compiled data for the system set up
e.g. HTML server controls are used for layout purposes, for instance, when we enable static tables.
- runat attribute** (noun): a source code that makes part of the declaration code syntax, it is mainly used in server-side processing
e.g. You normally have to write the HTML syntax of the element, but a `runat="server"` attribute is also needed.
- server control** (noun): an identification code to represent a programmable server-side object in a web page to be displayed in an interface
e.g. HTML server controls are based on the standard HTML controls but they account for server-side processing.



Learning Points

Phrasal Verbs

Phrasal verbs are two part verbs; they generally consist of a verb and a particle which could be a preposition an adverb or both. Such particle assigns a new meaning or a figurative meaning to the verb it proceeds.

In the following chart, you will find some useful phrasal verbs to express ideas related to web apps development:

Phrasal Verb	Meaning/Common usage
account for	to give reasons for to make or provide a reckoning of expenditure, payments to be responsible for destroying
add up	to find the sum (of), to result in a correct total, to make sense, that is followed by to: to amount to
deal with	to take action on, to do business with
end up	to finish
pop up	to appear, to happen
scroll up/down	(on a computer display) to move a cursor smoothly, causing new data to replace old on the monitor
click on	to press generally with a mouse
hook up	with a computer and cables hook them up
turn on	to start a computer
log in	to access
wipe out	to delete completely
back up	to duplicate, to support or assist
hack into	to break into a computer system

Examples

- I have a test tomorrow about HTML server controls. But I don't have any idea of how exactly dealing with them.*
- HTML server controls are based on the standard HTML controls but they account for server-side processing.*





Learning Points

HTML Server Controls

HTML server controls are used to enable server side processing, which is a procedure to send information to a server in order to be processed.

In a nutshell, HTML controls are available for server- side processing once those become server controls by adding the attribute `runat="server"` and an id attribute.

There are different tags used for HTML server controls:

- **Header tags:** a header for an `<article>`
- **Anchor tags:** allows you to programmatically access to the HTML tag on the server.

The following table describes the HTML server controls:

Control Name	HTML tag
HtmlHead	<code><head></code> element
HtmlInputButton	<code><input type=button submit reset></code>
HtmlInputCheckbox	<code><input type=checkbox></code>
HtmlInputFile	<code><input type = file></code>
HtmlInputHidden	<code><input type = hidden></code>
HtmlInputImage	<code><input type = image></code>
HtmlInputPassword	<code><input type = password></code>
HtmlInputRadioButton	<code><input type = radio></code>
HtmlInputReset	<code><input type = reset></code>
HtmlText	<code><input type = text password></code>
HtmlImage	<code></code> element
HtmlLink	<code><link></code> element
HtmlAnchor	<code><a></code> element
HtmlButton	<code><button></code> element
HtmlButton	<code><button></code> element
HtmlForm	<code><form></code> element
HtmlTable	<code><table></code> element
HtmlTableCell	<code><td></code> and <code><th></code>
HtmlTableRow	<code><tr></code> element
HtmlTitle	<code><title></code> element
HtmlGenericControl	All HTML controls not listed