

Instructor: Date:

Learner: Regional Branch:

Program: Center:


CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

Constants in PHP



Learning Outcome:

Understand information about web applications, their principles and basic concepts in a range of work contexts. Describe applications for an operating system for personal computers in a range of work contexts.

Can Do Statements:

- I can say what a constant in PHP is.
- I can describe how to create a constant.
- I can say what it means that constants are global.

Ask your partner:


- Do you know any identifier able to store data? Which one?
- Do you consider important that a value changes during the execution of the script? Why?





Let's Explore!

Nataly and Mark talk about how easy constants are.



Instructions: Read the text below.

Nataly: What are you doing?

Mark: I'm creating some constants to finish today's assignment.

Nataly: For me, constants are the easiest identifiers in PHP. I love working with them.

Mark: So do I. After studying strings and their functions, I absolutely prefer constants.

Nataly: Yeah! Constants are supposed to be like variables, but these are identifiers created for simple values. Plus, when constants are defined, you cannot change them later in the script.

Mark: I totally agree with you. To create a constant, you just need to construe few parameters such as the name, the value and if it is case-sensitive or case-insensitive; then, you are done.

Nataly: What are the function of those parameters?

Mark: Well, the name and the value permit to specify and determine the correct name of the constant and its value.

Nataly: And, what about the function of constant?

Mark: You use define() to create it. This function permits to store data, while the script is being executed.

Nataly: You really know about it! At the beginning, I had some problems understanding why constant were global.

Mark: Really? So did I. Indeed, I had a teacher who explained to me that a constant is global purely because it can be used all across the script.

Nataly: I hadn't thought about that connection before, but it makes a lot of sense.

Mark: Yes!

Nataly: Well, I'm supposed to memorize every single detail.

Mark: Really? That's almost impossible!

Nataly: Try telling that to my teacher.

Mark: For what you're telling me, he seems to be pretty harsh.

Nataly: He is supposed to be the best at college, but I prefer inclusive teachers.

Mark: Well, so do I.





Let's Practice!

I know how to create a constant.

Instructions: Select the correct option to correctly complete each sentence.

To create a constant, you (are supposed to / is supposed to / am supposed to) use a function to define a few parameters. The parameter name determines the name of the constant. In addition, we are supposed to (specify / specific / specified) the value of a constant, using the parameter value. Finally, if the constant needs to be case-insensitive, it (is supposed to / supposed to / are supposed to) include the case-insensitive parameter. In order to specify the parameter, you are supposed to (are / be / being) careful with the syntax.



Let's Practice!

Mark and Nataly talk about their exam.

Instructions: Read the conversation. Write the missing word(s) in the blank. Use: so do I, so will I, answered, so. Use capital letters where necessary.

Mark: I think the test about constants was easy.

Nataly: _____. I will enjoy working with them when I get a job.

Mark: _____. Fortunately, I _____ correctly most of the questions about constants.

Nataly: _____ did I. However, I forgot to mention why they are important, and the function that they accomplish across the script.

Mark: Oh no, I forgot it too! I hope we get a good grade, though.





Extension Activity

Working With Constants in PHP.

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Look for information about constants in PHP.
- Create a list of the most common constants and their functions.
- Prepare a presentation, in which you explain the most important constants in PHP.
- Share your presentation with the rest of the class.

Self-Assessment

Yes

No

- I understand what a constant in PHP is.
- I know how constants are created.
- I express why constants are considered global.
- I share my work with the class.

☐ ☐
☐ ☐
☐ ☐
☐ ☐


Target Words

- construe** (verb): to analyze or interpret the meaning or function of something
e.g. To create a constant, you just need to construe few parameters.
- to be done** (phrasal verb): to finish or complete doing something
e.g. To create a constant you just need to define a few parameters, the name, the value and if it is case-sensitive or case-insensitive, and then you are done.
- case-sensitive** (adjective): with the capacity of detecting capital letters and lowercase
e.g. You just need to construe few parameters such as the name, the value and if it is case-sensitive or case-insensitive.
- purely** (adverb): basically, entirely
e.g. A constant is global purely because it can be used all across the script.
- memorize** (verb): To remember perfectly
e.g. Strings and functions... I'm supposed to memorize every single one.
- harsh** (adjective): referring to severe or hard to deal with
e.g. For what you're telling me, he seems to be pretty harsh.



Learning Points

Responses with So

When we want to agree with a person or to say that we do or like the same thing, we use responses with **so**.

Depending on the tense you use, your answers will have the main auxiliary of that tense.

Examples:

Present:

A: I **have** to study constants in PHP.

B: So **do** I. (I also have to study.)

A: I'**m** certain that constants are easier than strings.

B: So **am** I. (I am also certain that constants are easier than strings.)

Past Simple:

A: I **used** the define() function to create a constant.

B: So **did** I. (I also used the define() function to create a constant)

A: I **was** sure that constants were global.

B: So **was** I. (I was also sure that constants were global.)

Future:

A: Next week, I **will go** to a conference about constants in PHP.

B: Really? So **will** I. (I also will go to a conference about constants in PHP)

Examples

- **Nataly:** For me, constants are the easiest identifiers in PHP. I love working with them.
- **Mark:** So do I.
- **Nataly:** At the beginning, I had some problems understanding why constant were global.
- **Mark:** Really? So did I.





Learning Points

Be Supposed To

You can use the expression **be supposed to** when you want to talk about actions or events that you or someone expect to happen.

Use this expression to talk about actions that people are expecting from you, or that are always true.

You can follow this structure to use be supposed to:

Subject + **am / is / are** + **supposed to** + verb + complement.

Example:

Students are supposed to come to class until November 17th
Employees are not supposed to be late to any meeting.

Examples

- *Well, I'm supposed to memorize every single detail.*
- *Constants are supposed to be like variables, but these are identifiers created for simple values.*