



Instructor: Date:

Learner: Regional Branch:

Program: Center:

CONTENT

- Let's Start! • Let's Explore! • Let's Practice! • Extension Activity • Target Words • Learning Points



Let's Start!

Operators in PHP



Learning Outcome:

Understand information about common solutions to problems in spoken or written documents.
Talk about programming and data base related to hypertext preprocessor in spoken or written documents.

Can Do Statements:

- I can list and describe some operators in PHP.
- I can explain if... Else...Elseif statements in PHP.
- I can compare some operators in PHP.

Ask your partner:

- What is the relationship between a webpage and PHP? Share your thoughts.
- What are some of the most common PHP functions people use? List as many as you can remember.





Let's Explore!

John didn't pass his exam. Is there anything he can do?



Instructions: Read the text below.

Jack: Hi, John! How was your exam?

John: I couldn't pass it. If I had studied everything about operators in PHP and if/else statements, I wouldn't have failed it.

Jack: Hard luck! What did they ask you about?

John: I had to name different kinds of operators, but I had no clue about them. I need to have that topic explained by anybody as soon as possible.

Jack: I can help! If you want to understand what operators are, you have to know that we use them to perform operations on variables and values. As you know, there are different kinds of operators in PHP, such as logical, assignment, arithmetic, comparison, increment/decrement operators, array, among others. The ones that I use the most are arithmetic operators, which we use to carry out operations of addition, subtraction and multiplication. We also, combine conditional statements using the logical operators.

John: Wow, I must have contacted you before. What about the if/else statement?

Jack: It's a conditional statement, which means that if the condition presented in the statement is affirmative, a specific code will be executed. In fact, different actions will be performed if the condition is met or affirmative. On the contrary, another code or action will be performed if the condition is negative.

John: Thank you, Jack. It's clearer now. I must have asked you about all of this before my exam.

Jack: It might have been a great idea. Now, I'm sure that if your teacher gives you a second chance, you'll improve your grade. However, don't forget to check the topic related to the operators. For example, if we need to have some arrays compared, we will have to use PHP array operators. On the other hand, if we need to increment or decrease the value of a variable, we will have to use the corresponding increment or decrement operator.





Let's Practice!

Operators in PHP

Instructions: Match the sentences from Column A with Column B

COLUMN A

1. If you want to learn about operators,
2. When I need to contrast two different values,
3. If I had known about the arithmetic operators,
4. You will have to use logical operators
5. If you want to know more about other components of operators,

COLUMN B

- a. I use the comparison operator.
- b. I could have performed operations of subtractions easily.
- c. if you want to combine different conditional statements.
- d. you have to know about the arithmetic, comparison, array, and logical operators.
- e. you have to check what we use if/else statements for.



Let's Practice!

Comparing Operators in PHP

Instructions: Classify the sentences by writing the number of the sentence in the correct category.

1. I need to have these two operators designed.
2. The value of this variable is too high. We need to have I lowered.
3. I need to have this value risen.
4. I need to get these variables' value incremented for the next report.
5. I need to have this assigned value incremented by one and then reduced.
6. I need to get the sum of numeric operands solved.
7. I need to have this left operand divided.
8. I need to have all those numeric values performed on basic operations.
9. I needed to have the number and the string compared for the next process.

Other Operators	Arithmetic Operators	Increment/Decrease Operators





Extension Activity

Let's check our knowledge.

Instructions: Complete the following steps. Fill in the Self-Assessment.

- Look for more information about Operators in PHP.
- Make a chart to compare the main characteristics of three different operators.
- Include examples, results, and description for each operator.
- Share your chart with the rest of your group.

Self-Assessment

Yes No

- I look for information about Operators in PHP. ☐ ☐
- I make a chart to compare Operators in PHP. ☐ ☐
- I share my chart with the rest of the class. ☐ ☐



Target Words

- hard luck** (expression): to express sympathy towards someone who has failed at doing something
e.g. Hard luck! What did they ask you about?
- have no clue** (expression): not to know anything about something
e.g. I had to name different kinds of operators, but I had no clue about them.
- carry out** (phrasal verb): to execute a process or an action
e.g. The ones that I use the most are arithmetic operators, which we use to carry out operations of addition, subtraction and multiplication.
- execute** (verb): to run something on a system
e.g. It's a conditional statement, which means that if the condition presented in the statement is affirmative, a specific code will be executed.
- array** (noun): the total amount of something
e.g. For example, if we need to have some arrays compared, we will have to use PHP array operators.



Learning Points

Must Have, May Have, Might Have

Must have, may have, and might have are modal perfects. They help us to speculate about the past or present; in other words, they express probability in the past or present.

We use the expressions **may have** and **might have** to show that a situation could possibly take place in the present or past. In fact, it does not imply a high level of certitude. Now, what is the difference between them? Remember that both, may and might, express possibility and are, in the majority of cases, switchable. However, some contexts can make us use one expression over the other. For example, if we don't know about the level of certainty of the situation being referred, both expressions are useful. However, if the situation being referred didn't take place at all, it is best to use the expression **might have**.

Now, the structure that we use is the following:

Subject + may have + action verb in past participle form + complement.

Subject + might have + action verb in past participle form + complement.

For example:

*As of now, **you might have become** an expert in PHP.* (We speculate about the present.)

***An exam might have been** a terrible idea for last class as nobody knew about the topic.* (We make reference to a past event that didn't take place.)

On the other hand, the expression **must have** implies a high level of certitude; in other words, you are sure about something. The structure that we use is basically the same as in the other two expressions:

Subject + must have + action verb in past participle form + complement.

For example:

***She must have passed** the exam, she studied very hard for it.*

*As of now, **the teacher must have graded** the exams.*

Examples

- *Wow, I must have contacted you before.*
- *It might have been a great idea.*





Learning Points

Need and Causative

We use **need + causative** when we **need** another person to do something for us.

We use the **need + causative** whenever we want to mention that an action was done for us by another person. Apart from this, we can use two different verbs to introduce the causative, which can be either **get** or **have**. The structure that we use is the following:

Person who needed the action + need(s) + to get / to have + object + action verb in past participle + complement (or doer).

For example:

We need to have this exam presented by the students next Monday.

I need to get this topic explained by somebody next class.

Examples

- *I need to have that topic explained by anybody as soon as possible.*
- *For example, if we need to have some arrays compared, we will have to use PHP array operators.*

List of Programming and Computer Science Terms

There are some **important terms** related to the field of computer science that we have to check.

There are some specialized terms that we, as future programmers or workers in the field of computing, have to be familiar with. Check the following chart to learn about some of them:





Learning Points

TERM	DESCRIPTION
Unreachable Code	An unreachable code refers to a source code that is not executable because there is a lack of a control flow path that the system can take towards the code.
Upgrade	The action in which a product or service is updated to the last technology available, being able to have a better and improved service or piece of hardware.
User Interface	The user interface refers to the elements that are designed so the user can interact, through them, with the system, application or website.
Utility Computing	A strategy that maximizes the efficient use of resources and minimize costs as the computer resources and infrastructure management are given to the customer just as they are needed.