Lab task 2:

```
// Lab task 2
// Q1

#include<iostream>
using namespace std;

void scholarship_selection(int*p1,int*p2, int**pp_selected_marks)
{
    **pp_selected_marks = (*p1>*p2)?*p1:*p2;
}
```

```
int main()
{
    int selected_marks=0;
    int st1,st2;
    cout<<"Enter marks of 1st student : ";
    cin>>st1;
    cout<<"Enter marks of 2nd student : ";
    cin>>st2;

    int *p_selected_marks = &selected_marks;
    scholarship_selection(&st1, &st2, &p_selected_marks);
    cout<<"Selected student marks  : "<<*p_selected_marks<<endl;
    cout<<"selected marks : "<<selected_marks<<endl;

    return 0;
}
```

Output:

```
syeda-areej-e-fatima@areejfatima:~/Sem 2/OOPS_la
ks/" && g++ labtask2_Q1.cpp -o labtask2_Q1 && "/
Enter marks of 1st student : 450
Enter marks of 2nd student : 520
Selected student marks  : 520
selected marks : 520
syeda-areej-e-fatima@areejfatima:~/Sem 2/OOPS_la
```

Question 2

```cpp
// Lab task 2
// Q1

#include<iostream>
using namespace std;

float* cal_training_score(int N)
{
    float*arr = new float [N];

    for (int i = 0; i < N; i++)
    {
        cout<<"Enter the score of teacher "<<i+1<<" : ";
        cin>>*(arr+i);
    }

    return arr;
}

void display_score(int N, float**display)
{
    for (int i = 0; i < N; i++)
    {
        cout<<"Teacher "<<i+1<<" : "<<**(display+i)<<endl;
    }
}
```

Output:

```
syeda-areej-e-fatima@areejfatima:~/Sem 2/OOPS_labtask/lab_t
ks/" && g++ labtask2_Q2.cpp -o labtask2_Q2 && "/home/syeda-
enter number of teachers: 5
Enter the score of teacher 1 : 67.3
Enter the score of teacher 2 : 23.7
Enter the score of teacher 3 : 56.8
Enter the score of teacher 4 : 34.4
Enter the score of teacher 5 : 45.5
Teacher 1 : 67.3
Teacher 2 : 23.7
Teacher 3 : 56.8
Teacher 4 : 34.4
Teacher 5 : 45.5
syeda-areej-e-fatima@areejfatima:~/Sem 2/OOPS_labtask/lab_t
```