

 Contents

# Zipkin

 2 minute read  page test

---

Before you begin

Accessing the dashboard

Generating traces using the Bookinfo sample

Cleanup

See also

---

After completing this task, you understand how to have your application participate in tracing with Zipkin, regardless of the language, framework, or platform you use to build your application.

This task uses the `Bookinfo` sample as the example application.

To learn how Istio handles tracing, visit this task's [overview](#).

## Before you begin

1. Follow the [Zipkin installation documentation](#) to deploy Zipkin

into your cluster.

2. When you enable tracing, you can set the sampling rate that Istio uses for tracing. Use the `meshConfig.defaultConfig.tracing.sampling` option during installation to set the sampling rate. The default sampling rate is 1%.
3. Deploy the Bookinfo sample application.

## Accessing the dashboard

Remotely Accessing Telemetry Addons details how to configure access to the Istio addons through a gateway.

For testing (and temporary access), you may also use port-forwarding. Use the following, assuming you've deployed Zipkin to the `istio-system` namespace:

```
$ istioctl dashboard zipkin
```

## Generating traces using the Bookinfo sample

1. When the Bookinfo application is up and running, access `http://$GATEWAY_URL/productpage` one or more times to generate trace information.

To see trace data, you must send requests to your service. The number of requests depends on Istio's sampling rate. You set this rate when you install Istio. The default sampling rate is 1%. You need to send at least 100 requests before the first trace is visible. To send a 100 requests to the `productpage` service, use the following command:

```
$ for i in $(seq 1 100); do curl -s -o /dev/null "http://$GATEWAY_URL/productpage"; done
```

2. From the search panel, click on the plus sign. Select `serviceName` from the first drop-down list, `productpage.default` from second drop-down, and then click the search icon:

Q

+

+

serviceName

productpage.default

X

+

10

15 MINUTES

Q

1 Result

FILTER

ROOT	TRACE ID	START TIME	DURATION
ISTIO-INGRESSGATEWAY	(productpage.default.svc.cluster.local:9080)productpage.default.svc.cluster.local:9080/productpage	08/11 12:14:29.287 (5 minutes ago)	55.241ms

ISTIO-INGRESSGATEWAY (1)

PRODUCTPAGE.DEFAULT (3)


DETAILS.DEFAULT (1)


REVIEWS.DEFAULT (2)

RATINGS.DEFAULT (1)

## Tracing Dashboard

- Click on the **ISTIO-INGRESSGATEWAY** search result to see the details corresponding to the latest request to `/productpage`:





## Detailed Trace View

- The trace is comprised of a set of spans, where each span corresponds to a Bookinfo service, invoked during the execution of a `/productpage` request, or internal Istio component, for example: `istio-ingressgateway`.

# Cleanup

1. Remove any `istioctl` processes that may still be running using control-C or:

```
$ killall istioctl
```

2. If you are not planning to explore any follow-on tasks, refer to the [Bookinfo cleanup instructions](#) to shutdown the application.