

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

<https://shop-giftos.000webhostapp.com/index.php>

Ime : Alekса Veličković

Naziv projekta : Giftos web shop

Broj indeksa : 5/20

Studijski program : Internet Tehnologije

Predmet : Web Programiranje PHP 1

Sadržaj

Contents

Uvod	3
1. Korišćeni programski jezici	3
2. Funkcionalnosti.....	3
Organizacija	5
1. Organizaciona šema sajta.....	5
2. Mapa sajta.....	5
3. Dizajn baze podataka	7
4. Opis funkcionalnosti.....	7
Kodovi.....	24
Stranice	24
Delovi stranica(Partials).....	42
Delovi stranica za admin panel.....	55
Models(funkcionalnosti)	63
Models(funkcionalnosti za admin panel)	86
JS.....	98
CSS.....	112

Uvod

1. Korišćeni programski jezici

Jezici korišćeni prilikom kreiranja sajta su : HTML 5, CSS 3, SASS, JavaScript, jQuery, XML, PHP, Bootstrap.

Radno okruženje : Visual Studio Code.

Korišćeni template : <https://www.free-css.com/free-css-templates/page293/giftos> .

2. Funkcionalnosti

Zajedničke funkcionalnosti za sve stranice :

- Dinamičko generisanje hero sekcije, dinamičko generisanje navigacionog menija u hero sekciji iz baze podataka, dinamičko generisanje teksta i slika za slajder u hero sekciji.
- Dinamičko generisanje fatera, ikonica i linkova za društvene mreže u futeru, kolona sa tekstom u futeru.
- Potpuna funkcionalnost korpe za korisnika, dodavanje proizvoda, brisanje proizvoda, checkout, order.
- Zaštite od neovlašćenih pristupa gde god je potrebno.
- Error stranica na koju se korisnik redirektuje ako nije ispunio potrebne uslove za određenu akciju na stranici.
- Za upite korišćenje prepared statements-a.
- Upotreba ajax-a na ključnim delovima sajta.
- Za svaki tip komunikacije sa serverom, vraćaju se statusni kodovi u zavisnosti od ishoda odgovora.

Funkcionalnosti stranice index.php

- Dinamičko limitirano generisanje aktuelnih proizvoda.
- Mogućnost sortiranja po više kriterijuma, filtriranja po kategoriji, i pretrage proizvoda po kategoriji, ili nazivu korišćenjem ajax-a.
- Cena se računa automatski u odnosu na base price i discount price.

- Dinamičko generisanje skoro potpuno celog sadržaja stranice, 2 banner sekcije, jedna sekcija za "why choose us", iskustava korisnika.
- Mogućnost slanja poruke administratoru koje se čuvaju u bazi, i dostupne su za uvid.

Funkcionalnost stranice products.php

- Dinamičko generisanje celokupnog assortimenta proizvoda kroz straničenje.

Funckionalnost stranice profile.php

- Mogućnost pregleda sopstvenih korisničkih podataka, promena tih podataka kao i uvid u prethodne porudžbine sa svim detaljima.

Funkcionalnost stranice polls.php

- Mogućnost glasanja na anekte vezane za korisničko iskustvo i čuvanje odgovora, u zavisnosti od aktivnosti ankete i toga da li je korisnik već glasao na nju, ona ankete će se prikazati/ne prikazati.

Funckionalnosti stranica log_in.php i register.php

- Autentifikacija i autorizacija korisnika sa pravnom feedback porukom, i registracija novih korisnika.

Funkcionalnosti stranica editor.php i order.php


- Izračunavanje ukupne cene narudžbine i izlistavanje stavka porudžbine i poručivanje.

Funkcionalnosti stranice edit_content.php

- Mogućnost menjanja, dodavanja i brisanja celokupnog sadržaja stranice koji se generiše dinamički, uključujući i slike.
- Mogućnost aktivacije korisničkih naloga.
- Uvid u statistiku anketa na koje su korisnici glasali.
- Uvid u poruke koje su korisnici ostavili.
- Mogućnost aktiviranja/deaktiviranja anketa

Organizacija

1. Organizaciona šema sajta



2. Mapa sajta

```

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">

  <url>
    <loc>https://shop-giftos.000webhostapp.com/index.php</loc>
    <lastmod>2024-03-10</lastmod>
    <changeFreq>daily</changeFreq>
    <priority>0.95</priority>
  </url>

  <url>
    <loc>https://shop-giftos.000webhostapp.com/products.php</loc>
    <lastmod>2024-03-10</lastmod>
    <changeFreq>daily</changeFreq>
    <priority>0.85</priority>
  </url>

  <url>
    <loc>https://shop-giftos.000webhostapp.com/editor</loc>
    <lastmod>2024-03-10</lastmod>
    <changeFreq>weekly</changeFreq>
    <priority>0.75</priority>
  </url>

</urlset>
  
```

```
<loc>https://shop-giftos.000webhostapp.com/order.php</loc>
<lastmod>2024-03-10</lastmod>
<changeFreq>weekly</changeFreq>
<priority>0.75</priority>
</url>

<url>
  <loc>https://shop-giftos.000webhostapp.com/profile.php</loc>
  <lastmod>2024-03-10</lastmod>
  <changeFreq>weekly</changeFreq>
  <priority>0.70</priority>
</url>

<url>
  <loc>https://shop-giftos.000webhostapp.com/polls.php</loc>
  <lastmod>2024-03-10</lastmod>
  <changeFreq>weekly</changeFreq>
  <priority>0.70</priority>
</url>


<url>
  <loc>https://shop-giftos.000webhostapp.com/log_in.php</loc>
  <lastmod>2024-03-10</lastmod>
  <changeFreq>monthly</changeFreq>
  <priority>0.65</priority>
</url>

<url>
  <loc>https://shop-giftos.000webhostapp.com/register.php</loc>
  <lastmod>2024-03-10</lastmod>
  <changeFreq>monthly</changeFreq>
  <priority>0.65</priority>
</url>

<url>
  <loc>https://shop-giftos.000webhostapp.com/polls.author</loc>
  <lastmod>2024-03-10</lastmod>
  <changeFreq>yearly</changeFreq>
  <priority>0.10</priority>
</url>
```




3. Dizajn baze podataka



4. Opis funkcionalnosti

index.php



Navigacioni meni, kao i hero sekcija sa slajderom je dinamički generisana iz baze.

Product	Discount (%)	Original Price	Discounted Price	Action
Ring X	0%	\$300.00	\$300.00	Add to cart
Date Watch	20%	\$300.00	\$240	Add to cart
Teddy Bear	5%	\$110.00	\$104.5	Add to cart
Flower Bouquet R	0%	\$45.00	\$45.00	Add to cart

Prikazivanje „aktuelnih proizvoda“ po inicijalnom učitavanju stranice. Klikom korisnika na padajuću listu filter, izlaze opcije za kategorije proizvoda. Klikom korisnika na padajuću listu sort, pruža se mogućnost sortiranja postojećih proizvoda na stranici(u ovom slučaju filtriranih). Polje za search pruža mogućnost pretrage svih prozivoda po kategoriji ili samom nazivu proizvoda. Unosom u polje, proizvodi se redukuju ili proširuju.

TRENDING PRODUCTS

Filter: Default Sort: Default Search: toy



5%

Teddy Bear

Discounted price \$110.00

\$104.5

Add to cart




Teddy Bear Mr

\$95.00

Add to cart

[View All Products](#)



Dinamički generisan sadržaj „banner“.

WHY SHOP WITH US



Fast Delivery

Swift, reliable, guaranteed! Experience convenience at your doorstep.



Free Shipping


Unlock free shipping: No fees, no hassle! Shop now and save!



Best Quality

Experience the best quality: Unmatched excellence awaits!

Dinamički generisan sadržaj pločica „why-us“.



Dinamički generisan sadržaj „banner“.

Name Example : Aleksa

Email Example : aleksa@gmail.com

Phone Example : 012 345 678

Message

Give us a comment.

SEND

Powered by 000webhost

Forma za kontaktiranje administratora. Poruke se čuvaju u bazu i dostupne su na admin panelu. Urađena klijentska i serverska validacija. Feedback poruke korisniku.

Mark Johnson
From Frustrated to Fantastic: How Gifto's Revolutionized My Gift-Giving Experience

I used to spend hours browsing generic stores for gifts, feeling frustrated and empty-handed. Then I found Gifto's! Their website is a treasure trove of unique finds, from personalized jewelry to handcrafted candles from small businesses I'd never heard of. Plus, their checkout process is super user-friendly. My niece loved the custom phone case I got her, and I can't wait to explore their selection for the next gift-giving occasion.

ABOUT US

We curate unique gifts for every occasion, making gifting joyful & stress-free. Explore now!

NEED HELP

Feeling stuck finding the perfect gift? Text us at @gifto for expert help!

NEWSLETTER

Enter your email **SUBSCRIBE**

Gb road 123 london UK
+01 12345678901
demo@gmail.com

All rights reserved -2024 Powered by 000webhost

Dinamički generisan slajder za iskustva korisnika, kao i celokupan sadržaj footer-a.

HOME PRODUCTS PROFILE POLL AUTHOR LOG IN


Gif
and
where every
array caters to every taste. Discover the joy of giving and

You must log in to view cart status.
Log in


Obaveštenje korisniku ako nije ulogovan i klikne na ikonicu korpe. Isto ovakvo obaveštenje izlazi kada korisnik pokuša da doda proizvod u korpu a nije ulogovan.

The screenshot shows a user profile page for 'Aleksa'. At the top, there's a navigation bar with links for HOME, PRODUCTS, PROFILE, POLL, AUTHOR, a shopping cart icon, and LOG OUT. Below the navigation, a large banner features the text 'Aleksa, Step into Wonderland' and a descriptive paragraph about the curated collection. A red button labeled 'CONTACT US' is visible. In the center, a modal window with a red border displays the message 'Your cart is empty.' with a close 'X' button. On the right side of the page, there's a small image of a person holding a camera.

Kada je korisnik ulogovan, u navigacionom meniju vidi link log out umesto log in linka, kao i poruku dobrodošlice. Ako klikne na korpu a u njoj nema proizvda dobija ovo obaveštenje.



Obaveštenje o uspešnom dodavanju u proizvoda u korpu.



Prikaz dodatih proizvoda u korpu. Klikom na link Delete cart content sve stavke iz korpe se brišu. Takođe, sve stavke iz korpe se brišu pri log-out-u korisnika.


Stranica editor.php

The screenshot shows the 'List of your order items' page. At the top, it displays the address: 'Adress : Milorada Velickovica'. Below this is a table with three columns: 'Product', 'Name', and 'Price'. The table contains two rows: one for a 'Date Watch' priced at '240\$' and another for a 'Teddy Bear' priced at '104.5\$'. At the bottom of the page, it shows the 'Total price: 344.5 \$'. A large grey 'ORDER' button is located at the bottom center.

Product	Name	Price
	Date Watch	240\$
	Teddy Bear	104.5\$

Checkout prikaz proizvoda. Do stranice editor.php se dolazi klikom na link go to checkout u korpi. Ako korisnik nije naveo adresu pri registraciji u polju za adresu će pisati Insert order address.

Stranica order.php



Stranica profile.php

Order Id	Total Price	Order Address	Order Date
16	344.50 \$	Milorada Velickovica 145	06/03/2024 14:35:37
17	389.50 \$	Mirijevski Venac 25	06/03/2024 14:42:05
18	104.50 \$	Zdravka Celara 16	06/03/2024 14:43:14
19	344.50 \$	Milorada Velickovica 28	08/03/2024 19:39:08
21	344.50 \$	Milorada Velickovica	10/03/2024 14:58:56

Your data

Name: Aleksa
Surname: Velickovic
Email: aleksa123velickovic@gmail.com
Role: User
Address: Milorada Velickovica
Account last updated on : 09/03/2024 17:46:45

Your order history

Still empty. Hope You can find what You like soon :).

Your data

Name: Admin
Surname: Doe
Email: janedoe@gmail.com
Role: Administrator
Address: Unspecified.
Account last updated on : 05/03/2024 18:59:46

Prikaz svih podataka relevantnih za korisnika.

Here You can change Your data.

Choose new email

Choose new address

Choose new password

Mogućnost menanja podataka. Ne-nužno svih parametara. Validacija se radi u principu ako je korisnik nešto uneo u polje da se tada proverava vrednost tog polja. Takođe, ako korisnik nije uneo adresu pri registrovanju, uradiće se insert u bazu, u suprotnom slučaju update.

Stranica polls.php

User experience

Please rate how good user experience was for You when surfing this website.

1 :

2 :

3 :

4 :

5 :

Save my choice


Korisnik može glasati na anektu samo ako je ulogovan. Kada sačuva izbor, stranica se osveži i korisniku se prikazuju ankete samo one na koje nije glasao. Kada korisnik glasa na sve ankete, dobija ovo obaveštenje.

We currently don't have the polls for you.

Ankete, kao i korisnici mogu imati status active i inactive i shodno tome anketa se prikazuje(ako korisnik nije glasao na nju i obrnuto).

Stranica products.php

All products



1 2

Ajax straničenje za mogućnost listanja svih proizvoda.

Stranica register.php.

*Name:

Example: Aleksa

*Surname:

Example: Velickovic

*Email:

Example: aleksa@gmail.com

*Password:


Example: a2B?amM9U

Address:

[Register](#) [Already a user? Log in here.](#)

Za „logovanje“ i registrovanje je urađena i klijentska i serverska validacija.

U nastavku slede varijacije na uspešnost „logovanja“ u zavisnosti od statusnih kodova koji dolaze sa servera kao odgovor.(Stranica log-in.php)




Email: janedoe@gmail.com

Password:

Log In

Log in succeeded. You will be redirected shortly.

This screenshot shows a successful login process. The user has entered their email (janedoe@gmail.com) and password (represented by dots). A "Log In" button is visible. Below the form, a green message indicates that the login was successful and the user will be redirected shortly.


Email: janedoe@gmail.com

Password:

Log In

User with email/password does not exist.

This screenshot shows a failed login attempt. The user has entered their email (janedoe@gmail.com) and password (represented by dots). A "Log In" button is visible. Below the form, a red message indicates that the user with the provided email and password does not exist.



Stranica edit_content.php

Kada je administrator na sajtu u navigacionom meniju mu se prikazuje admin panel link.

Here you can modify all content dynamically generated on website pages.

Activate user accounts

Full Name	Email	Date of reg	Activate
Nikola Nikolic	nikolic456@gmail.com	09/03/2024	Activate

Aktiviranje korisničkih naloga.

Check our users votes statistics[1-5] (1=bad, 5=good)

User experience

Grade: 1 : Number of votes: 0
 Grade: 2 : Number of votes: 0
 Grade: 3 : Number of votes: 4
 Grade: 4 : Number of votes: 0
 Grade: 5 : Number of votes: 1

Average : 3.4

Website Navigation

Grade: 1 : Number of votes: 0
 Grade: 2 : Number of votes: 0
 Grade: 3 : Number of votes: 0
 Grade: 4 : Number of votes: 1
 Grade: 5 : Number of votes: 4

Average : 4.8

Page Load Speed

Grade: 1 : Number of votes: 0
 Grade: 2 : Number of votes: 0
 Grade: 3 : Number of votes: 1
 Grade: 4 : Number of votes: 0
 Grade: 5 : Number of votes: 4

Average : 4.6

Uvid u statistiku odgovora. Administrator vidi broj glasova za svaku ocenu svake ankete kao i prosečnu ocenu glasova te anekte.

Activate or deactivate poll

Poll title	Deactivate
User experience	Deactivate
Website Navigation	Deactivate
Page Load Speed	Deactivate

Currently, no poll is inactive.

Mogućnost aktiviranja i deaktiviranja ankete.

Navigation links

Display Name	Path	Edit	Delete
Home	index.php	Edit	Delete
Products	products.php	Edit	Delete
Profile	profile.php	Edit	Delete
Poll	polls.php	Edit	Delete
Author	author.php	Edit	Delete

Add a nav link

Name:

Path

[Add](#)

Mogućnost brisanja, dodavanja i menjanja sadržaja koji se generiše iz baze je u principu isti za sve blokove "sadržaja". Kod slajdera i blokova koji sadrže slike administrator ima mogućnost editovanja sa promenom slike kao i editovanja bez promene slike. Administrator može izmenite sva svojstva sadržaja u zavisnosti od kolona baze.(npr. kod proizvoda može menjati cenu, popust itd.)

Step into Gift Wonderland	Explore our curated collection where every item narrates a story. From timeless elegance to whimsical charm, our diverse array caters to every taste. Discover the joy of giving and create memorable moments with us. Uncover the magic of meaningful connections as you explore our meticulously curated selection, designed to inspire joy and celebration in every exchange.		Edit	Delete
---------------------------	--	---	------	--------

Add a hero section slider

Title:

Content

Image No file chosen

Powered by 

Insert successfull.

[Back to admin panel](#)

Kratka poruka administratoru o ishodu akcije.



[Back to home page](#)

404.php

Kodovi

Stranice

index.php

```
<?php session_start(); ?>
<!DOCTYPE html>
<html>
    <?php
        require("partials/head-section.php");
        require("models/function.php");
    ?>
```

```

<body>
    <?php
        require("partials/hero-section.php");
        require("partials/shop-section.php");
        require("partials/saving-section.php");
        require("partials/why-section.php");
        require("partials/gift-section.php");
        echo "<div id='contact-us'></div>";
        require("partials/contact-section.php");
        require("partials/testimonial-section.php");
        require("partials/footer-section.php");
        require("partials/cart.html");
    ?>
    <script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNZ0TciWLP4=" crossorigin="anonymous"></script>
    <script src="js/bootstrap.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
    <script src="js/custom.js" type="text/javascript"
language="javascript"></script>
    <script src="js/contact.js" type="text/javascript"
language="javascript"></script>
    <script src="js/main.js" type="text/javascript"
language="javascript"></script>
</body>
</html>

```

products.php

```

<?php session_start() ?>
<!DOCTYPE html>
<html lang="en">
    <?php require("partials/head-section.php"); ?>
    <style>
        #pageNumbers {
            width: 90%;
            margin : 0 auto;
            text-align: center;
            padding-bottom: 2rem;
        }
        #pageNumbers a {
            background-color: #c2c2c2;
            border-radius: 3px;
            padding: 5px 10px;

```

```

        text-decoration: none;
        color : black;
    }
.layout_padding {
    padding-top: 3rem;
    padding-bottom: 3.5rem;
}
h2 {
    text-align: center;
    margin-top: 3rem;
}
</style>
<body>
<?php
require("models/function.php");
require("partials/hero-section.php");
?>
<h2>All products</h2>
<section class="shop_section layout_padding">
<div class="container">
<div class="row" id="prods">
<?php
$product = "";
$lim = getLimitedProducts(0);
if(count($lim) > 0){
    foreach ($lim as $key => $value):
        $product.= "<div class='col-sm-6 col-md-4 col-lg-3'>
                    <div class='box'>
                        <div class='img-box'>
                            <img src='../images/".$value->product_img."' alt=' ' />
                        </div>
                        <div class='detail-box'>
                            <h6>".$value->product_name."</h6>
                            <h6><span>$".$value->product_price."</span></h6>
                        </div>";
        if($value->product_discount>0){
            $product.= "<div class='detail-box'>
                        <h6>Discounted price</h6>
                        <h6><span>$".$value->product_price-($value->product_price*($value->product_discount/100))."</span></h6>
                    </div>
                    <div class='new'>
                        <span>".$value->product_discount."%</span>
                    </div>";
        }
    endforeach;
}
echo $product;
?>
</div>
</div>
</section>

```

```

        }
        $product.= "<a class='add-to-cart' href=' ' data-
prId='$value->product_id'>Add to cart<p class='added-
success'><p></a></div></div>";

        endforeach;
        echo $product;
    }
    else {
        echo "We don't have the products currently.";
    }
?
</div>
</div>
</section>

<div id="pageNumbers">
<?php
    $numPage = getPageNumber(); //Broj potrebnih stranica
    for ($i = 0; $i < $numPage; $i++):
?>
    <a href="" class="limit" data-limit="<?= $i?>"><?= $i+1 ?></a>
<?php endfor; ?>
</div>
<?php
    require("partials/footer-section.php");
    require("partials/cart.html"); ?>
    <script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3qOVUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
    <script src="js/bootstrap.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
    <script src="js/custom.js" type="text/javascript"
language="javascript"></script>
    <script src="js/main.js" type="text/javascript"
language="javascript"></script>
</body>
</html>

```

profile.php

```

<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">

```

```

<?php
    require("partials/head-section.php");
?>
<body>
    <?php
        require("models/function.php");
        @require("partials/hero-section.php");
        if(isset($_SESSION["user"]) and $_SESSION["user"]->user_status=="1" /*and
sve stranice*/ ){
            echo "<h2 style='margin-top:2rem; text-align:center;'>Welcome,
".$_SESSION['user']->user_name."</h2>";?>
            <div id='profile-data'>
                <div class="item">
                    <h4>Your order history</h4>
                    <?php
                        $uId = $_SESSION["user"]->user_id;
                        $query = "SELECT * FROM orders WHERE user_id=:uId";
                        $state = $connection->prepare($query);
                        $state->bindParam(":uId", $uId);
                        $state->execute();
                        if( $state->rowCount() > 0){
                            $rows = $state->fetchAll();
                            $o = "<table><tr><th>Order Id</th><th>Total
Price</th><th>Order Adress</th><th>Order Date</th></tr>";
                            foreach($rows as $row){
                                $o.= "<tr><td>$row->order_id</td><td>$row-
>total_price $</td><td>$row->order_adress</td><td>".date("d/m/Y
H:i:s",strtotime($row->order_date))."</td></tr>";
                            }
                            $o.= "</table>";
                            echo $o;
                        }
                        else {
                            echo "<p style='margin-left: 1.5em;'>Still empty.
Hope You can find what You like soon :).</p>";
                            http_response_code(500);
                        }
                    }
                ?>
            </div>
            <div class="item">
                <h4>Your data</h4>
                <?php $query_2 = "SELECT * FROM users u JOIN adress a ON
u.user_id = a.user_id WHERE u.user_id=:uId";
                $state = $connection->prepare($query_2);

```

```

        $state->bindParam(":uId", $uId);
        $state->execute();
        if($state->rowCount() == 1){
            $row = $state->fetch();
            $o = "<p>Name: $row->user_name</p>";
            $o.= "<p>Surname: $row->user_surname</p>";
            $o.= "<p>Email: $row->user_email</p>";
            $o.= "<p>Role: " . ($row->role_id == 2 ? 'User' :
'Administrator') . "</p>";
            $o.= "<p>Adress: $row->adress</p>";
            $o.= "<p>Account last updated on : ".date("d/m/Y
H:i:s",strtotime($row->user_date))." </p>";
            echo $o;
        }
        else {
            $query_3 = "SELECT * FROM users WHERE user_id=:uId";
            $state = $connection->prepare($query_3);
            $state->bindParam(":uId", $uId);
            $state->execute();
            if($state->rowCount() == 1) {
                $user = $state->fetch();
                $o = "<p>Name: $user->user_name</p>";
                $o.= "<p>Surname: $user->user_surname</p>";
                $o.= "<p>Email: $user->user_email</p>";
                $o.= "<p>Role: " . ($user->role_id == 2 ? 'User'
: 'Administrator') . "</p>";
                $o.= "<p>Adress: Unspecified." ;
                $o.= '</p>';
                $o.= "<p>Account last updated on : ".date("d/m/Y
H:i:s",strtotime($user->user_date))." </p>";
                echo $o;
            }
            else {
                echo "Something unexpected happened.";
                http_response_code(500);
            }
        }
    }
    ?>

```

</div>

</div>

<div id='edit-profile' style='padding-bottom:2rem;'>

Here You can
change Your data.</h2>

<form action=' ' method=' '>

```

        <span>Choose new email</span><input type="text" name="email"
id="chmail"><br />
        <span>Choose new address</span><input type="text"
name="adress" id="chadress"><br />
        <span>Choose new password</span><input type="password"
name="password" id="chpass"><br />
        <input type="button" id='change-data' value="Edit my profile"
/><br />
        <span id='poruka' style='margin-top:2rem'></span>
    </form>
</div>

<?php }
else {
    echo("<h3 style='text-align:center; margin-top:2rem'>Log in or
register to view your data and orders.</h3><br /><div id='log-in'>
    <form action='' method='post'>
        <span>Email: </span>
        <input type='text' name='logMail' id='logMail' /><br />
        <p class='err-Msg'>Example: aleksa@gmail.com</p>
        <span>Password: </span>
        <input type='password' name='logPass' id='logPass' /><br />
        <p class='err-Msg'>Example: a2B?amM9U</p>
        <input type='button' value='Log In' id='Log-in' /><br /><br
/>
        <span id='success'><a href='register.php'>Don't have an
account? Register here.</a></span><br />
    </form>
</div>");
}
?>

<?php require("partials/footer-section.php");
require("partials/cart.html"); ?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3qOVUTJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
<script src="js/bootstrap.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
<script src="js/provera.js" type="text/javascript"
language="javascript"></script>
<script src="js/main.js" type="text/javascript"
language="javascript"></script>

```

```
</body>
</html>
polls.php

<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
    <?php

        require ("partials/head-section.php");
        require ("models/function.php");
    ?>
    <body>
        <?php @require("partials/hero-section.php");

    ?>
        <h2 id="pollNoti"></h2>
        <?php
            $page = getenv("http_referer");
            if(isset($_SESSION['user'])) {
                $polls = fetchAll("polls");
                foreach ($polls as $poll) {
                    $checkPoll = checkVote($_SESSION['user']->user_id, $poll->poll_id);

                    if ($checkPoll) {
                        $a = 1;
                    }
                    else if($poll->poll_status == "1") {
                        displayPollForm($poll);

                    }
                    else {
                        $a = 1;
                    }

                    echo "<p class='dngr'></p>";
                }
            } else {
                echo "<a id='notLogged' href='log_in.php'>Please log in in
order to vote.</a>";
            }
        ?>
```

```
<?php require("partials/footer-section.php");
require("partials/cart.html");?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
<script src="js/bootstrap.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.js"></script>
<script src="js/provera.js" type="text/javascript"></script>
<script src="js/main.js" type="text/javascript"
language="javascript"></script>
</body>
</html>
```

author.php

```
<!DOCTYPE html>
<html>
    <?php require("partials/head-section.php"); ?>
    <body>
        <?php require("models/function.php"); require("partials/hero-
section.php"); ?>
        <div id="about">
            <h1>About me</h1>
            <div id="about_add">
                <div class="line"></div>
                <p>who am I</p>
                <div class="line"></div>
            </div>
            <div id="about_content">
                <div id="pic_container">
                    
                </div>
                <div id="text_container">
                    <h3>My name is Aleksa and I'm a Developer.</h3>
                    <p>Hi! My name is Aleksa Veličković, I'm 22 years old and
and currently I live in Vlasotince, Serbia. Since I finished elementary school my
interest for computer science and coding has grown a lot. I've always wanted to
know how computers and machines work, so I applied for ICT college in Belgrade. I
have no regrets whatsoever. Professors are good and nice, they like to help and
it's great atmosphere all around. Currently, I don't know that much but I
constantly try to improve myself..</p>
                    If you want to contact me you can do via mail or
phone number.<br />
                </div>
            </div>
        </div>
    </body>
</html>
```

```

                <a href="mailto:aleksa.velickovic.5.20@ict.edu.rs"><i
class="fas fa-phone-alt "></i>aleksa.velickovic.5.20@ict.edu.rs</a><br />
                <a href="tel:+381621626189"><i class="fas fa-phone-
alt "></i>+381 62 1626 189</a>
                <br />

            </div>
        </div>
    </div>
    <?php require("partials/footer-section.php");
        require("partials/cart.html");?>
    <script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
        <script src="../js/bootstrap.js"></script>
        <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
        <script src="../js/custom.js" type="text/javascript"
language="javascript"></script>
        <script src="../js/main.js" type="text/javascript"
language="javascript"></script>
    </body>
</html>
```

log_in.php

```

<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
    <?php
        require("models/function.php");
        require("partials/head-section.php");
    ?>
<body>
    <?php
        require("partials/hero-section.php");

    ?>
    <div id='log-in'>
        <form action="" method="post">
            <span>Email: </span>
            <input type="text" name="logMail" id="logMail" /><br />
            <p class="err-Msg">Example: aleksa@gmail.com</p>
            <span>Password: </span>
            <input type="password" name="logPass" id="logPass" /><br />
```

```

<p class="err-Msg">Example: a2B?amM9U</p>
<input type="button" value="Log In" id="Log-in" /><br /><br />
<span id="success"><a href="register.php">Don't have an account?
Register here.</a></span><br />
</form>
</div>

<?php require("partials/footer-section.php");
require("partials/cart.html"); ?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNZ0TciWLP4=" crossorigin="anonymous"></script>
<script src="js/bootstrap.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
<script src="js/custom.js" type="text/javascript"
language="javascript"></script>
<script src="js/main.js" type="text/javascript"
language="javascript"></script>
</body>
</html>

```

register.php

```

<?php session_start() ?>
<!DOCTYPE html>
<html lang="en">
<?php
    require("models/function.php");
    require("partials/head-section.php");
?>
<body>
<?php
    require("partials/hero-section.php");
?>
<div id='log-in'>
<form action="" method="post">
<span>*Name: </span>
<input type="text" name="regName" id="regName" /><br />
<p class="err-Msg">Example: Aleksa</p>
<span>*Surname: </span>
<input type="text" name="regSurname" id="regSurname" /><br />
<p class="err-Msg">Example: Velickovic</p>
<span>*Email: </span>
<input type="text" name="regMail" id="regMail" /><br />

```

```
<p class="err-Msg">Example: aleksa@gmail.com</p>
<span>*Password: </span>
<input type="password" name="regPass" id="regPass" /><br />
<p class="err-Msg">Example: a2B?amM9U</p>
<span>Address: </span>
<input type="text" name="regAddress" id="regAddress" /><br />
<p class="err-Msg">Example: Mirijevski Venac </p>
<input type="button" value="Register" id="register" />
<a href="log_in.php" id='already'>Already a user? Log in here.</a><br /><br />
<span id="reg-response"></span>
</form>
</div>
<div id="cart-alert">
    <div id="wrap">
        <h4></h4>
        <a href="log_in.php" id="log_in_link">Log in</a>
    </div>
    <a id="close" href="">X</a>
</div>

<div id="my-cart">
    <div id='cart-content'>
        </div>
        <a href='editor.php'>Go to checkout</a>
        <a id='close_2' href=' '>X</a><br /><br />
        <a class="delete" data-delete="emptyCart" href="">Delete cart content</a>
    </div>
    <?php require("partials/footer-section.php"); ?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
<script src="js/bootstrap.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.js"></script>
<script src="js/custom.js" type="text/javascript" language="javascript"></script>
<script src="js/main.js" type="text/javascript" language="javascript"></script>
</body>
</html>
```

editor.php

```

<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
<?php
    require("partials/head-section.php");
?>
<body>
    <?php
        $page = getenv("http_referer");
        //fullPage = substr($page,0,35);
        if (isset($_SESSION["user"]) and isset($_SESSION['cart']) and
$_SESSION["user"]->user_status == 1 and substr(getenv("http_referer"),0,38)
=="https://shop-giftos.000webhostapp.com/") {
            $a = 1;
        }
        else {
            header("Location:404.php");
        }
        require("models/function.php");
        @require("partials/hero-section.php");

?>
<div id="orderNow">
    <h2>List of your order items</h2>
    <?php
        if (isset($_SESSION["cart"])) {
            $showProducts = "<div id='orderItems'><table>";
            $showProducts .=
"<tr><th>Product</th><th>Name</th><th>Price</th></tr>";
            $totalPrice = 0;
            foreach ($_SESSION["cart"] as $key => $value) {
                $result = getProduct($value);
                $showProducts .= "<tr>";
                $showProducts .= "<td><img src='../images/".$result-
>product_img."' alt='product' /></td>";
                $showProducts .= "<td>".$result-
>product_name."</td>";
                $showProducts .= "<td>".$result->product_price-
($result->product_price * ($result->product_discount / 100))."$</td>";
                $showProducts .= "</tr>";
                $totalPrice += ($result->product_price -
($result->product_price * ($result->product_discount / 100)));
            }
            $_SESSION['totalPrice'] = $totalPrice;
        }
    <?php
?>

```

```

        }
        echo "<div id='order-form'><form action='order.php'
method='post' onSubmit='return CheckAdress()'>";
        $doesUserHaveAdress = checkUserAdress($_SESSION["user"]-
>user_id);
        if ($doesUserHaveAdress) {
            echo "<span>Adress : </span><input type='text'
name='delivery-adress' id='delivery-adress' value='".$doesUserHaveAdress->adress'
/><br /><br />";
            echo "<span id='failAdress' style='color:red; font-
weight:bold; display:none'>Example: Pere Perica 95</span>";

        }
        else {
            echo "<span>Adress : </span><input type='text'
name='delivery-adress' id='delivery-adress' value='Insert delivery adress' /><br
/>";
            echo "<span id='failAdress' style='color:red; font-
weight:bold; display:none'>Example: Pere Perica 95</span>";
        }
        $showProducts .= "</table><h4>Total price: $totalPrice
$</h4></div><input type='submit' value='order' />
";
        echo $showProducts;
        echo "</form></div>";
    }

    else {
        echo "The cart is empty";
        echo "<a href='index.php'>Add products</a>";
    }
}

?>
</div>
<?php

require("../partials/footer-section.php");
if (isset($_GET['x'])){
    echo ("Error: The cart is empty");
}
require("partials/cart.html");
?>
```

```

<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
    <script src="js/bootstrap.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
        <script src="js/provera.js" type="text/javascript"
language="javascript"></script>
        <script src="js/main.js" type="text/javascript"
language="javascript"></script>

</body>
</html>

```

order.php

```

<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <!-- Mobile Metas -->
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no" />
    <!-- Site Metas -->
    <meta name="keywords" content="order" />
    <meta name="description" content="Order confirmation" />
    <meta name="author" content="" />
    <link rel="shortcut icon" href="images/favicon.png" type="image/x-icon">

    <title>
        Order success!
    </title>

    <!-- slider stylesheet -->
    <link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carous
el.min.css" />

    <!-- bootstrap core css -->
    <link rel="stylesheet" type="text/css" href="css/bootstrap.css" />

    <!-- Custom styles for this template -->
    <link href="css/style.css" rel="stylesheet" />

```

```

<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>
<body>
<?php
    $page = getenv("http_referer");
    if(isset($_SESSION["cart"]) and basename($page)=="editor.php" and
$_SERVER['REQUEST_METHOD']=="POST" and preg_match('/^@[a-zA-Z0-9\s.,\/\-\
]+$/,$_POST['delivery-adress'])) {
        require("models/function.php");
        $user_id = $_SESSION['user']->user_id;
        $totalPrice = $_SESSION['totalPrice'];
        $order = insertOrder($user_id,$totalPrice,$_POST['delivery-adress']);
        if($order) {
            http_response_code(201);
            $orderId = $connection ->lastInsertId();
            foreach ($_SESSION["cart"] as $key => $product_id) {

                $product = getProduct($product_id);
                $product_price = $product->product_discount > 0 ? ($product-
>product_price - ($product->product_price * ($product->product_discount / 100))) :
$product->product_price;
                insertOrderItem($orderId,$product_id,$product_price);
            }
            echo "<div id='successOrder'><p>Uspesno ste poslali porudzbinu.</p>";
            echo "<p>Id porudzbine : $orderId</p>";
            echo "<p>Ukupna cena: $totalPrice $</p>";
            echo "<p>Adresa porudzbine: ".$_POST['delivery-adress']."' </p>";
            echo "<a href='index.php'>Back to home page</a></div>";
            unset($_SESSION["cart"]);
        }
        else {
            echo('Sorry, someting unexcepted happened');
            http_response_code(500);
        }
    }
    else {
        http_response_code(401);
        header("location:404.php");
    }
?>

</body>
</html>

```

edit_content.php

```
<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
    <?php
        require("partials/head-section.php");
        $page = getenv("http_referer");
        $fullPage = substr($page,0,38);
        if (isset($_SESSION["user"]) and $_SESSION['user']->role_id==1 and
$fullPage=="https://shop-giftos.000webhostapp.com/") {
            $a = 1;
        } else {
            header("location:index.php");
            exit;
        }
    ?>
    <body>
        <style>body {background-color: thistle;}</style>
        <?php
        require("models/function.php");
        @require("partials/hero-section.php");

        ?>

        <div id="adm_panel">
            <h5>Here you can modify all content dynamically generated on website
pages.</h5>
        </div>

        <div class='usersIn'>
            <h4>Activate user accounts</h4>
            <?php
                $users = fetchAll("users");
                $statuses = array_column($users,"user_status");
                $exists = false;
                foreach ($statuses as $key => $value) {
                    if ($value == "0") {
                        $exists = true;
                        break;
                    }
                }
                if( $exists ) {


```

```

        $usOp = "<table><tr><th>Full Name</th><th>Email</th><th>Date
of reg</th><th>Activate</th></tr>";
        foreach($users as $user) {
            if($user->user_status=="0"){
                $usOp .= "<tr><td>$user->user_name $user-
>user_surname</td><td>$user->user_email</td><td>".date("d/m/Y", strtotime($user-
>user_date))."</td><td><a href='../models/edit-content-
models/activate.php?id=$user->user_id'>Activate</a></td></tr>";
            }
        }
        $usOp .= "</table>";
        echo $usOp;
    }

    else {
        echo "No inactive users currently.";
    }

    ?>
</div>
<div class="statistics">
    <h4>Check our users votes statistics[1-5](1-bad, 5-good)</h4>
    <?php
        $ankete = fetchAll("polls");
        foreach ($ankete as $anketa) {
            $a = selectVotes($anketa->poll_id);
            echo "<h6>".$anketa->poll_title."</h6>";
            $totalVotes = 0;
            $totalVotesValue = 0;
            if (is_array($a)) {
                foreach ($a as $odgovor) {
                    echo "<p>Grade: ".$odgovor->answer." : ";
                    $brojGlasova = countVotes($anketa-
>poll_id,$odgovor->answer_id);
                    echo "Number of votes: " . $brojGlasova-
>total_rows . "</p>";
                    $totalVotesValue += (int)$brojGlasova->total_rows
* (int)$odgovor->answer;
                    $totalVotes += $brojGlasova->total_rows;
                }
                echo "<p class='avg'>Average :
".(double)$totalVotesValue/(double)$totalVotes."</p>";
            }
        }

    ?>

```

```

        </div>
<?php
    require("partials/edit-content-partials/nav.php");
    require("partials/edit-content-partials/hero-section.php");
    require("partials/edit-content-partials/products.php");
    require("partials/edit-content-partials/middle-section.php");
    require("partials/edit-content-partials/bottom-section.php");
    require("partials/edit-content-partials/testimonial.php");
    require("partials/edit-content-partials/user-reviews.php");
    require("partials/edit-content-partials/footer.php");
    require("partials/edit-content-partials/icons.php");
    require("partials/cart.html");
?>

        <script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
        <script src="js/bootstrap.js"></script>
        <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.min.j
s"></script>
        <script src="js/main.js" type="text/javascript"
language="javascript"></script>
    </body>
</html>

```

Delovi stranica(Partial)

contact-section.php

```

<section class="contact_section " >
    <div class="container px-0" >
        <div class="heading_container " >
            <h2 class="">
                Contact Us
            </h2>
        </div>
    </div>
    <div class="container container-bg" >
        <div class="row" >
            <div class="col-lg-7 col-md-6 px-0" >

```

```

<div class="map_container">
    <div class="map-responsive">
        <iframe
src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-
UE7m4qP-z21pH0eSc&q=Bronx" width="600" height="300" frameborder="0"
style="border:0; width: 100%; height:100%" allowfullscreen></iframe>
    </div>
</div>
<div class="col-md-6 col-lg-5 px-0">
    <form>
        <div>
            <input type="text" placeholder="Name" id="cName" />
        </div>
        <p class='err-msg'></p>
        <div>
            <input type="email" placeholder="Email" id="cEmail" />
        </div>
        <p class='err-msg'></p>
        <div>
            <input type="text" placeholder="Phone" id="cPhone" />
        </div>
        <p class='err-msg'></p>
        <div>
            <input type="text" class="message-box" placeholder="Message"
id="cMessage" />
        </div>
        <p class='err-msg'></p><br />
        <span id='succ-msg'></span>
        <div class="d-flex ">
            <button id='send-mail'>
                SEND
            </button>
        </div>
    </form>
</div>
</div>
</div>
</section>

```

footer-section.php

```

<section class="info_section layout_padding2-top">
    <div class="social_container">
        <div class="social_box">

```

```
<?php

$socials = fetchAll("social_icons");
$socialOpen="";
if(count($socials) > 0) {
    foreach ($socials as $key => $value) {
        $socialOpen.= "<a href='".$value->icon_href."'>
<i class='".$value->icon_img."' aria-hidden='true'></i>
</a>";
    }
}

echo $socialOpen;

}
else {
    echo "Sorry, something unexpected happened";
}
?>
</div>
</div>
<div class="info_container">
<div class="container">
<div class="row">
<?php
$footerOpen= "";
$footerSections = fetchAll("footer_nav");
if(count($footerSections) > 0) {

    foreach ($footerSections as $key => $value) {
        $footerOpen.= "<div class='col-md-6 col-lg-3'>
<h6>
    ".$value->item_title."
</h6>
<p>
    ".$value->item_content."
</p>
</div>";
    }
    $footerOpen.= "<div class='col-md-6 col-lg-3'>
<h6>
    Newsletter
</h6>
<p>
    <div class='info_form'>

```

```

        <form action=' #'><input type='email' placeholder='Enter
your email'>
            <button>Subscribe</button>
        </form></div>
    </p>
</div>
<div class='col-md-6 col-lg-3'>
    <div class='info_link-box'>
        <a href=''>
            <i class='fa fa-map-marker' aria-hidden='true'></i>
            <span> Gb road 123 london Uk </span>
        </a>
        <a href=''>
            <i class='fa fa-phone' aria-hidden='true'></i>
            <span>+01 12345678901</span>
        </a>
        <a href=''>
            <i class='fa fa-envelope' aria-hidden='true'></i>
            <span> demo@gmail.com</span>
        </a>
    </div>

</div>
";
}

else {
    echo "Sorry, something unexpected happened";
}
echo $footerOpen;
?>
<div id="footer">All rights reserved - <p id="last"></p></div>

</section>

```

gift-section.php

```

<section class="gift_section layout_padding-bottom">
    <div class="box ">
        <div class="container-fluid">
            <div class="row">
                <?php
                    $bannerBottomOpen = "";
                    $bannerBottom = fetchAll("banner_bottom");

```

```

        if(count($bannerBottom)>0){
            foreach ($bannerBottom as $key => $value) {
                $bannerBottomOpen.= "<div class='col-md-5'>
                    <div class='img_container'>
                        <div class='img-box'>
                            <img src='../images/".$value-
>banner_bottom_picture."' alt=''>
                        </div>
                    </div>
                </div>
                <div class='col-md-7'>
                    <div class='detail-box'>
                        <div class='heading_container'>
                            <h2>".$value->banner_bottom_title."</h2>
                        </div>
                        <p>
                            ".$value->banner_bottom_content."
                        </p>
                        <div class='btn-box'>
                            <a href='#' class='btn1'>
                                Buy Now
                            </a>
                            <a href='#' class='btn2'>
                                See More
                            </a>
                        </div>
                    </div>
                </div>";
            }
            echo $bannerBottomOpen;
        }
        else {
            echo "Sorry, something unexpected happened.";
        }
    ?>
</div>
</div>
</div>
</section>

```

head-section.php

```

<head>
    <!-- Basic -->
    <meta charset="utf-8" />

```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
<!-- Site Metas -->
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta name="author" content="" />
<link rel="shortcut icon" href="../images/favicon.png" type="image/x-icon">

<title>
    Giftos
</title>

<!-- slider stylesheet -->
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.carousel.min.css" />

<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="../css/bootstrap.css" />

<!-- Custom styles for this template -->
<link href="../css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="../css/responsive.css" rel="stylesheet" />
</head>

```

hero-section.php

```

<?php session_start();?>
<!-- <div class="loader">
        
</div> -->
<div class="hero-area">
    <header class="header_section">
        <nav class="navbar navbar-expand-lg custom_nav-container ">
            <a class="navbar-brand"
href="index.html"><span>Giftos</span></a>
                <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation"><span class=""></span></button>

```

```

        <div class="collapse navbar-collapse"
id="navbarSupportedContent">
    <ul class="navbar-nav" >
        <?php
            $links = fetchAll("header_nav");
            $menu = "";
            if (count($links) > 0) {
                foreach ($links as $key => $value):
                    // $activeClass = ($key == 0) ? 'active' :
                    '';
                    $menu .= "<li class='nav-item'>
                        <a class='nav-link' href='" . $value-
>item_href . "'>" . $value->item_content . "<span class='sr-
only'>(current)</span></a></li>";
                endforeach;
                $menu .= "<li class='nav-item'>
                    <a class='nav-link' href=''><i class='fa fa-
shopping-bag' aria-hidden='true'><span class='sr-
only'>(current)</span></a></li>";
            if(isset($_SESSION['user'])){
                $menu.= "<li class='nav-item'><a
class='nav-link' href='../../models/log_out.php'>Log out<span class='sr-
only'>(current)</span></a></li>";
                if(( $_SESSION['user']->role_id)==1){
                    $menu.= "<li class='nav-item'><a
class='nav-link' href='edit_content.php'>Admin panel<span class='sr-
only'>(current)</span></a></li>";
                }
            }
            else {
                $menu.= "<li class='nav-item'><a
class='nav-link' href='../../pages/log_in.php'>Log In<span class='sr-
only'>(current)</span></a></li>";
            }
            echo $menu;
        }
        else {
            echo "ERROR 404";
        }
    ?>
    </ul>
</div>
</nav>
</header>
<section class="slider_section">

```

```

<div class="slider_container">
    <div id="carouselExampleIndicators" class="carousel slide"
data-ride="carousel">
        <div class="carousel-inner">
            <?php
                $banners = fetchAll("banner_top");
                $banner_open = "";
                if(count($banners)>0) {
                    $name = isset($_SESSION['user']) ?
$_SESSION['user']->user_name.", " : "";
                    foreach ($banners as $key => $value):
                        $activeClass = ($key == 0) ? "active" :
"";

                    $banner_open.= "<div class='carousel-item
$activeClass'>
                        <div class='container-fluid'>
                            <div class='row'>
                                <div class='col-md-7'>
                                    <div class='detail-box'>
                                        <h1>".$name.$value-
>banner_title.</h1>
                                        <p>".$value-
>banner_content.</p>
                                        <a
href='index.php#contact-us'>Contact Us</a>
                                    </div>
                                </div>
                                <div class='col-md-5'>
                                    <div class='img-box'>
                                        <img src='../images/".$value-
>banner_picture."' />
                                    </div>
                                </div>
                            </div></div>";
                endforeach;
                echo $banner_open;

            }
            else {
                echo "ERROR 404";
            }
        ?>
    </div>
    <div class="carousel_btn-box">

```

```

<a class="carousel-control-prev"
    href="#carouselExampleIndicators" role="button" data-slide="prev">
    <i class="fa fa-arrow-left" aria-hidden="true"></i>
    <span class="sr-only">Previous</span>
</a>

<a class="carousel-control-next"
    href="#carouselExampleIndicators" role="button" data-slide="next">
    <i class="fa fa-arrow-right" aria-hidden="true"></i>
    <span class="sr-only">Next</span>
</a>
</div>
</div>
</div>
</section>
</div>

```

saving-section.php

```

<section class="saving_section ">
    <div class="box">
        <?php
            $banner_middle = fetchAll("banner_middle");
            $banner_middle_open = "";
            if(count($banner_middle)>0){
                foreach ($banner_middle as $key => $value):
                    $banner_middle_open.= "<div class='container-fluid'>
                        <div class='row'>
                            <div class='col-lg-6'>
                                <div class='img-box'>
                                    <img src='../images/".$value->banner_middle_picture."' alt=''

```

alt=''>

```

                                    </div>
                                </div>
                            </div>
                            <div class='col-lg-6'>
                                <div class='detail-box'>
                                    <div class='heading_container'>
                                        <h2>".$value->banner_middle_title."</h2>
                                    </div>
                                    <p>".$value->banner_middle_content."</p>
                                <div class='btn-box'>
                                    <a href='#' class='btn1'>
                                        Buy Now
                                    </a>
                                    <a href='#' class='btn2'>

```

```

        See More
    </a>
    </div>
</div>
</div>
</div>";
endforeach;
echo $banner_middle_open;
}
else {
    echo "ERROR 404";
}
?>
</div>
</section>

```

shop-section.php

```

<section class="shop_section layout_padding">
    <div class="container">
        <div class="heading_container heading_center">
            <h2>Trending Products</h2>
        </div>
        <div id="dd_container">
            <div class="dropdown">
                <span>Filter:</span>
                <?php
                    $categories = fetchAll("category");
                    if(count($categories)>0){
                        //var_dump($query);
                        $selectOpen = "<select id='filter' name='filter'><option value='0'>Default</option>";
                        foreach ($categories as $key => $value):
                            $selectOpen.= "<option value='".$value->category_id.">".ucfirst($value->category_title)."</option>";
                        endforeach;
                        $selectOpen.= "</select>";
                        echo $selectOpen;
                    }
                    else {
                        echo "ERROR 404";
                    }
                ?>

```

```

        </div>
    <div class="dropdown">
        <span>Sort:</span>
        <?php
            $columnSort = array(
                'product_name' => 'Name',
                'product_price' => 'Price',
                'product_discount' => 'Discount',
                'product_date' => 'Date added'
            );
        ?>
        <select name="sort" id="sort"><option
value="0">Default</option>
        <?php foreach ($columnSort as $columnName =>
$userFriendlyName): ?>
            <option value="<?php echo $columnName; ?>"><?php echo
$userFriendlyName; ?></option>
        <?php endforeach; ?>
        </select>
    </div>
    <div class="dropdown">
        <span>Search: </span><input type='text' id='search'
placeholder='Try Ring, Jewlery..' />
    </div>
</div>
<div class="row" id='prods'> <!--Sadrzi proizvode-->
</div>
<div id='alex'></div>
<div class="btn-box">
    <a href="products.php">View All Products</a>
</div>
</div>
</section>

```

testimonial-section.php

```

<section class="client_section layout_padding">
    <div class="container">
        <div class="heading_container heading_center">
            <h2>
                Testimonial
            </h2>
        </div>

```

```

    </div>
    <div class="container px-0">
        <div id="customCarousel2" class="carousel carousel-fade" data-
ride="carousel">
            <div class="carousel-inner">
                <?php
                    $testimonials = fetchAll("testimonial");
                    //var_dump($testimonials);
                    $testimonialsOpen = "";
                    if(count($testimonials) > 0){
                        foreach ($testimonials as $key => $value) {
                            $activeClass = ($key == 0) ? 'active' : '';
                            $testimonialsOpen .= " <div class='carousel-item
$activeClass'>
                                <div class='box'>
                                    <div class='client_info'>
                                        <div class='client_name'>
                                            <h5>
                                                ".$value->testimonial_author."
                                            </h5>
                                            <h6>
                                                ".$value->testimonial_title."
                                            </h6>
                                        </div>
                                        <i class='fa fa-quote-left' aria-
hidden='true'></i>
                                    </div>
                                    <p>
                                        ".$value->testimonial_text."
                                    </p>
                                </div>
                            </div>";
                        }
                    }
                    else {
                        echo "Sorry, something unexpected happened.";
                    }

                    echo $testimonialsOpen;

                ?>
            </div>
            <div class="carousel_btn-box">

```

```

        <a class="carousel-control-prev" href="#customCarousel2"
role="button" data-slide="prev">
            <i class="fa fa-angle-left" aria-hidden="true"></i>
            <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-next" href="#customCarousel2"
role="button" data-slide="next">
            <i class="fa fa-angle-right" aria-hidden="true"></i>
            <span class="sr-only">Next</span>
        </a>
    </div>
</div>
</div>
</section>
<!-- end client section -->
```

why-section.php

```

<section class="why_section layout_padding">
    <div class="container">
        <div class="heading_container heading_center">
            <h2>
                Why Shop With Us
            </h2>
        </div>
        <div class='row'>
            <?php
                $tileOpen = "";
                $tiles = fetchAll("why_us");
                if(count($tiles)>0) {
                    foreach ($tiles as $key => $value) {
                        $tileOpen.= "<div class='col-md-4'>
                            <div class='box'>
                                <div class='img-box'>
                                    <img src='../images/".$value-
>tile_picture."' width='55px' height='55px' alt = '' />
                                </div>
                                <div class='detail-box'>
                                    <h5>".$value->tile_title."</h5>
                                    <p>".$value->tile_content."</p>
                                </div>
                            </div>
                        </div>";
                }
                echo $tileOpen;
            <?php
        </div>
    </div>
</section>
```

```

        }
        else {
            echo "ERROR 404";
        }
    ?>
</div>
</div>
</section>
```

cart.html

```

<div id="cart-alert">
    <div id="wrap">
        <h4></h4>
        <a href="log_in.php" id="log_in_link">Log in</a>
    </div>
    <a id="close" href="">X</a>
</div>

<div id="my-cart">
    <div id='cart-content'>
    </div>
    <a href='editor.php#orderNow'>Go to checkout</a>
    <a id='close_2' href=' '>X</a><br /><br />
    <a class="delete" data-delete="emptyCart" href="">Delete cart content</p>
</div>
```

Delovi stranica za admin panel**bottom-section.php**

```

<div id="heroes">
    <h3>Bottom section</h3>
    <?php
        //require("../models/function.php");
        $bTs = fetchAll("banner_bottom");
        $bTOpen =
"<table><tr><th>Title</th><th>Content</th><th>Img</th><th>Edit</th><th>Delete</th>
</tr>";
        if(count($bTs) > 0) {
            foreach ($bTs as $key => $value) {
                $bTOpen.= "<tr><td>$value->banner_bottom_title</td><td>$value-
                >banner_bottom_content</td><td><img src='../images/$value->banner_bottom_picture'
                width='100px' height='150px' /></td><td><a href='../models/edit-content-
                models/edit-bottom.php?linkId=".$value->banner_bottom_id."'>Edit</a></td><td><a
```

```

    href='../../models/edit-content-models/delete-bottom.php?linkId=".$value-
>banner_bottom_id."'>Delete</a></td></tr>";
}
$bTOpen.= "</table><br /><br />";
echo $bTOpen;
echo "<h5>Add a bottom section picture(*Bottom section is currently
static(1 picture), so only editing will have visual effect on the page)</h5>
<form action='../../models/edit-content-models/add-hero.php' method='post'
enctype='multipart/form-data'>
    <p>Title: </p><input type='text' name='insertNavName' />
    <p>Content</p><textarea name='hero-text'></textarea><br />
    <input type='hidden' name='tableID' value='bottom' /><br />
    <p>Image</p><input type='file' value='Choose' name='hero-img'
/><br /><br />
    <input type='submit' value='Add' /></form>
";
}
else {
    echo "Sorry, something unexpected happened.";
}

?>
</div>

```

footer.php

```

<div id="footer_edit">
    <h3>Navigation footer</h3>
    <?php
        /* session_start();
        require("../models/function.php"); */
        $navs = fetchAll("footer_nav");
        $navsOpen =
"<table><tr><th>Title</th><th>Content</th><th>Edit</th><th>Delete</th></tr>";
        if(count($navs) > 0) {
            foreach ($navs as $key => $value) {
                $navsOpen.= "<tr><td>$value->item_title</td><td>$value-
>item_content</td><td><a href='../../models/edit-content-models/edit-
footer.php?linkId=".$value->item_id."'>Edit</a></td><td><a href='../../models/edit-
content-models/delete-footer.php?linkId=".$value-
>item_id."'>Delete</a></td></tr>";
            }
            $navsOpen.= "</table><br /><br />";
        echo $navsOpen;
    }

```

```

        echo "<h5>Add a nav link</h5> <form action='../models/edit-
content-models/add-footer.php' method='post'>
            <p>Name: </p><input type='text' name='insertNavName' />
            <p>Path</p><input type='text' name='insertNavPath' /><br
/><br />
            <input type='submit' value='Add' /></form>
        ";
    }
    else {
        echo "Sorry, something unexpected happened.";
    }
?
</div>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>

```

hero-section.php

```

<div id="heroes">
    <h3>Hero section slider</h3>
    <?php
        //require("../models/function.php");
        $bTs = fetchAll("banner_top");
        $bTOpen =
"<table><tr><th>Title</th><th>Content</th><th>Img</th><th>Edit</th><th>Delete</th>
</tr>";
        if(count($bTs) > 0) {
            foreach ($bTs as $key => $value) {
                $bTOpen.= "<tr><td>$value->banner_title</td><td>$value-
>banner_content</td><td><img src='../images/$value->banner_picture' width='100px'
height='150px' /></td><td><a href='../models/edit-content-models/edit-
hero.php?linkId=".$value->banner_id.">Edit</a></td><td><a href='../models/edit-
content-models/delete-hero.php?linkId=".$value-
>banner_id.">Delete</a></td></tr>";
            }
            $bTOpen.= "</table><br /><br />";
            echo $bTOpen;
            echo "<h5>Add a hero section slider</h5> <form
action='../models/edit-content-models/add-hero.php' method='post'
enctype='multipart/form-data'>
            <p>Title: </p><input type='text' name='insertNavName' />
            <p>Content</p><textarea name='hero-text'></textarea><br />
            <input type='hidden' name='tableID' value='top' /><br />
```

```

                <p>Image</p><input type='file' value='Choose' name='hero-img'
/><br /><br />
                <input type='submit' value='Add' /></form>
            ";
        }
        else {
            echo "Sorry, something unexpected happened.";
        }

    ?>
</div>

```

icons.php

```

<div id="iconsFooter">
    <h3>Footer icons</h3>
    <?php
        /* session_start();
        require("../models/function.php"); */
        $navs = fetchAll("social_icons");
        $navsOpen =
"<table><tr><th>Icon</th><th>Path</th><th>Delete</th></tr>";
        if(count($navs) > 0) {
            foreach ($navs as $key => $value) {
                $navsOpen.= "<tr><td>$value->icon_img</td><td>$value-
>icon_href</td><td><a href='../models/edit-content-models/delete-
icon.php?linkId=".$value->icon_id.">Delete</a></td></tr>";
            }
            $navsOpen.= "</table><br /><br />";
            echo $navsOpen;
            echo "<h5>Add an icon(visit fontawesome if You need help)</h5>
<form action='../models/edit-content-models/add-icon.php' method='post'>
            <p>Icon HTML: </p><input type='text' name='insertNavName' />
            <p>Path</p><input type='text' name='insertNavPath' /><br />
            <input type='submit' value='Add' /></form>
        ";
    }
    else {
        echo "Sorry, something unexpected happened.";
    }

?>
</div>

```

```
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
```

middle-section.php

```
<div id="heroes">
    <h3>Middle section</h3>
    <?php
        //require("../models/function.php");
        $bTs = fetchAll("banner_middle");
        $bTOpen =
"<table><tr><th>Title</th><th>Content</th><th>Img</th><th>Edit</th><th>Delete</th>
</tr>";
        if(count($bTs) > 0) {
            foreach ($bTs as $key => $value) {
                $bTOpen.= "<tr><td>$value->banner_middle_title</td><td>$value-
>banner_middle_content</td><td><img src='../images/$value->banner_middle_picture' width='100px' height='150px' /></td><td><a href='../models/edit-content-
models/edit-middle.php?linkId=".$value->banner_middle_id."'>Edit</a></td><td><a href='
../models/edit-content-models/delete-middle.php?linkId=".$value-
>banner_middle_id."'>Delete</a></td></tr>";
            }
            $bTOpen.= "</table><br /><br />";
            echo $bTOpen;
            echo "<h5>Add a middle section picture(*Middle section is currently static(1 picture), so only editing will have visual effect on the page)</h5>
<form action='../models/edit-content-models/add-hero.php' method='post'
enctype='multipart/form-data'>
    <p>Title: </p><input type='text' name='insertNavName' />
    <p>Content</p><textarea name='hero-text'></textarea><br />
    <input type='hidden' name='tableID' value='middle' /><br />
    <p>Image</p><input type='file' value='Choose' name='hero-img' />
    <br /><br />
    <input type='submit' value='Add' /></form>
";
        }
        else {
            echo "Sorry, something unexpected happened.";
        }
    ?>
</div>
```

nav.php

```

<div id="nav">
    <h3>Navigation links</h3>
    <?php
        /* session_start();
        require("../models/function.php"); */
        $navs = fetchAll("header_nav");
        $navsOpen = "<table><tr><th>Display
Name</th><th>Path</th><th>Edit</th><th>Delete</th></tr>";
        if(count($navs) > 0) {
            foreach ($navs as $key => $value) {
                $navsOpen.= "<tr><td>$value->item_content</td><td>$value-
>item_href</td><td><a href='../models/edit-content-models/edit-
nav.php?linkId=".$value->item_id."'>Edit</a></td><td><a href='../models/edit-
content-models/delete-nav.php?linkId=".$value->item_id."'>Delete</a></td></tr>";
            }
            $navsOpen.= "</table><br /><br />";
            echo $navsOpen;
            echo "<h5>Add a nav link</h5> <form action='../models/edit-
content-models/add-nav.php' method='post'>
                <p>Name: </p><input type='text' name='insertNavName' />
                <p>Path</p><input type='text' name='insertNavPath' /><br
/><br />
                <input type='submit' value='Add' /></form>
            ";
        } else {
            echo "Sorry, something unexpected happened.";
        }
    ?>
</div>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
```

products.php

```

<div id="productsP">
    <h3>Products</h3>
    <?php
        //require("../models/function.php");
        $bTs = fetchAll("products");
        $cats = fetchAll("category");
        $slOpen = "<select name='ctgs'><option value='0'>Choose</option>";
```

```

foreach ($cats as $key => $value) {
    $slOpen.= "<option value='".$value->category_id'>$value-
>category_title</option>";
}
$slOpen.= "</select>";
$bTOpen =
"<table><tr><th>Product</th><th>Name</th><th>Discount</th><th>Price</th><th>Edit</th><th>Delete</th></tr>";
if(count($bTs) > 0) {
    foreach ($bTs as $key => $value) {
        $bTOpen .= "<tr><td><img src='../../images/$value->product_img' /></td><td>$value-
>product_name</td><td>".($value->product_price - ($value->product_price *
($value->product_discount / 100)))."</td><td><a href='../../models/edit-content-
models/edit-product.php?linkId=$value->product_id'>Edit</a></td><td><a href='../../models/edit-content-models/delete-product.php?linkId=$value-
>product_id'>Delete</a></td></tr>";

    }
    $bTOpen.= "</table><br /><br />";
    echo $bTOpen;
    echo "<h5>Add a product</h5> <form action='../../models/edit-content-
models/add-product.php' method='post' enctype='multipart/form-data'>
        <p>Name: </p><input type='text' name='name' /><br />
        <p>Price: </p><input type='text' name='price' /><br />
        <p>Discount: </p><input type='text' name='discount' /><br />
        <p>Category: </p>$slOpen<br />
        <p>Image</p><input type='file' value='Choose' name='hero-img' /><br /><br />
        <input type='submit' value='Add' /></form>
    ";
}
else {
    echo "Sorry, something unexpected happened.";
}

?>

</div>

```

testimonial.php

```

<div id="test_adm">
    <h3>Testimonials</h3>

```

```

<?php
    //require("../models/function.php");
    $tests = fetchAll("testimonial");
    $testsOpen =
"<table><tr><th>Author</th><th>Title</th><th>Text</th><th>Edit</th><th>Delete</th>
</tr>";
    if(count($tests) > 0) {
        foreach ($tests as $key => $value) {
            $testsOpen.= "<tr><td>$value-
>testimonial_author</td><td>$value->testimonial_title</td><td>$value-
>testimonial_text</td><td><a href='../models/edit-content-models/edit-
testimonial.php?linkId=".$value->testimonial_id."'>Edit</a></td><td><a
href='../models/edit-content-models/delete-testimonial.php?linkId=".$value-
>testimonial_id."'>Delete</a></td></tr>";
        }
        $testsOpen.= "</table><br /><br />";
        echo $testsOpen;
        echo "<h5>Add a new testimonial</h5> <form
action='../models/edit-content-models/add-testimonial.php' method='post'>
            <p>Author: </p><input type='text' name='insertAuthorName'
/>
            <p>Title</p><input type='text' name='insertTitle' /><br />
            <p>Text</p><textarea name='insertText' ></textarea><br
/><br />
            <input type='submit' value='Add' /></form>
        ";
    }
    else {
        echo "Sorry, something unexpected happened.";
    }
?
</div>

```

user-reviews.php

```

<div id="test_adm">
    <h3>Check user messages</h3>
    <?php
        $reviews = fetchAll("messages");
        $reviewsOpen =
"<table><tr><th>Name</th><th>Email</th><th>Content</th><th>Phone</th><th>Date</th>
</tr>";
        if(count($reviews) > 0) {
            foreach ($reviews as $key => $value) {

```

```

        $reviewsOpen.= "<tr><td>$value->message_name</td><td>$value-
>message_email</td><td>$value->message_content</td><td>$value-
>message_phone</td><td>".date("d/m/Y", strtotime($value-
>message_date))."</td></tr>";
    }
    $reviewsOpen.= "</table><br /><br />";
    echo $reviewsOpen;
}
else {
    echo "Sorry, something unexpected happened.";
}
?>
</div>

```

Models(funkcionalnosti)

cart.php

```

<?php
session_start();
$page = getenv("http_referer");
if($_SERVER["REQUEST_METHOD"] == "POST" and isset($_POST["eCart"]) and
substr(getenv("http_referer"),0,38) == "https://shop-giftos.000webhostapp.com/") {
    $response="Cart emptied";
    $statusCode = 200;
    unset($_SESSION["cart"]);
    http_response_code($statusCode);
    echo json_encode(["response"=>"$response"]);
}
else if(($_SERVER["REQUEST_METHOD"] == "POST") and
substr(getenv("http_referer"),0,38) == "https://shop-giftos.000webhostapp.com/") {
    require("function.php");
    $statusCode;
    $response="";
    if(isset($_SESSION["user"])){
        $product = $_POST['productId'];
        if(!isset($_SESSION['cart'])){
            $_SESSION['cart'] = array();
        }
        $_SESSION['cart'][] = $product;
        $response = ["response"=>"Added to cart."];
        $statusCode = 200;
    }
}

```

```

    }
    else {
        $statusCode = 401;
    }
    http_response_code($statusCode);
    echo json_encode($response);
}

else if (($_SERVER["REQUEST_METHOD"] == "GET") and
substr(getenv("http_referer"),0,38) == "https://shop-giftos.000webhostapp.com/") {
    require("function.php");
    $statusCode;
    $response = array();
    if(isset($_SESSION["user"])){
        if(isset($_SESSION["cart"])){
            foreach ($_SESSION['cart'] as $key => $product) {
                $response[] = getProduct($product);
            }
            $statusCode = 200;
        }
        else {
            $statusCode = 400;;
        }
    }
    else {
        $statusCode = 401;
    }
    http_response_code($statusCode);
    echo json_encode($response);

}
else {
    $statusCode = 405;
    header("location:../404.php");
}
?>
```

change_profile.php

```
<?php
    session_start();
    if(basename(getenv("http_referer"))=="profile.php" and
$_SERVER['REQUEST_METHOD']=="POST"){
        header("content-type:application/json");
```

```

require("function.php");
$statusCode = 200;
$errCount = 0;
$regexMail = '/^[_a-zA-Z0-9_.%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/';
$regexPassw = '/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[$!%*?&])[A-Za-zA\d@#$!%*?&]{8,})$/';
$regexAdress = '/^[_a-zA-Z0-9\s.,\/\\\-]+$/';
$response = "";
$adress="";
$mail="";
$password = "";

if($_POST['mail']!=''){
    if(preg_match($regexMail,$_POST['mail'])){
        $mail = $_POST['mail'];
    }
    else {
        $errCount++;
    }
}

if($_POST['password']!=''){
    if(preg_match($regexPassw,$_POST['password'])){
        $password = md5($_POST['password']);
    }
    else {
        $errCount++;
    }
}

if($_POST['adress']!=''){
    if(preg_match($regexAdress,$_POST['adress'])){
        $adress = $_POST['adress'];
    }
    else {
        $errCount++;
    }
}

if($errCount == 0){
    $updateAdress=true;
    $updateuser=true;
    $insertAdr = true;
    $uId = $_SESSION['user']->user_id;
    $daLi = checkUserAdress($uId);
    if($daLi){
        if($adress != null && $updateAdress == true){
            $updateAdress=false;
            $updateuser=false;
            $insertAdr=false;
            $errCount=1;
        }
        if($password != null && $updateuser == true){
            $updateuser=false;
            $insertAdr=false;
            $errCount=1;
        }
        if($adress != null && $updateuser == true){
            $updateuser=false;
            $insertAdr=false;
            $errCount=1;
        }
    }
}

```

```
if($adress){
    $updateAdress = updateUserAdress($uId,$adress);
}

$updateuser = updateUser($uId,$mail,$password);
if($updateAdress && $updateuser){
    http_response_code(200);
    echo json_encode(['response'=> 'You\'ve successfully updated
profile']);
}
else {
    http_response_code(500);
}
else {
    if($adress){
        $insertAddr = insertAdress($adress,$uId);
    }

    $updateuser = updateUser($uId,$mail,$password);
    if($updateuser && $insertAddr){
        http_response_code(200);
        echo json_encode(['response'=> 'You\'ve successfully updated
your profile.']);
    }
    else {
        http_response_code(500);
    }
}

else {
    http_response_code(422);
}

else {
    http_response_code(403);
    header("location:../404.php");
}
?>
```

connection.php

```
<?php
try {
    $connection = new PDO("//confidential")
    $connection->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $connection->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
}
catch(PDOException $ex) {
    echo "Unsuccessfull connection to database".$ex->getMessage();
}
?>
```

fetchAllInitial.php

```
<?php
$page = getenv("http_referer");
if(basename($page)=="index.php"){
    $statusCode;
    if($_SERVER['REQUEST_METHOD']=="POST"){
        header("content-type:application/json");
        require("function.php");
        $response = "";
        $products = getLimitedProducts(0);
        if(count($products)>0){
            $response = $products;
            $statusCode = 200;
        }
        else {
            $statusCode = 500;
            $response = "Sorry, something unexcpected happened.";
        }
        http_response_code($statusCode);
        echo json_encode($response);
    }
    else {
        header("location:../404.php");
    }
}
else {
    header("location:../404.php");
}

?>
```

filter.php

```

<?php
    $page = getenv("http_referer");
    if(basename($page)=="index.php"){
        $statusCode;
        if($_SERVER['REQUEST_METHOD']=="POST"){
            header("content-type:application/json");
            require("function.php");
            $response = "";
            $categories = fetchAll("category");
            $catId = $_POST['catId'];
            if(count($categories)>0){
                if($catId==0) {
                    $products = getLimitedProducts(0);
                    if(count($products)>0) {
                        $response = $products;
                        $statusCode = 200;
                    }
                    else {
                        $statusCode = 500;
                        $response = "Sorry, something unexcpeted happened.";
                    }
                }
                else
            if(in_array($catId,array_column($categories,"category_id"))){
                global $connection;
                $query = "SELECT * FROM products WHERE category_id=:catId
LIMIT 0,4";
                $state = $connection->prepare($query);
                $state->bindParam(":catId", $catId);
                $state->execute();
                if($state->rowCount()> 0){
                    $response = $state->fetchAll();
                    $statusCode = 200;
                }
            }
            else {
                $statusCode = 500;
                $response = "Sorry, something unexcpeted happened.";
            }
        }
    }
}

```

```

        else {
            $statusCode = 422;
            $response = "Sorry, something unexcpected happened.";
        }
    }
    else {
        $statusCode = 500;
        $response = "Sorry, something unexcpected happened.";
    }
    http_response_code($statusCode);
    echo json_encode($response);

}
else {
    header("location:../pages/404.php");
}
}
else {
    header("location:../pages/404.php");
}

?>
```

function.php

```

<?php
require("connection.php");
function fetchAll($tableName) {
    global $connection;
    $query = "SELECT * FROM $tableName";
    $result = $connection->query($query)->fetchAll();
    return $result;
}
function filter($catId) {
    global $connection;
    $query = "SELECT * FROM products WHERE category_id=:catId";
    $state = $connection->prepare($query);
    $state->bindParam(":catId",$catId);
    $state->execute();
    $result = $state->fetchAll();
    return $result;
}
function sortProd($colName) {
    global $connection;
    $query = "SELECT * FROM products ORDER BY $colName DESC";
```

```

    $result = $connection->query($query)->fetchAll();
    return $result;
}
function insertUser($firstName,$surName,$email,$password,$status,$role){
    global $connection;
    $query = "INSERT INTO
users(user_pass,user_name,user_surname,user_email,user_status,role_id) VALUES
(:password,:firstName,:surName,:email,:status,:role)";
    $state = $connection->prepare($query);
    $state->bindParam(":password",$password);
    $state->bindParam(":firstName",$firstName);
    $state->bindParam(":surName",$surName);
    $state->bindParam(":email",$email);
    $state->bindParam(":status",$status);
    $state->bindParam(":role",$role);
    $result = $state->execute();
    return $result;
}
function insertAdress($adress,$user){
    global $connection;
    $query = "INSERT INTO adress(adress,user_id) VALUES (:adress,:user)";
    $state = $connection->prepare($query);
    $state->bindParam(":adress",$adress);
    $state->bindParam(":user",$user);
    $result = $state->execute();
    return $result;
}
function checkUserAdress($userId) {
    global $connection;
    $query = "SELECT * FROM adress WHERE user_id=:userId";
    $state = $connection->prepare($query);
    $state->bindParam(":userId",$userId);
    $state->execute();
    $result = $state->fetch();
    return $result;
}
function updateUserAdress($userId,$newAdress){
    global $connection;
    $query = "UPDATE adress SET adress=:newAdress WHERE user_id=:userId";
    $state = $connection->prepare($query);
    $state->bindParam(":newAdress",$newAdress);
    $state->bindParam(":userId",$userId);
    $result = $state->execute();
    return $result;
}

```

```

function updateUser($userId,$newMail,$newPassword) {
    global $connection;
    $query = "";
    if($newMail!=="" and $newPassword!="") {
        $query = "UPDATE users SET user_email=:newMail,
user_pass=:newPassword WHERE user_id=:userId";
        $state = $connection->prepare($query);
        $state->bindParam(":newMail",$newMail);
        $state->bindParam(":newPassword",$newPassword);
        $state->bindParam(":userId",$userId);
        $result = $state->execute();
        return $result;
    }
    else if($newMail!=="" and $newPassword==""){
        $query = "UPDATE users SET user_email=:newMail WHERE
user_id=:userId";
        $state = $connection->prepare($query);
        $state->bindParam(":newMail",$newMail);
        $state->bindParam(":userId",$userId);
        $result = $state->execute();
        return $result;
    }
    else if($newMail=="" and $newPassword!=="") {
        $query = "UPDATE users SET user_pass=:newPassword WHERE
user_id=:userId";
        $state = $connection->prepare($query);
        $state->bindParam(":newPassword",$newPassword);
        $state->bindParam(":userId",$userId);
        $result = $state->execute();
        return $result;
    }
    else {
        return true;
    }
}

function logUser($userMail,$userPassword){
    global $connection;
    $query = "SELECT * FROM users u JOIN roles r ON u.role_id=r.role_id WHERE
u.user_email=:userMail AND u.user_pass=:userPassword";
    $state = $connection->prepare($query);
    $state->bindParam(":userMail",$userMail);
    $state->bindParam(":userPassword",$userPassword);
    $state->execute();
    $rowCount = $state->rowCount();
}

```

```

if ($rowCount == 1) {
    $result = $state->fetch();
    return $result;
}
else {
    return false;
}
}

function getProduct($productId){
    global $connection;
    $query = "SELECT * FROM products WHERE product_id=:productId";
    $state = $connection->prepare($query);
    $state->bindParam(":productId",$productId);
    $state->execute();
    $result = $state->fetch();
    return $result;
}

function insertOrder($user_id,$totalPrice,$orderAdress){
    global $connection;
    $query = "INSERT INTO orders(user_id,total_price,order_adress)
VALUES(:user_id,:totalPrice,:orderAdress)";
    $state = $connection->prepare($query);
    $state->bindParam(":user_id",$user_id);
    $state->bindParam(":totalPrice",$totalPrice);
    $state->bindParam(":orderAdress",$orderAdress);
    $result = $state->execute();
    return $result;
}

function insertOrderItem($orderId,$productId,$price) {
    global $connection;
    $query = "INSERT INTO orderitems(order_id,product_id,price)
VALUES(:orderId,:productId,:price)";
    $state = $connection->prepare($query);
    $state->bindParam(":orderId",$orderId);
    $state->bindParam(":productId",$productId);
    $state->bindParam(":price",$price);
    $result = $state->execute();
    return $result;
}

function fetchAnswers($pollId){
    global $connection;
    $query = "SELECT * FROM answers WHERE poll_id=:pollId";
    $state = $connection->prepare($query);
    $state->bindParam(":pollId",$pollId);
    $state->execute();
}

```

```

$result = $state->fetchAll();
return $result;
}
function insertVote($pollId,$answerId,$userId){
    global $connection;
    $query = "INSERT INTO votes(poll_id,user_id,answer_id) VALUES
(:pollId,:userId,:answerId)";
    $state = $connection->prepare($query);
    $state->bindParam(":pollId",$pollId);
    $state->bindParam(":answerId",$answerId);
    $state->bindParam(":userId",$userId);
    $result = $state->execute();
    return $result;
}
function checkVote($userId, $pollId) {
    global $connection;
    $query = "SELECT * FROM votes WHERE user_id = :userId AND poll_id =
:pollId";
    $statement = $connection->prepare($query);
    $statement->bindParam(":userId", $userId);
    $statement->bindParam(":pollId", $pollId);
    $statement->execute();

    if($statement->rowCount() > 0) {
        return true;
    } else {
        return false;
    }
}
function displayPollForm($poll) {
    echo "<form action='../../models/userVotes".$poll->poll_id.".php'
method='post' onSubmit='return CheckAnswer($poll->poll_id)'
class='formAnswers'>";
    echo "<h3>".$poll->poll_title."</h3><br />";
    echo "<p>".$poll->poll_desc."</p>";
    $answers = fetchAnswers($poll->poll_id);
    if(count($answers) > 0){
        foreach ($answers as $value) {
            echo "<div class='radioAnsw'><p class='answer'>".$value->answer."
:</p><input type='radio' name='answerPoll{$poll->poll_id}' value='".$value-
>answer_id."' /></div>";
        }
        echo "<input type='hidden' name='id_poll' value='".$poll-
>poll_id."/ '><input type='submit' value='Save my choice' id='submitAnswer'
/></form>";
    }
}

```

```

        }
    }

    function selectVotes($poll_id){
        global $connection;
        $query = "SELECT a.answer, a.answer_id FROM polls p JOIN answers a ON
p.poll_id=a.poll_id WHERE p.poll_id=:poll_id";
        $statement = $connection->prepare($query);
        $statement->bindParam(":poll_id", $poll_id);
        $statement->execute();
        $result = $statement->fetchAll();
        return $result;
    }

    function countVotes($pollId,$answerId) {
        global $connection;
        $query = "SELECT COUNT(*) AS total_rows FROM votes WHERE poll_id=:pollId
AND answer_id=:answerId";
        $statement = $connection->prepare($query);
        $statement->bindParam(":pollId", $pollId);
        $statement->bindParam(":answerId", $answerId);
        $statement->execute();
        $result = $statement->fetch();
        return $result;
    }

    function sendMessage($senderName,$senderEmail,$messageContent,$senderPhone){
        global $connection;
        $query = "INSERT INTO
messages(message_name,message_email,message_content,message_phone) VALUES
(:senderName,:senderEmail,:messageContent,:senderPhone)";
        $statement = $connection->prepare($query);
        $statement->bindParam(":senderName", $senderName);
        $statement->bindParam(":senderEmail", $senderEmail);
        $statement->bindParam(":messageContent", $messageContent);
        $statement->bindParam(":senderPhone", $senderPhone);
        $result = $statement->execute();
        return $result;
    }

    //Admin functions
    function updateLink($linkId,$column1,$column2,$tableName,$arg1,$arg2){
        global $connection;
        $query = "UPDATE $tableName SET $column1=:arg1, $column2=:arg2 WHERE
item_id=:linkId";
        $statement = $connection->prepare($query);
        $statement->bindParam(":linkId", $linkId);
        $statement->bindParam(":arg1", $arg1);
        $statement->bindParam(":arg2", $arg2);
    }
}

```

```
$result = $statement->execute();
return $result;
}
function updateTestimonial($testId,$testAuthor,$testTitle,$testText){
    global $connection;
    $query = "UPDATE testimonial SET
testimonial_author=:testAuthor,testimonial_title=:testTitle,testimonial_text=:tes
tText WHERE testimonial_id=:testId";
    $statement = $connection->prepare($query);
    $statement->bindParam(":testId", $testId);
    $statement->bindParam(":testAuthor", $testAuthor);
    $statement->bindParam(":testTitle", $testTitle);
    $statement->bindParam(":testText", $testText);
    $result = $statement->execute();
    return $result;
}
function insertLink($column1,$column2,$tableName,$item_content,$item_path){
    global $connection;
    $query = "INSERT INTO $tableName($column1,$column2)
VALUES(:item_content,:item_path)";
    $statement = $connection->prepare($query);
    $statement->bindParam(":item_content", $item_content);
    $statement->bindParam(":item_path", $item_path);
    $statement->execute();
    $result = $statement;
    return $result;
}
function insertTestimonial($author,$title,$text){
    global $connection;
    $query = "INSERT INTO
testimonial(testimonial_author,testimonial_title,testimonial_text)
VALUES(:author,:title,:text)";
    $statement = $connection->prepare($query);
    $statement->bindParam(":author", $author);
    $statement->bindParam(":title", $title);
    $statement->bindParam(":text", $text);
    $statement->execute();
    $result = $statement;
    return $result;
}
function deleteItem($tableName,$itemColumnId,$itemId){
    global $connection;
    $query = "DELETE FROM $tableName WHERE $itemColumnId=:itemId";
    $statement = $connection->prepare($query);
    $statement->bindParam(":itemId", $itemId);
```

```

$statement->execute();
$result = $statement;
return $result;
}

function insertPicture($size,$type){
    global $connection;
    $query = "INSERT INTO adm_uploads(size,type) VALUES(:size,:type)";
    $statement = $connection->prepare($query);
    $statement->bindParam(":size", $size);
    $statement->bindParam(":type", $type);
    /* $statement->bindParam(":path", $path);
    $statement->bindParam(":name", $name); */
    $statement->execute();
    $result = $statement;
    return $result;
}

function insertHeroSlider($title,$content,$img,$tableName) {
    global $connection;
    $query = "INSERT INTO
$tableName($tableName". "_title,$tableName". "_content,$tableName". "_picture)
VALUES(:title,:content,:img)";
    $statement = $connection->prepare($query);
    $statement->bindParam(":title", $title);
    $statement->bindParam(":content", $content);
    $statement->bindParam(":img", $img);
    $statement->execute();
    $result = $statement;
    return $result;
}

function updateAdmUpload($name,$path,$id) {
    global $connection;
    $query = "UPDATE adm_uploads SET path=:path, name=:name WHERE
upload_id=:id ";
    $statement = $connection->prepare($query);
    $statement->bindParam(":name", $name);
    $statement->bindParam(":path", $path);
    $statement->bindParam(":id", $id);
    $statement->execute();
    $result = $statement;
    return $result;
}

function updateHeroSlier($title,$content,$img,$id,$tableName) {
    global $connection;

```

```

$query = "UPDATE $tableName SET
$tableName". "_title=:title,$tableName". "_content=:content,$tableName". "_picture=:
img WHERE $tableName". "_id=:id";
$statement = $connection->prepare($query);
$statement->bindParam(":title", $title);
$statement->bindParam(":content", $content);
$statement->bindParam(":img", $img);
$statement->bindParam(":id", $id);
$statement->execute();
$result = $statement;
return $result;
}
function updateProduct($name,$price,$discount,$img,$catId,$idProd) {
    global $connection;
    $query = "UPDATE products SET
product_name=:name,product_price=:price,product_discount=:discount,product_img=:i
mg,category_id=:catId WHERE product_id=:idProd";
    $statement = $connection->prepare($query);
    $statement->bindParam(":name", $name);
    $statement->bindParam(":price", $price);
    $statement->bindParam(":discount", $discount);
    $statement->bindParam(":img", $img);
    $statement->bindParam(":catId", $catId);
    $statement->bindParam(":idProd", $idProd);
    $statement->execute();
    $result = $statement;
    return $result;
}
function insertProduct($name,$price,$discount,$img,$catId) {
    global $connection;
    $query = "INSERT INTO
products(product_name,product_price,product_discount,product_img,category_id)
VALUES(:name,:price,:discount,:img,:catId)";
    $statement = $connection->prepare($query);
    $statement->bindParam(":name", $name);
    $statement->bindParam(":price", $price);
    $statement->bindParam(":discount", $discount);
    $statement->bindParam(":img", $img);
    $statement->bindParam(":catId", $catId);
    $statement->execute();
    $result = $statement;
    return $result;
}
function productsCount(){
    global $connection;

```

```

$query = "SELECT COUNT(*) as totalProducts FROM products";
$result = $connection->query($query)->fetch();
return $result->totalProducts;
}

define("numProdPerPage",4);
function getPageNumber(){

    global $connection;
    $numberOfProducts = productsCount();
    $numberOfPages = ceil($numberOfProducts/numProdPerPage);
    return $numberOfPages;
}

function getLimitedProducts($offset) {
    global $connection;
    $query = "SELECT * FROM products LIMIT
".$offset*numProdPerPage.",".numProdPerPage."";
    $result = $connection->query($query)->fetchAll();
    return $result;
}

?>

```

log_in.php

```

<?php
    session_start();
    $page = getenv("http_referer");
    if(($_SERVER["REQUEST_METHOD"] == "POST") and (basename($page)=="log_in.php"
or basename($page)=="profile.php" )) {
        require("function.php");
        $statusCode;
        $errCount = 0;
        $response="";
        $regexMail = '/^[_a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}\$/';
        $regexPassw = '/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[$!%*?&])[A-Za-
z\d@$!%*?&]{8,}\$/';
        if(preg_match($regexMail,$_POST['email'])){
            $email = $_POST['email'];
        }
        else {
            $errCount++;
        }
        if(preg_match($regexPassw,$_POST['password'])){
            $password = md5($_POST['password']);
        }
    }

```

```

    }
    else {
        $errCount++;
    }

if($errCount==0){
    try {
        $user = logUser($email, $password);
        if($user and $user->user_status == '1'){
            $response = ["response"=>"Log in succeeded."];
            $statusCode = 200;
            $_SESSION['user'] = $user;
        }
        else if($user and $user->user_status == '0'){
            $statusCode = 403;
        }
        else {
            $statusCode = 422;
        }
    }
    catch(PDOException $e){
        $statusCode = 500;
        //var_dump($e->getMessage());
    }
}

else {
    $statusCode = 422;
}

http_response_code($statusCode);
echo json_encode($response);

}
else {
    $statusCode = 405;
    header("location:../pages/404.php");
}
?>

```

log_out.php

```
<?php
```

```
session_start();
$page = getenv("http_referer");
if(isset($_SESSION["user"]) and substr(getenv("http_referer"),0,38)
=="https://shop-giftos.000webhostapp.com/") {
    unset($_SESSION['user']);
    if(isset($_SESSION['cart'])) {
        unset($_SESSION['cart']);
    }
    header("location:../index.php");
}
?>
```

mail.php

```
<?php
$page = getenv("http_referer");
if(basename($page)=="index.php"){
    $statusCode;
    $regName = "/^([a-zA-ZččžšđĆĆŽŠĐ '-]+)$/";
    $regEmail = "/^([a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,})$/";
    $regPhone = "/^\\+?[0-9()]-+$/";
    $regMessage = "/^.+$/";
    $response;
    if($_SERVER['REQUEST_METHOD']=="POST"){
        require("function.php");
        header("content-type:application/json");
        $errCount = 0;
        if(preg_match($regName, $_POST["cName"])){
            $cName = $_POST["cName"];
        }
        else {
            $errCount++;
        }
        if(preg_match($regEmail, $_POST["cEmail"])){
            $cEmail = $_POST["cEmail"];
        }
        else {
            $errCount++;
        }
        if(preg_match($regPhone, $_POST["cPhone"])){
            $cPhone = $_POST["cPhone"];
        }
        else {
            $errCount++;
        }
    }
}
```

```

        }
        if(preg_match($regMessage, $_POST["cMessage"])){
            $cMessage = $_POST["cMessage"];
        }
        else {
            $errCount++;
        }
        if($errCount==0){
            $msg = sendMessage($cName,$cEmail,$cMessage,$cPhone);
            if($msg) {
                $response = ["response"=>"You've sent the message."];
                $statusCode = 201;
            }
            else {
                $response = ["response"=>"Sorry, something unexpected
happened."];
                $statusCode = 500;
            }
        }
        else {
            $response = ["response"=>"Client side error"];
            $statusCode = 422;
        }
    }
    else {
        $statusCode = 405;
        header("location:../404.php");
    }
}
else {
    $statusCode = 403;
    header("location:../404.php");
}
http_response_code($statusCode);
echo json_encode($response);

?>

```

pagination.php

```

<?php
    if(basename(getenv("http_referer"))=="products.php"
and $_SERVER['REQUEST_METHOD']=="POST" and isset($_POST['pageNumber'])) {
        require("function.php");
        header("content-type:application/json");

```

```
$response = "";
$statusCode = 200;
$products = getLimitedProducts($_POST['pageNumber']);
if(count($products) > 0) {
    $response = $products;
    $statusCode = 200;
}
else {
    $statusCode = 500;
}
http_response_code($statusCode);
echo json_encode($response);

}

else {
    http_response_code(403);
    header("location:../404.php");
}

?>
```

register.php

```

}

if(preg_match($regexSurName,$_POST['surName'])){
    $surName = $_POST['surName'];
}
else {
    $errCount++;
}
if(preg_match($regexMail,$_POST['email'])){
    $email = $_POST['email'];
}
else {
    $errCount++;
}
if(preg_match($regexPassw,$_POST['password'])){
    $password = md5($_POST['password']);
}
else {
    $errCount++;
}
if(isset( $_POST['adress'])){
    if(preg_match($regexAdress,$_POST['adress'])){
        $adress = $_POST['adress'];
    }
    else {
        $errCount++;
    }
}
else {
    $adress = "";
}

if($errCount==0){
    try {
        $inserted = insertUser($firstName,$surName,$email,$password,0,2);
        if($inserted){
            if($adress!=""){
                $id_user = $connection->lastInsertId();
                $insertedAdress = insertAdress($adress,$id_user);
            }
            $response = [ "response"=>"You have registered successfully."];
            $statusCode = 201;
        }
    }
    catch(PDOException $e) {
        $statusCode = 500;
    }
}

```

```

        //var_dump($e->getMessage());
    }
}
else {
    //$response = ["response"=>"Client side error"];
    $statusCode = 422;
}

http_response_code($statusCode);
echo json_encode($response);
}
else {
    $statusCode = 405;
    header("location:../404.php");
}
?>
```

search.php

```

<?php
if(basename(getenv('http_referer'))=="index.php" and
$_SERVER['REQUEST_METHOD']=="POST" and isset($_POST['keyword'])){
    header("content-type:application/json");
    require("function.php");
    //$products = fetchAll("products");
    $query = "SELECT * FROM products p JOIN category c ON p.category_id =
c.category_id";
    $products = $connection->query($query)->fetchAll();
    $crntString = $_POST['keyword'];
    $matchingProducts = [];
    foreach($products as $product){
        if(strpos(strtolower($product-
>product_name),strtolower($crntString))!==false || strpos(strtolower($product-
>category_title),strtolower($crntString)) !== false){
            $matchingProducts[] = $product;
        }
    }
    echo json_encode($matchingProducts);
}
else {
    http_response_code(403);
    header('locatin:../404.php');
}
?>
```

uservotes(1,2,3).php

```

<?php
    session_start();
    $page = getenv("http_referer");
    if($_SERVER['REQUEST_METHOD']=="POST" and basename($page)=="polls.php" and
    isset($_SESSION["user"])){
        require("function.php");
        $user = "";
        $answer = "";
        $poll_id = "";
        $errCount = 0;
        $user = $_SESSION["user"]->user_id;
        if(isset($_POST["answerPoll1"])){
            $answer = $_POST["answerPoll1"];
        }
        else {
            $errCount++;
            echo "radio problem";
        }
        if(isset($_POST["id_poll"])){
            $poll_id = $_POST["id_poll"];
        }
        else {
            $errCount++;
            echo "id anekte";
        }
        if($errCount == 0) {
            $a = insertVote($poll_id,$answer,$user);
            if($a) {
                header("location:../polls.php");
            }
            else {
                echo "neuspeli insert";
            }
        }
    }
    else {
        http_response_code(403);
        header("location:../404.php");
    }
}

```

?>

Models(funkcionalnosti za admin panel)

deActivatePoll.php

```
<?php

    if(basename(getenv('http_referer'))=="edit_content.php" and
(isset($_GET['x']) or isset($_GET['y'])) and $_SERVER['REQUEST_METHOD']=='GET'){
        require("../function.php");
        global $connection;
        if(isset($_GET['x'])) {
            $poll_id = $_GET['x'];
            $query = "UPDATE polls SET poll_status=0 WHERE poll_id=:poll_id";
            $state = $connection->prepare($query);
            $state->bindParam(":poll_id",$poll_id);
            $result = $state->execute();
            if($result) {
                echo "You've successfully deactivated the poll.<br />";
                echo "<a href='../../edit_content.php'>Back to admin panel</a>";
            }
            else {
                echo "Sorry, Deactivating the poll failed.";
                echo "<a href='../../edit_content.php'>Back to admin panel</a>";
            }
        }
        if(isset($_GET['y'])) {
            $poll_id = $_GET['y'];
            $query = "UPDATE polls SET poll_status=1 WHERE poll_id=:poll_id";
            $state = $connection->prepare($query);
            $state->bindParam(":poll_id",$poll_id);
            $result = $state->execute();
            if($result) {
                echo "You've successfully activated the poll.<br />";
                echo "<a href='../../edit_content.php'>Back to admin panel</a>";
            }
            else {
                echo "Sorry, Activating the poll failed.";
                echo "<a href='../../edit_content.php'>Back to admin panel</a>";
            }
        }
    }

}
```

```

    else {
        http_response_code(404);
        header('location:../../404.php');
    }

?>

```

delete.php

```

<?php
    require("../function.php");
    $page = getenv("http_referer");
    if(isset($_GET['linkId']) and $_SERVER['REQUEST_METHOD']=="GET" and
    basename($page)=="edit_content.php") {
        $x = deleteItem("footer_nav","item_id",$_GET['linkId']);
        if($x) {
            echo "Delete successfull.<br />";
            echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
        }
    }
    else {
        http_response_code(403);
        header('location:../../pages/404.php');
    }
?>

```

Delete model je isti za sve partial delove, samo se menjaju parametri funkcije deleteItem. Na ovom primeru se briše kolona u futeru, a ovako bi izgledalo brisanje linka iz nav menija.

```
$x = deleteItem("header_nav","item_id",$_GET['linkId']);
```

activate.php

```

<?php
    if(isset($_GET['id']) and $_SERVER['REQUEST_METHOD']=='GET' and
    basename(getenv('http_referer'))=='edit_content.php'){
        require("../function.php");
        $id = $_GET['id'];
        $query = "UPDATE users SET user_status=1 WHERE user_id=:id";
        $state = $connection->prepare($query);
        $state->bindParam(":id",$id);
        $result = $state->execute();
        if($result) {
            echo "Successfully activated";
        }
?>

```

```

        echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
    }
    else {
        echo "Oops, something went wrong.";
    }
}
else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

?>

```

add.php

Za dodavanje sadržaja koriste se 2 modela, takođe se menjaju samo parametri i funkcije koje se koriste za insert, logika je ista.

Model bez slike (add-nav.php)

```

<?php

require("../function.php");
$page = getenv("http_referer");
if(isset($_POST['insertNavName']) and isset($_POST['insertNavPath']) and
$_SERVER['REQUEST_METHOD']=="POST" and basename($page)=="edit_content.php"){
    $x =
insertLink("item_content","item_href","header_nav",$_POST[ 'insertNavName' ],$_POST
['insertNavPath']);
    if($x) {
        echo "Insert successfull.<br />";
        echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
    }
}
else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

?>

```

Model bez slike (add-testimonial.php)

```
<?php
```

```

require("../function.php");
$page = getenv("http_referer");
if(isset($_POST['insertAuthorName']) and isset($_POST['insertTitle']) and
isset($_POST['insertText']) and $_SERVER['REQUEST_METHOD']=="POST" and
basename($page)=="edit_content.php"){
    $x =
insertTestimonial($_POST['insertAuthorName'],$_POST['insertTitle'],$_POST['insert
Text']);
    if($x) {
        echo "Insert successfull.<br />";
        echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
    }
}
else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

?>

```

Model sa slikom(add-hero slider.php)

```

<?php

require("../function.php");
$page = getenv("http_referer");
if(isset($_POST['insertNavName']) and isset($_POST['hero-text']) and
isset($_FILES['hero-img']) and isset($_POST['tableID']) and
$_SERVER['REQUEST_METHOD']=="POST" and basename($page)=="edit_content.php"){

    $imeSlike = $_FILES['hero-img']['name'];
    $putanjaSlike = $_FILES['hero-img']['tmp_name'];
    $tipSlike = $_FILES['hero-img']['type'];
    $velicinaSlike = $_FILES['hero-img']['size'];
    $greska = $_FILES['hero-img']['error'];
    $ekstenzijaZaCoveka = strtolower(pathinfo($imeSlike,PATHINFO_EXTENSION));
    $errCount = 0;
    if($velicinaSlike>(2*1024*1024)) {
        $errCount++;
        echo "The picture is too large. Chose below 2 MB.<br />";
    }
    if($ekstenzijaZaCoveka!="png") {
        echo "Choose a picture with .png extension.<br />";
        var_dump($ekstenzijaZaCoveka);
    }
}

```

```

        $errCount++;
    }
    if($errCount == 0) {
        try {
            $insertPic = insertPicture($velicinaSlike,$tipSlike);
            $uploadId = $connection->lastInsertId();
            $path = "../../images/";
            $pieces = explode(".", $imeSlike);
            $ext = end($pieces);
            $insertName = "slider-".$uploadId.".".$ext;
            $result = move_uploaded_file($putanjaSlike,$path.$insertName);
            if(!$result) {
                echo "Moving failed.<br />";
                exit;
            }
        } else {
            $tableID = "";
            switch($_POST['tableID']) {
                case 'top': $tableID = 'banner_top';
                break;
                case 'middle': $tableID = 'banner_middle';
                break;
                case 'bottom': $tableID = 'banner_bottom';
                break;
            }
            $result = updateAdmUpload($insertName,$path,$uploadId);
            if($result){
                $sliderPic =
insertHeroSlider($_POST['insertNavName'],$_POST['hero-
text'],$insertName,$tableID);
                if($sliderPic){
                    echo "Hero slider added successfully<br />";
                }
                else {
                    echo "Hero slider upload failed<br />";
                }
            }
            else {
                echo "Upload failed.<br />";
            }
        }
    }
}

```

```

        catch(PDOException $e) {
            echo "Upload failed.". $e->getMessage() .";
        }
    }

    echo "<a href='../../pages/edit_content.php'>Back to admin panel</a>";

}

else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

?>

```

Model sa slikom(add-product.php)

```

<?php

require("../function.php");
$page = getenv("http_referer");
if(isset($_POST['name']) and isset($_POST['price']) and isset($_FILES['hero-img']) and isset($_POST['ctgs']) and isset($_POST['discount']) and
$_SERVER['REQUEST_METHOD']=="POST" and basename($page)=="edit_content.php"){

    $imeSlike = $_FILES['hero-img']['name'];
    $putanjaSlike = $_FILES['hero-img']['tmp_name'];
    $tipSlike = $_FILES['hero-img']['type'];
    $velicinaSlike = $_FILES['hero-img']['size'];
    $greska = $_FILES['hero-img']['error'];
    $ekstenzijaZaCoveka = strtolower(pathinfo($imeSlike,PATHINFO_EXTENSION));
    $errCount = 0;
    if($velicinaSlike>(2*1024*1024)) {
        $errCount++;
        echo "The picture is too large. Chose below 2 MB.<br />";
    }
    if($ekstenzijaZaCoveka!="png") {
        echo "Choose a picture with .png extension.<br />";
        var_dump($ekstenzijaZaCoveka);
        $errCount++;
    }
    if($errCount == 0) {
        try {
            $insertPic = insertPicture($velicinaSlike,$tipSlike);

```

```

$uploadId = $connection->lastInsertId();
$path = "../../images/";
$pieces = explode(".", $imeSlike);
$ext = end($pieces);
$insertName = "slider-".$uploadId.".".$ext;
$result = move_uploaded_file($putanjaSlike,$path.$insertName);
if(!$result) {
    echo "Moving failed.<br />";
    exit;
}
else {

    $result = updateAdmUpload($insertName,$path,$uploadId);
    if($result){
        $insertedProduct =
insertProduct($_POST['name'],$_POST['price'],$_POST['discount'],$insertName,$_POS
T['ctgs']);
        if($insertedProduct){
            echo "Product added successfully<br />";
        }
        else {
            echo "Product upload failed<br />";
        }
    }
    else {
        echo "Upload failed.<br />";
    }
}

catch(PDOException $e) {
    echo "Upload failed.". $e->getMessage() ."";
}
}

echo "<a href='../../pages/edit_content.php'>Back to admin panel</a>";

}

else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

```

```
?>  
edit.php
```

Za menjanje sadržaja u admin panelu administrator ima mogućnost menjaja slike kao i menjanja tekstualnog sadržaja nekog dela stranice. Logika je za sve ista, samo je razlika kao i kod dodavanja da li se dodaje slika i tekst ili samo tekst i kom delu stranice se dodaje.

Primer : editbottom.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        .center {
            display: flex;
            justify-content: center;
            flex-direction: column;
            align-content: center;
            text-align: center;
            margin-top: 20px;
        }
        input {
            padding: 5px 10px;
        }
    </style>
</head>
<body>
    <?php

        require("../function.php");
        if(isset($_GET['linkId']) and basename(getenv('http_referer')) ==
'edit_content.php') {
            $link = $_GET['linkId'];
            $query = "SELECT * FROM banner_bottom WHERE banner_bottom_id =
$link";
            $state = $connection->query($query);
            if($state->rowCount() == 1) {
                $link = $state->fetch();
                echo "<div class='center'>";
```

```

        echo "<form action='edit-bottom-final.php' method='post'
enctype='multipart/form-data'>";
            echo "<p>Title</p><input type='text' name='title' value='$link-
>banner_bottom_title' /><br />";
            echo "<p>Content</p><input style='width:500px; padding:10px;' type='text' name='content' value='$link->banner_bottom_content' /><br />";
            echo "<p>Image</p><img src='../../images/".$link-
>banner_bottom_picture."' width='10%' height='10%' /><br />";
            echo "<p>You can choose a new picture.</p><input type='file' name='slider-img' /><br />";
            echo "<input type='hidden' name='oldPic' value='$link-
>banner_bottom_picture' /><br />";
            echo "<input type='hidden' name='linkID' value='$link-
>banner_bottom_id' /><br />";
            echo "<input type='submit' value='Save' />";
            echo "</form>";
            echo "</div>";
        }
    else {
        http_response_code(403);
        header('location:../../pages/404.php');
    }
}
else {
    http_response_code(403);
    header('location:../../pages/404.php');
}

?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3q0VUtJn3QNz0TciWLP4=" crossorigin="anonymous"></script>
<script src="../../js/edit_content.js" type="text/javascript"></script>
</body>
</html>

```

editbottom-final.php

```

<?php
    require("../function.php");
    if(isset($_POST['linkID']) and isset($_POST['title']) and
    isset($_POST["content"]) and isset($_POST['oldPic']) and
    $_SERVER['REQUEST_METHOD']=="POST" and
    substr(basename(getenv('http_referer')),0,15)=="edit-bottom.php"){
        if(isset($_FILES['slider-img']) && $_FILES['slider-img']['error'] ===
        UPLOAD_ERR_OK) {

```

```

$imeSlike = $_FILES['slider-img']['name'];
$putanjaSlike = $_FILES['slider-img']['tmp_name'];
$tipSlike = $_FILES['slider-img']['type'];
$velicinaSlike = $_FILES['slider-img']['size'];
$greska = $_FILES['slider-img']['error'];
$ekstenzijaZaCoveka =
strtolower(pathinfo($imeSlike,PATHINFO_EXTENSION));
$errCount = 0;
if($velicinaSlike>(2*1024*1024)) {
    $errCount++;
    echo "The picture is too large. Chose below 2 MB.<br />";
}
if($ekstenzijaZaCoveka!=="png") {
    echo "Choose a picture with .png extension.<br />";
    //var_dump($ekstenzijaZaCoveka);
    $errCount++;
}
if($errCount == 0) {
    try {
        $insertPic = insertPicture($velicinaSlike,$tipSlike);
        $uploadId = $connection->lastInsertId();
        $path = "../../images/";
        $pieces = explode(".", $imeSlike);
        $ext = end($pieces);
        $insertName = "slider-".$uploadId.".".$ext;
        $result =
move_uploaded_file($putanjaSlike,$path.$insertName);
        if(!$result) {
            echo "Moving failed.<br />";
            exit;
        }
        else {
            $result = updateAdmUpload($insertName,$path,$uploadId);
            if($result){
                $sliderPic =
updateHeroSlider($_POST['title'],$_POST['content'],$insertName,$_POST['linkID'],"b
anner_bottom");
                if($sliderPic){
                    echo "Bottom section updated successfully<br />";
                }
                else {
                    echo "Bottom section update failed<br />";
                }
            }
        }
    }
}

```

```

        else {
            echo "Upload failed.<br />";
        }
    }

    catch(PDOException $e) {
        echo "Upload failed.". $e->getMessage() . "";
    }
}

else {
    $x =
updateHeroSlier($_POST['title'],$_POST['content'],$_POST['oldPic'],$_POST['linkID'],
    "banner_bottom");
    if($x) {
        echo "Edit successfull.<br />";
        //echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
    }
    echo "<a href='../../pages/edit_content.php'>Back to admin panel</a>";
}
else {
    http_response_code(403);
    header('location:../../pages/404.php');
}
?>

```

Primer bez slike : edit nav.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        .center {
            display: flex;
            justify-content: center;
            flex-direction: column;
            align-content: center;
            text-align: center;

```

```

        margin-top: 20px;
    }
    input {
        padding: 5px 10px;
    }
</style>
</head>
<body>
<?php

    require("../function.php");
    if(isset($_GET['linkId']) and basename(getenv('http_referer')) ==
'edit_content.php') {
        $link = $_GET['linkId'];
        $query = "SELECT * FROM header_nav WHERE item_id = $link";
        $state = $connection->query($query);
        if($state->rowCount() == 1) {
            $link = $state->fetch();
            echo "<div class='center'>";
            echo "<form action='edit-nav-final.php' method='post'>";
            echo "<p>Link name</p><input type='text' name='link-name'
value='$link->item_content' /><br />";
            echo "<p>Link path</p><input type='text' name='link-path'
value='$link->item_href' /><br /><br />";
            echo "<input type='hidden' name='linkID' value='$link->item_id'
/>";
            echo "<input type='submit' value='Save' />";
            echo "</form>";
            echo "</div>";
        }
        else {
            http_response_code(403);
            header('location:../../pages/404.php');
        }
    }
    else {
        http_response_code(403);
        header('location:../../pages/404.php');
    }

?>
<script src="https://code.jquery.com/jquery-3.7.1.js" integrity="sha256-
eKhayi8LEQwp4NKxN+CfCh+3qOVUTJn3QNZ0TciWLP4=" crossorigin="anonymous"></script>
<script src="../../js/edit_content.js" type="text/javascript"></script>
</body>

```

</html>

edit-nav-final.php

```
<?php
    require("../function.php");
    if(isset($_POST['linkID']) and isset($_POST["link-name"]) and
    isset($_POST["link-path"]) and $_SERVER['REQUEST_METHOD']=="POST" and
    substr(basename(getenv('http_referer')),0,12)=="edit-nav.php"){
        $x =
        updateLink($_POST['linkID'],"item_content","item_href","header_nav",$_POST["link-
name"],$_POST["link-path"]);
        if($x) {
            echo "Edit successfull.<br />";
            echo "<a href='../../pages/edit_content.php'>Back to admin
panel</a>";
        }
    }
    else {
        http_response_code(403);
        header('location:../../pages/404.php');
    }
?>
```

JS

main.js

```
$(document).ready(function(){
    let loader = $(".loader");
    setTimeout(function() {
        if (loader) {
            loader.css("display", "none");
        }
    }, 1700);
    function initialFetch(){
        $.ajax({
            method : "POST",
            url : "../../models/fetchAllInitial.php",
            dataType : "json",
            success : function(response){
                console.log(response);
                renderProducts(response);
                $("#sort").change(function(){
                    let selected = $(this).val();
```

```

        sortProducts(response,selected);
    })
},
error : function(xhr, status, error){
    let products = document.getElementById("prods");
    //products.innerHTML = xhr.responseText;
    console.error(xhr.responseText);
}
});
}

if(window.location.pathname.split("/")[1]=="index.php") {
    initialFetch();
}

$("#filter").change(function(){
    let selected = $(this).val();
    document.getElementById("sort").selectedIndex = 0;
    $.ajax({
        method : "POST",
        url : "../models/filter.php",
        dataType : "json",
        data : {
            catId : selected
        },
        success : function(response){
            console.log(response);
            renderProducts(response);
            $("#sort").change(function(){
                let selected = $(this).val();
                sortProducts(response,selected);
            })
        },
        error : function(xhr, status, error){
            let products = document.getElementById("prods");
            products.innerHTML = xhr.responseText;
            console.error(xhr.responseText);
        }
    });
});

function sortProducts(products,sortBy){
    if (!products || !sortBy || sortBy === '0') {
        return;
    }
}

```

```

        }

        switch (sortBy) {
            case 'product_price':
                products.sort(function(a, b) {
                    return b.product_price - a.product_price;
                });
                break;
            case 'product_name':
                products.sort(function(a, b) {
                    return a.product_name.localeCompare(b.product_name);
                });
                break;
            case 'product_discount':
                products.sort(function(a, b) {
                    return b.product_discount - a.product_discount;
                });
                break;
            case 'product_date':
                products.sort(function(a, b) {
                    return new Date(b.product_date) - new Date(a.product_date);
                });
                break;
        }
        renderProducts(products);
    }
    function renderProducts(response){
        let products = document.getElementById("prods");
        let productOpen = "";
        for(let i = 0; i < response.length; i++) {
            productOpen+=`<div class='col-sm-6 col-md-4 col-lg-3'>
                <div class='box'>
                    <div class='img-box'>
                        <img src='../images/${response[i].product_img}' alt=''/>
                    </div>
                    <div class='detail-box'>
                        <h6>${response[i].product_name}</h6>
                        <h6><span>${response[i].product_price}</span></h6>
                    </div>`;
            if(response[i].product_discount>0){
                productOpen+=`<div class='detail-box'>
                    <h6>Discounted price</h6>
                    <h6><span>${response[i].product_price-
(response[i].product_price*(response[i].product_discount/100))}</span></h6>

```

```

        </div><div class='new'>
            <span>${response[i].product_discount}%</span>
        </div>`;
    }
    productOpen+=`<a class='add-to-cart' href='' data-
prId='${response[i].product_id}'>Add to cart<p class='added-
success'><p></a></div></div>`;
}

products.innerHTML = productOpen;
}

$("#search").keyup(function(){
$.ajax({
    method : "post",
    url : "../models/search.php",
    dataType : "json",
    data : {
        keyword : $("#search").val()
    },
    success : function(data){
        renderProducts(data);
    },
    error : function(xhr) {
        console.error(xhr);
        if(xhr.status==403) {
            console.log("Loš metod ili ime referer stranice");
        }
    }
})
})

let linkovi = document.getElementsByClassName("fa-user")[0];
if(linkovi){linkovi.style.paddingRight = "5px";}

//Validacija registracije i logovanja
let regName = document.getElementById("regName");
let regSurname = document.getElementById("regSurname");
let regMail = document.getElementById("regMail");
let regPass = document.getElementById("regPass");
let regAdress = document.getElementById("regAdress");
let regButton = document.getElementById("register");
let errMessages = document.getElementsByClassName("err-Msg")
let regexFirstName = /^[A-Z]{1,3}[a-z]{2,9}/;
let regexSurName = /^[A-Z]{1,3}[a-z]{2,9}/;

```

```

let regexMail = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}\$/;
let regexPassw = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)(?=.*[$!%*?&])[A-Za-
z\d@$!%*?&]{8,}\$/;
let regexAdress = /^[a-zA-Z0-9\s.,/\-\-]+$/;

if(regButton) {
    regButton.addEventListener("click",function(){
        let errCount = 0;
        if(!regexFirstName.test(regName.value)){
            errCount++;
            errMessages[0].style.display = "block";
            regName.style.border = "2px solid red";
        }
        else {
            errMessages[0].style.display = "none";
            regName.style.border = "";
        }

        if (!regexSurName.test(regSurname.value)) {
            errCount++;
            errMessages[1].style.display = "block";
            regSurname.style.border = "2px solid red";
        } else {
            errMessages[1].style.display = "none";
            regSurname.style.border = "";
        }

        if (!regexMail.test(regMail.value)) {
            errCount++;
            errMessages[2].style.display = "block";
            regMail.style.border = "2px solid red";
        } else {
            errMessages[2].style.display = "none";
            regMail.style.border = "";
        }

        if (!regexPassw.test(regPass.value)) {
            errCount++;
            errMessages[3].style.display = "block";
            regPass.style.border = "2px solid red";
        } else {
            errMessages[3].style.display = "none";
            regPass.style.border = "";
        }
    })
}
if(regAdress.value!=="" && !regexAdress.test(regAdress.value)) {
}

```

```
        errMessages[4].style.display = "block";
        regAdress.style.border = "2px solid red";
    }
    else {
        errMessages[4].style.display = "none";
        regAdress.style.border = "";
    }

    if(errCount==0) {
        let dataToSend = {
            firstName : regName.value,
            surName : regSurname.value,
            email : regMail.value,
            password : regPass.value
        };

        if(regAdress.value!=="" && regexAdress.test(regAdress.value)) {
            dataToSend.adress = regAdress.value;
        }

        $.ajax({
            url: "../models/register.php",
            method : "post",
            dataType : "json",
            data : dataToSend,
            success: function(data) {
                $("#reg-response").html("Registration succeded. <a href='log_in.php'>Log in here.</a>");
                $("#reg-response").css("color", "green");
                $("#already").css("display", "none");
            },
            error : function(xhr) {
                let statusCode = xhr.status;
                if(statusCode=="500") {
                    $("#reg-response").html("User with email already exists.");
                }
                if(statusCode=="422") {
                    $("#reg-response").html("You've entered form data incorrectly.");
                }
            }
        })
    }
}
```

```
        })
    }

let logInButton = document.getElementById("Log-in");
let logInMail = document.getElementById("logMail");
let logInPassword = document.getElementById("logPass");
if(logInButton) {
    logInButton.addEventListener("click",function(){
        let errMessages = document.getElementsByClassName("err-Msg");
        let errCount = 0;
        if(!regexMail.test(logInMail.value)){
            errCount++;
            errMessages[0].style.display = "block";
            logInMail.style.border = "2px solid red";
        }
        else {
            errMessages[0].style.display = "none";
            logInMail.style.border = "";
        }
        if(!regexPassw.test(logInPassword.value)){
            errCount++;
            errMessages[1].style.display = "block";
            logInPassword.style.border = "2px solid red";
        }
        else {
            errMessages[1].style.display = "none";
            logInPassword.style.border = "";
        }

        if(errCount==0) {
            let dataToSend = {
                email : logInMail.value,
                password : logInPassword.value
            };

            $.ajax({
                url:"../models/log_in.php",
                method : "post",
                dataType : "json",
                data : dataToSend,
                success : function(data){
```

```
        $("#success").html(data.response + " You will be
redirected shortly.");
        $("#success").css("color","green");
        setTimeout(redirect,1200);

    },
    error : function(xhr) {
        let statusCode = xhr.status;
        if(statusCode=="500") {
            $("#success").html("Sorry, something unexpceted
happened.");
            $("#success").css("color","red");
        }
        if(statusCode=="422") {
            $("#success").html("User with email/password does not
exist.");
            $("#success").css("color","red");
        }
        if(statusCode=="403") {
            $("#success").html("Admin needs to activate your
account.");
            $("#success").css("color","red");
        }
    }
}

let closeBtn = document.getElementById("close");
let closeBtn2 = document.getElementById("close_2");
if(closeBtn2) {
    closeBtn2.addEventListener("click",closeAlert2);
}
if(closeBtn) {
    closeBtn.addEventListener("click",closeAlert);
}

$(document).on("click", ".add-to-cart",function(e){
    e.preventDefault();
    let productId = $(this).data("prid");
    let clickedLink = $(this);
    if(productId) {
        $.ajax({
```

```

        url:"../models/cart.php",
        method : "post",
        dataType : "json",
        data : {productId : productId},
        success : function(data){
            clickedLink.find("p").html(data.response);
            setTimeout(() => {
                clickedLink.find("p").html("");
            }, 800);

        },
        error : function(xhr) {

            $("#cart-alert").css("display","flex");
            $("#cart-alert").css("opacity",0);
            $("#cart-alert").animate({opacity:1},500);
            $("#cart-alert h4").html("You must log in to add product to
cart");
        }
    })
})
}

$(document).on("click",".fa-shopping-bag",function(e){
    e.preventDefault();
    $.ajax({
        url:"../models/cart.php",
        method : "get",
        dataType : "json",
        success : function(data){
            let prOpen = "";
            for (let index = 0; index < data.length; index++) {
                prOpen+=`<div class="cart-product">
                    
                    <p>Naziv: ${data[index].product_name}</p>
                    <p class='price'>Cena :
${data[index].product_discount}>0?(data[index].product_price -
(data[index].product_price*(data[index].product_discount/100))):data[index].product_price} $</p>
                </div>`;
            }

            $("#cart-content").html(prOpen);
            $("#my-cart").css("display","block");
        }
    })
})
}

```

```

        },
        error : function(xhr) {
            if(xhr.status==400) {
                $("#cart-alert").css("display","flex");
                $("#cart-alert").css("opacity",0);
                $("#cart-alert").animate({opacity:1},500);
                $("#wrap").html("Your cart is empty.");
            }
            else {
                $("#cart-alert").css("display","flex");
                $("#cart-alert").css("opacity",0);
                $("#cart-alert").animate({opacity:1},500);
                $("#cart-alert h4").html("You must log in to view cart
status."));
            }
        }
    });

$(document).on("click",".delete",function(e){
    e.preventDefault();
    let eCart = $(this).data("delete");
    $.ajax({
        url:"../models/cart.php",
        method : "post",
        dataType : "json",
        data : {
            eCart : eCart
        },
        success : function(data){
            $("#my-cart").css("display","none");
        },
        error : function(xhr) {

        }
    })
});

$(document).on("click",".limit",function(e){
    e.preventDefault();

```

```
let page = $(this).data("limit");

$.ajax({
    url:"../models/pagination.php",
    method : "post",
    dataType : "json",
    data : {
        pageNumber : page
    },
    success : function(data){
        renderProducts(data);

    },
    error : function(xhr) {
        console.error(xhr)

    }
})
});

let formPolls = document.getElementsByClassName("formAnswers");
console.log(formPolls);
if(formPolls.length==0) {
    let pollNoti = document.getElementById("pollNoti");
    if(pollNoti){
        pollNoti.textContent = "We currently don't have the polls for you.";
    }
}

let currentPage = window.location.pathname.split("/")[1];
let pageLinks = document.getElementsByClassName("nav-item");
switch (currentPage) {
    case "index.php": pageLinks[0].classList.add("active");
        break;
    case "products.php": pageLinks[1].classList.add("active");
        break;
    case "profile.php": pageLinks[2].classList.add("active");
        break;
    case "polls.php": pageLinks[3].classList.add("active");
        break;
    case "author.php": pageLinks[4].classList.add("active");
        break;
    case "log_in.php" : pageLinks[6].classList.add("active");
        break;
}
```

```

        case "edit_content.php" : pageLinks[7].classList.add("active");
    default:
        break;
    }

    function redirect(){
        window.location.href = "../index.php";
    }
    function closeAlert(e){
        e.preventDefault();
        let alertDngr = document.getElementById("cart-alert");
        alertDngr.style.display = "none";
    }
    function closeAlert2(e){
        e.preventDefault();
        let alertDngr = document.getElementById("my-cart");
        alertDngr.style.display = "none";
    }
}

));

```

provera.js

```

function CheckAnswer(idPoll){
    let odgovori = document.getElementsByName(`answerPoll${idPoll}`);
    let x = 0;
    for(let odgovor of odgovori) {
        if (odgovor.checked) {
            x++;
            break;
        }
    }
    if(x == 0) {
        document.getElementsByClassName("dngr")[idPoll-1].innerHTML = "You have
to select one answer.";
        return false;
    }
    else {
        return true;
    }
}
function CheckAdress() {
    let regexAdress = /^[a-zA-Z0-9\s.,/\-\-]+$/;

```

```
let adress = document.getElementById("delivery-adress");
if(!(regexAdress.test(adress.value))) {
    adress.style.border = "2px solid red";
    document.getElementById("failAdress").style.display = "block";
    return false;
}
else {
    return true;
}

let changeDataButton = $('#change-data');
let chmail = $("#chmail");
let chpass = $("#chpass");
let chaddress = $("#chaddress");

$(changeDataButton).click(function(){
    $.ajax({
        method : "post",
        url : "../models/change-profile.php",
        dataType : "json",
        data : {
            mail : chmail.val(),
            password : chpass.val(),
            adress : chaddress.val()
        },
        success : function(response) {
            $("#poruka").html(response.response);
            $("#poruka").css("color","green");
            setTimeout(function(){
                window.location.href = "../profile.php";
            },1500)
        },
        error : function(xhr) {
            if(xhr.status==422) {
                $("#poruka").html("Bad client data.");
                $("#poruka").css("color","red");
            }
            if(xhr.status==500) {
                $("#poruka").html("Database error.");
                $("#poruka").css("color","red");
            }
        }
    })
})
```

```
)
```

custom.js

```
// to get current year
function getYear() {
    var currentDate = new Date();
    var currentYear = currentDate.getFullYear();
    let yr = document.querySelector("#last");
    if(yr) {document.querySelector("#last").innerHTML = currentYear; }

}
getYear();

// owl carousel

//loader


$('.owl-carousel').owlCarousel({
    loop: true,
    margin: 10,
    nav: true,
    autoplay: true,
    autoplayHoverPause: true,
    responsive: {
        0: {
            items: 1
        },
        600: {
            items: 3
        },
        1000: {
            items: 6
        }
    }
})
```

CSS

style.css (author css start označava css studenta, a template css označava css koji je već bio na projektu)

```
@import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap"); /*Template css start*/
@import url("font-awesome.min.css");
body {
    font-family: "poppins", sans-serif;
    color: #101010;
    background-color: #ffffff;
}
@keyframes pulsate {
    0% {
        transform: scale(1);
    }
    50% {
        transform: scale(1.2);
    }
    100% {
        transform: scale(1);
    }
}
.spinning-image {
    animation: pulsate 0.8s infinite;
    width: 30vh;
    height: 30vh;
}
.loader {
    position: fixed;
    top: 0;
    left: 0;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100%;
    width: 100%;
    background-color: black;
    z-index: 1000000;
    margin: 0;
    padding: 0;
}
```

```
.layout_padding {  
    padding-top: 90px;  
    padding-bottom: 90px;  
}  
  
.layout_padding2 {  
    padding-top: 45px;  
    padding-bottom: 45px;  
}  
  
.layout_padding2-top {  
    padding-top: 45px;  
}  
  
.layout_padding2-bottom {  
    padding-bottom: 45px;  
}  
  
.layout_padding-top {  
    padding-top: 90px;  
}  
  
.layout_padding-bottom {  
    padding-bottom: 90px;  
}  
  
.heading_container {  
    display: -webkit-box;  
    display: -ms-flexbox;  
    display: flex;  
    -webkit-box-orient: vertical;  
    -webkit-box-direction: normal;  
    -ms-flex-direction: column;  
    flex-direction: column;  
}  
  
.heading_container h2 {  
    text-transform: uppercase;  
    font-weight: bold;  
}  
  
.heading_container h2 span {  
    color: #f89cab;  
}
```

```
.heading_container.heading_center {  
    -webkit-align: center;  
    -ms-flex-align: center;  
    align-items: center;  
    text-align: center;  
}  
  
/*header section*/  
.hero_area {  
    padding: 0 45px;  
}  
  
.hero_area.sub_pages {  
    height: auto;  
}  
  
#navbarSupportedContent {  
    width: 94%;  
    background-color: #f9ecef;  
    -webkit-box-pack: center;  
    -ms-flex-pack: center;  
    justify-content: center;  
    padding: 10px 0;  
    border-radius: 15px 15px 0 0;  
}  
  
#navbarSupportedContent.innerpage_navbar {  
    background-color: white;  
    border-radius: 10px;  
    -webkit-box-shadow: 0 0 3px 0 rgba(0, 0, 0, 0.25);  
    box-shadow: 0 0 3px 0 rgba(0, 0, 0, 0.25);  
}  
  
#navbarSupportedContent.innerpage_navbar .nav-item.active .nav-link {  
    background-color: #f4f5f6;  
}  
  
#navbarSupportedContent .navbar-nav .nav-link {  
    padding: 5px 25px;  
    color: #514f4f;  
    text-align: center;  
    text-transform: uppercase;  
    border-radius: 5px;  
}
```

```
#navbarSupportedContent .nav-item.active .nav-link {  
    background-color: #ffffff;  
}  
  
a,  
a:hover,  
a:focus {  
    text-decoration: none;  
}  
  
a:hover,  
a:focus {  
    color: initial;  
}  
  
.btn,  
.btn:focus {  
    outline: none !important;  
    -webkit-box-shadow: none;  
                box-shadow: none;  
}  
  
.navbar-brand {  
    margin: 15px 0;  
    padding: 0;  
}  
  
.navbar-brand span {  
    font-size: 28px;  
    font-weight: bold;  
    color: #000000;  
    text-transform: uppercase;  
    margin: 0;  
    padding: 0;  
}  
  
.custom_nav-container .nav_search-btn {  
    padding: 0;  
    border: none;  
}  
  
.custom_nav-container {  
    padding: 0;  
    -webkit-box-orient: vertical;  
    -webkit-box-direction: normal;
```

```
-ms-flex-direction: column;
flex-direction: column;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
}

.custom_nav-container .navbar-toggler {
outline: none;
}

.custom_nav-container .navbar-toggler {
outline: none;
}

.custom_nav-container .navbar-toggler {
padding: 0;
width: 37px;
height: 42px;
-webkit-transition: all .3s;
transition: all .3s;
}

.custom_nav-container .navbar-toggler span {
display: block;
width: 35px;
height: 4px;
background-color: #000000;
margin: 7px 0;
-webkit-transition: all 0.3s;
transition: all 0.3s;
position: relative;
border-radius: 5px;
-webkit-transition: all .3s;
transition: all .3s;
}

.custom_nav-container .navbar-toggler span::before, .custom_nav-container
.navbar-toggler span::after {
content: "";
position: absolute;
left: 0;
height: 100%;
width: 100%;
background-color: #000000;
```

```
top: -10px;
border-radius: 5px;
-webkit-transition: all .3s;
transition: all .3s;
}

.custom_nav-container .navbar-toggler span::after {
    top: 10px;
}

.custom_nav-container .navbar-toggler[aria-expanded="true"] {
    -webkit-transform: rotate(360deg);
        transform: rotate(360deg);
}

.custom_nav-container .navbar-toggler[aria-expanded="true"] span {
    -webkit-transform: rotate(45deg);
        transform: rotate(45deg);
}

.custom_nav-container .navbar-toggler[aria-expanded="true"] span::before,
.custom_nav-container .navbar-toggler[aria-expanded="true"] span::after {
    -webkit-transform: rotate(90deg);
        transform: rotate(90deg);
    top: 0;
}

.user_option {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -webkit-box-align: center;
        -ms-flex-align: center;
            align-items: center;
    margin-left: 25px;
}

.user_option a {
    margin-right: 25px;
    color: #000000;
}

.user_option a span {
    margin-left: 5px;
}
```

```
/*end header section*/
.slider_section .slider_container {
    color: #fefefe;
    background-color: #000000;
    background-color: #d3ab9e;
    padding: 25px;
    width: 94%;
    margin: auto;
    border-radius: 0 0 15px 15px;
}

.slider_section .row {
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
}

.slider_section .img-box {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
    padding: 45px;
}

.slider_section .img-box img {
    width: 275px;
}

.slider_section .detail-box {
    padding-left: 45px;
    margin: 45px 0;
}

.slider_section .detail-box h1 {
    font-weight: bold;
    font-size: 3.5rem;
    margin-bottom: 10px;
}

.slider_section .detail-box a {
    display: inline-block;
```

```
padding: 10px 40px;
background-color: #db4566;
color: #ffffff;
border: 1px solid #db4566;
border-radius: 5px;
-webkit-transition: all .3s;
transition: all .3s;
margin-top: 25px;
text-transform: uppercase;
}

.slider_section .detail-box a:hover {
background-color: transparent;
color: #db4566;
}

.slider_section .carousel_btn-box {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
background-color: #ffffff;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
position: absolute;
bottom: -25px;
left: 5%;
padding: 7px 10px;
border-radius: 5px 5px 0 0;
}

.slider_section .carousel_btn-box img {
margin: 0 10px;
}

.slider_section .carousel_btn-box .carousel-control-prev,
.slider_section .carousel_btn-box .carousel-control-next {
position: unset;
height: 25px;
width: 25px;
background-repeat: no-repeat;
opacity: 1;
background-position: center;
color: #000000;
font-size: 14px;
```

```
}

.shop_section .heading_container {
    margin-bottom: 20px;
}

.container {
    text-align: center; /* Centriranje sadržaja */
}

.dropdown {
    display: inline-block; /* Da se elementi prikazuju u istom redu */
    margin: 0 10px; /* Razmak između elemenata */
}

.dropdown select {
    padding: 8px 12px; /* Veličina i stil dropdowna */
    font-size: 16px;
    border: 1px solid #ccc;
    border-radius: 5px;
    background-color: #eeeeee;
    cursor: pointer;
}

.dropdown span {
    margin-right: 5px;
    font-weight: bold;
}

.shop_section .box {
    background-color: #eeeeee;
    position: relative;
    padding: 10px;
    margin-top: 25px;
    height: 360px;
}

.shop_section .box a {
    color: #000000;
}

a.no-discount {
    margin-top: 25px;
}

.shop_section .box .img-box {
    display: -webkit-box;
```

```
display: -ms-flexbox;
display: flex;
-webkit-box-pack: center;
-ms-flex-pack: center;
justify-content: center;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
padding: 15px 30px;
height: 245px;
}

.shop_section .box .img-box img {
max-width: 100%;
max-height: 145px;
}

.shop_section .box .detail-box {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: justify;
-ms-flex-pack: justify;
justify-content: space-between;
}

.shop_section .box .detail-box h6 span {
color: #db4f66;
}

.shop_section .box .new {
width: 50px;
height: 50px;
position: absolute;
top: 10px;
left: 10px;
background-color: #ffffff;
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: center;
-ms-flex-pack: center;
justify-content: center;
-webkit-box-align: center;
-ms-flex-align: center;
```

```
    align-items: center;
    border-radius: 100%;
    font-size: 15px;
}

.shop_section .btn-box {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
    margin-top: 45px;
}

.shop_section .btn-box a {
    display: inline-block;
    padding: 10px 40px;
    background-color: #f16179;
    color: #ffffff;
    border: 1px solid #f16179;
    border-radius: 5px;
    -webkit-transition: all .3s;
    transition: all .3s;
}

.shop_section .btn-box a:hover {
    background-color: transparent;
    color: #f16179;
}

.detail-box-hidden {
    display: none;
}

.saving_section {
    padding-left: 45px;
    padding-right: 45px;
}

.saving_section .box {
    padding-top: 45px;
    background-color: #7fd7eb;
    color: #ffffff;
    border-radius: 15px;
}
```

```
.saving_section .row {
    -webkit-align: center;
    -ms-align: center;
    align-items: center;
}

.saving_section .img-box {
    padding: 15px 0 0 25px;
}

.saving_section .img-box img {
    width: 100%;
}

.saving_section .detail-box {
    padding: 0 25px;
}

.saving_section .detail-box p {
    margin-top: 5px;
}

.saving_section .detail-box .btn-box {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -ms-flex-wrap: wrap;
    flex-wrap: wrap;
    margin: 35px -5px 0;
}

.saving_section .detail-box .btn-box a {
    width: 165px;
    text-align: center;
    margin: 5px;
}

.saving_section .detail-box .btn-box .btn1 {
    display: inline-block;
    padding: 10px 0;
    background-color: #109dbd;
    color: #ffffff;
    border: 1px solid #109dbd;
    border-radius: 0;
    -webkit-transition: all .3s;
```

```
transition: all .3s;
}

.saving_section .detail-box .btn-box .btn1:hover {
background-color: transparent;
color: #109dbd;
}

.saving_section .detail-box .btn-box .btn2 {
display: inline-block;
padding: 10px 0;
background-color: #ffffff;
color: #000000;
border: 1px solid #ffffff;
border-radius: 0;
-webkit-transition: all .3s;
transition: all .3s;
}

.saving_section .detail-box .btn-box .btn2:hover {
background-color: transparent;
color: #ffffff;
}

.why_section .box {
text-align: center;
margin-top: 45px;
background-color: #f9f8f7;
padding: 25px;
border-radius: 5px;
}

.why_section .box .img-box {
margin-bottom: 15px;
}

.why_section .box .img-box svg {
width: 55px;
height: auto;
fill: #320b57;
}

.gift_section {
padding-left: 45px;
padding-right: 45px;
```

```
}

.gift_section .box {
    background-color: #6929a5;
    border-radius: 15px;
    color: #ffffff;
}

.gift_section .row {
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
}

.gift_section .img-box {
    padding: 60px 0 60px 25px;
}

.gift_section .img-box img {
    width: 100%;
}

.gift_section .detail-box {
    padding: 0 25px;
}

.gift_section .detail-box p {
    margin-top: 5px;
}

.gift_section .detail-box .btn-box {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -ms-flex-wrap: wrap;
    flex-wrap: wrap;
    margin: 35px -5px 0;
}

.gift_section .detail-box .btn-box a {
    width: 165px;
    text-align: center;
    margin: 5px;
}
```

```
.gift_section .detail-box .btn-box .btn1 {  
    display: inline-block;  
    padding: 10px 0;  
    background-color: #ffffff;  
    color: #000000;  
    border: 1px solid #ffffff;  
    border-radius: 0;  
    -webkit-transition: all .3s;  
    transition: all .3s;  
}  
  
.gift_section .detail-box .btn-box .btn1:hover {  
    background-color: transparent;  
    color: #ffffff;  
}  
  
.gift_section .detail-box .btn-box .btn2 {  
    display: inline-block;  
    padding: 10px 0;  
    background-color: #9242dd;  
    color: #ffffff;  
    border: 1px solid #9242dd;  
    border-radius: 0;  
    -webkit-transition: all .3s;  
    transition: all .3s;  
}  
  
.gift_section .detail-box .btn-box .btn2:hover {  
    background-color: transparent;  
    color: #9242dd;  
}  
  
.contact_section {  
    position: relative;  
}  
  
.contact_section .container-bg {  
    -webkit-box-shadow: 0 0 25px 0 rgba(0, 0, 0, 0.1);  
    box-shadow: 0 0 25px 0 rgba(0, 0, 0, 0.1);  
}  
  
.contact_section .heading_container {  
    margin-bottom: 30px;  
}
```

```
.contact_section .row {  
    -webkit-align-items: stretch;  
    -ms-align-items: stretch;  
    align-items: stretch;  
}  
  
.contact_section form {  
    padding-right: 35px;  
    padding: 45px 20px;  
}  
  
.contact_section input {  
    width: 100%;  
    border: 1px solid #919191;  
    height: 50px;  
    margin-bottom: 25px;  
    padding-left: 25px;  
    background-color: transparent;  
    outline: none;  
    color: #101010;  
}  
  
.contact_section input::-webkit-input-placeholder {  
    color: #131313;  
}  
  
.contact_section input:-ms-input-placeholder {  
    color: #131313;  
}  
  
.contact_section input::-ms-input-placeholder {  
    color: #131313;  
}  
  
.contact_section input::placeholder {  
    color: #131313;  
}  
  
.contact_section input.message-box {  
    height: 120px;  
}  
  
.contact_section button {  
    display: inline-block;  
    padding: 12px 45px;  
}
```

```
background-color: #db4f66;
color: #ffffff;
border: 1px solid #db4f66;
border-radius: 0;
-webkit-transition: all .3s;
transition: all .3s;
display: block;
color: #fff;
margin: 35px auto 0 auto;
}

.contact_section button:hover {
background-color: transparent;
color: #db4f66;
}

.contact_section .map_container {
height: 100%;
min-height: 375px;
}

.contact_section .map_container .map-responsive {
height: 100%;
}

.client_section .heading_container {
margin-bottom: 20px;
}

.client_section .box {
margin: 15px 45px;
-webkit-box-shadow: 0 0 5px 0 rgba(0, 0, 0, 0.25);
box-shadow: 0 0 5px 0 rgba(0, 0, 0, 0.25);
padding: 25px;
}

.client_section .box .client_info {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: justify;
-ms-flex-pack: justify;
justify-content: space-between;
}
```

```
.client_section .box .client_info .client_name h5 {  
    font-weight: 600;  
    color: #db4f66;  
    text-align: left;  
}  
  
.client_section .box .client_info .client_name h6 {  
    margin-bottom: 0;  
    color: #bfc0c0;  
    font-weight: normal;  
    font-size: 15px;  
}  
  
.client_section .box .client_info i {  
    font-size: 24px;  
}  
  
.client_section .box p {  
    margin-top: 15px;  
    text-align: left;  
}  
  
.client_section .carousel-control-prev,  
.client_section .carousel-control-next {  
    width: 45px;  
    height: 125px;  
    background-color: #db4f66;  
    opacity: 1;  
    font-size: 28px;  
    font-weight: bold;  
    top: 50%;  
    -webkit-transform: translateY(-50%);  
        transform: translateY(-50%);  
}  
  
.client_section .carousel-control-prev {  
    left: 0;  
}  
  
.client_section .carousel-control-next {  
    right: 0;  
}  
  
/* info section */  
.info_section {
```

```
position: relative;
background-color: #2d2d2d;
color: #ffffff;
margin: 0 45px 45px;
padding-bottom: 3rem;
}

.info_section .social_container {
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
margin-top: 25px;
margin-bottom: 30px;
}

.info_section .social_container .social_box {
    display: -webkit-box;
    display: -ms-flexbox;
    display: flex;
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
    -webkit-box-pack: center;
    -ms-flex-pack: center;
    justify-content: center;
}

.info_section .social_container .social_box a {
    margin: 0 10px;
    color: #ffffff;
    font-size: 24px;
}

.info_section .info_form form input {
    outline: none;
    width: 100%;
    padding: 7px 10px;
}

.info_section .info_form form button {
    padding: 8px 35px;
    outline: none;
    border: none;
    color: #ffffff;
    background: #f89cab;
```

```
margin-top: 15px;
text-transform: uppercase;
}

.info_section .row > div {
margin-top: 25px;
}

.info_section a {
text-transform: none;
}

.info_section h6 {
font-weight: bold;
text-transform: uppercase;
font-size: 18px;
margin-bottom: 25px;
text-align: left;
}

.info_section p {
color: #cbc9c9;
text-align: left;
}

.info_section .info_link-box a {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-align: left;
-ms-flex-align: left;
align-items: left;
margin: 15px 0;
}

.info_section .info_link-box a:hover {
color: #ffffff;
}

.info_section .info_link-box a i {
color: #ffffff;
margin-right: 5px;
font-size: 18px;
}
```

```
.info_section .info_link-box a span {
    color: #cbc9c9;
}

.info_section .info_link-box a:hover span {
    color: #ffffff;
}

/* end info section */
/* footer section*/
.footer_section {
    margin-top: 45px;
    font-weight: 500;
}

.footer_section p {
    padding: 20px 0;
    margin: 0 auto;
    text-align: center;
    border-top: 1.5px solid #eeeeee;
    width: 80%;
}

.footer_section a {
    color: #cbc9c9;
}
#footer {
    margin: 0 auto;
    display: flex;
}
#last {
    margin: 0 auto;
} /*Template css end*/
/* Author css start */
#log-in {
    display: flex;
    flex-direction: row;
    justify-content: center;
    align-items: center;
    padding-top: 5rem;
    padding-bottom: 5rem;
}
#log-in form {
    background-color: #2d2d2d;
    padding: 2.5rem;
```

```
color: #ffffff;
border-radius: 15px;
width: 35%;
}
#log-in form a {
  color: #ffffff;
  margin-left: 1rem;
}
#log-in form input[type="text"],#log-in form input[type="password"] {
  margin-top: 20px;
  margin-left: 15px;
  background-color: #ffffff;
  border-radius: 10px;
  width: 75%;
  padding: 5px;
}
#log-in form input[type="text"]:first-of-type {
  margin-left: 45px;
}
#log-in form input[type="button"] {
  padding: 5px 15px 5px 15px;
  border-radius: 5px;
  margin-top: 2rem;
}
#log-in form input[type="button"]:hover {
  background-color: #bfc0c0;
}

#regMail {
  margin-left: 50px !important;
}

#regAdress {
  margin-left: 50px !important;
}
.err-Msg {
  display: none;
  margin-top: 10px;
}
/* #cart-alert {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  margin: 0 auto;
```

```
} */  
#cart-alert {  
    display: none;  
    position: fixed;  
    top: 50%;  
    left: 50%;  
    transform: translate(-50%, -50%);  
    background-color: #f0f0f0;  
    padding: 3rem;  
    border: 2px solid red;  
    flex-direction: column;  
    align-items: center;  
    justify-content: center;  
}  
#log_in_link{  
    color: #ffffff;  
    background-color: #2d2d2d;  
    border-radius: 5px;  
    padding: 5px 15px 5px 15px;  
    margin-top: 10px;  
}  
#close {  
    position: absolute;  
    top : 0;  
    right: 10px;  
    margin: 0;  
    font-size: 30px;  
    font-weight: bolder;  
    color: #2d2d2d;  
}  
#close_2 {  
    position: absolute;  
    top : 0;  
    right: 10px;  
    margin: 0;  
    font-size: 30px;  
    font-weight: bolder;  
    color: #2d2d2d;  
}  
.delete {  
    margin-top: 20px;  
    color: red !important;  
}  
#my-cart {  
    display: none;
```

```
position: fixed;
z-index: 99;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
background-color: #f0f0f0;
padding: 20px 50px 20px 50px;
border: 1px solid #ccc;
max-height: 90%;
overflow: auto;

}

#my-cart #cart-content {
    display: flex;
    flex-direction: column;
    align-items: center;
    padding: 2rem;
}

.cart-product {
    display: flex;
    flex-direction: row;
    align-items: center;
    text-align: center;
    justify-content: space-between;
}

.cart-product img {
    width: 25px;
    height: 30px;
    margin-right: 20px;
    margin-bottom: 20px;
}

.price {
    margin-left: 20px;
}

#wrap {
    padding: 30px;
    display: flex;
    justify-content: center;
    flex-direction: column;
    align-items: center;
}

.added-success {
    color: green;
}
```

```
#orderNow {  
    margin: 0 auto;  
    margin-top: 3rem;  
    display: flex;  
    flex-direction: column;  
    justify-content: space-between;  
    align-items: center;  
    width: 60%;  
    background-color: #2d2d2d;  
    color: #ffffff;  
    border-radius: 10px;  
    margin-bottom: 5rem;  
    padding-top: 1rem;  
    padding-bottom: 5rem;  
}  
  
#order-form {  
    display: flex;  
    flex-direction: row;  
    justify-content: center;  
    align-items: center;  
    text-align: center;  
    margin-top: 2rem;  
}  
  
#order-form input[type="text"] {  
    margin-left: 1rem;  
    padding: 5px 15px;  
}  
  
#orderNow h2 {  
    padding-top: 2rem;  
}  
  
#orderNow h4 {  
    margin-top: 3rem;  
    text-align: center;  
}  
  
#orderNow table {  
    margin-top: 40px;  
    margin: 0 auto;  
    margin-top: 1rem;  
}  
  
#orderNow input[type='submit'] {  
    margin: 0 auto;  
    margin-top: 2rem;  
    margin-bottom: 2rem;  
    border-radius: 5px;  
    padding-top: 10px;
```

```
padding-bottom: 10px;
padding-left: 20px;
padding-right: 20px;
color: black;
text-transform: uppercase;
background-color: #bfc0c0;
}
#orderNow input[type='submit']:hover {
  background-color: lightgreen;
}
#orderNow table th, tr, td {
  border: 2px solid white;
  padding: 10px;
  text-align: center;
}
#orderNow table th {
  background-color: black;
}
#orderNow table img {
  width: 32px;
  height: 50px;
}

#successOrder{
  color: green;
  font-weight: bolder;
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  margin: 0 auto;
  margin-top: 3rem;
  background-color: #bfc0c0;
  border-radius: 15px;
  padding: 3rem;
  width: 50%;
}
.formAnswers {
  width: 30%;
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  text-align: center;
```

```
background-color: #bfc0c0;
padding: 50px;
border-radius: 10px;
margin-top: 50px;
margin-left: auto;
margin-right: auto;

}

.radioAnsw {
  display: flex;
  flex-direction: row;
  align-items: center;
  justify-content: space-around;
  width: 20%;
  margin-top: 25px;
}

.radioAnsw p {
  margin: 0;
}

.formAnswers input[type="submit"] {
  margin-top: 20px;
  padding: 5px;

}

#pollNoti {
  text-align: center;
  background-color: #d3ab9e;
  width: 60%;
  margin: 0 auto;
  margin-top: 50px;
  padding: 20px;
  padding-top: 50px;
  padding-bottom: 50px;
  border-radius: 10px 10px 0 0;
  color: white;
}

#notLogged {
  text-align: center;
  display: flex;
  justify-content: center;
  align-items: center;
  margin: 0 auto;
  border-radius: 0 0 10px 10px;
  padding-bottom: 4rem;
```

```
margin-bottom: 6rem;
font-size: 20px;
background-color: #d3ab9e;
width: 60%;
color: #2d2d2d;
}

.statistics {
  display: flex;
  flex-wrap: wrap;
  text-align: center;
  background-color: #2d2d2d;
  padding: 20px;
  border-radius: 15px;
  width: 60%;
  justify-content: center;
  align-content: center;
  flex-direction: column;
  margin: 0 auto;
  margin-top: 5rem;
  color: white;
}

.statistics h6 {
  color: red;
  margin-top: 20px;
}

.avg {
  font-weight: bold;
  color: lightgreen;
}

#adm_panel h5 {
  margin-top: 2rem;
  text-align: center;
  font-weight: bold;
}

#nav, #test_adm, #heroes, #productsP, .usersIn, #footer_edit, #iconsFooter {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
}

table, tr, td, th {
  border: 2px solid #2d2d2d;
}

#test_adm, #heroes, #productsP, .usersIn, #footer_edit, #iconsFooter, #nav{
  width: 95%;
```

```
margin: 0 auto;
margin-top: 3rem;
}
#productsP table {
  width: 90%;
}
#productsP img {
  width: 15%;
  height: 50%;
}
}
#test_adm textarea, #heroes textarea {
  width: 250px;
  padding: 20px;
}
.dngr {
  text-align: center;
  color: red;
  font-weight: bold;
}

#profile-data {
  width: 90%;
  background-color: #d3ab9e;
  border-radius: 5px;
  margin: 0 auto;
  margin-top: 3rem;
  display: flex;
  justify-content: space-between;
}
#profile-data table {
  background-color: #db4566;
  margin-left: 1.5rem;
  color: white;
  font-family: "poppins", sans-serif;
}
.item h4:first-of-type {
  padding: 1.5rem;
  color: #130505;
  font-weight: bold;
}
.item:last-of-type {
  margin-right: 1.5rem;
  font-weight: bold;
}
#edit-profile {
```

```
display: grid;
place-items: center;
width: 90%;
background-color: #d3ab9e;
margin: 0 auto;
margin-top: 2rem;
border-radius: 5px;
margin-bottom: 5rem;
}
#edit-profile form input {
  margin-top: 2.5rem;
}
#edit-profile form input[type='text'], #edit-profile form input[type='password']
{
  margin-left: 15px;
}

#pageNumbers {
  width: 90%;
  margin : 2rem auto;
  text-align: center;
}
#pageNumbers a {
  background-color: #c2c2c2;
  border-radius: 3px;
  padding: 5px 10px;
  text-decoration: none;
  color : black;
}

#about {
  width: 86%;
  margin: 2rem auto;
  /*border: 2px solid black;*/
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  padding-bottom: 5rem;
}
#about_add {
  display: flex;
  align-items: center;
  margin-top: 1rem;
}
```

```
.line {
    width: 4rem;
    height: 3px;
    background-color: black;
}
.line:first-of-type {
    margin-right: 0.5rem;
}
.line:last-of-type {
    margin-left: 0.5rem;
}
#about_content {
    display: flex;
    justify-content: space-around;
    align-items: center;
    margin-top: 1rem;
    width: 100%;
    border-radius: 1rem;
}
#pic_container {
    /*width: 49%;*/
    height: 30rem;
}
#pic_container img {
    max-width: 100%;
    max-height: 100%;
    border-radius: 10px;
}
#text_container {
    width: 49%;
    border-radius: 1rem;
    font-size: 1.2rem;
    word-wrap: break-word;
    /*background-color: #c0c0c0;*/
    padding: 1rem;
}
#text_container p {
    margin-top: 2rem;
    line-height: 1.7rem;
}
#linija {
    width: 100%;
    height: 5rem;
```

```
background-color: black;  
}  
  
/* autor css end*/  
/*# sourceMappingURL=style.css.map */
```