

Dokumentacija

Web programiranje PHP2 SITE2

Student:Veljko Radenkovic 128/15

Opis funkcionalnosti

Opis funkcionalnosti: Na svakoj stranici se nalazi dinamički meni čiji izgled zavisi od sesije, odnosno da li je admin ulogovan ili nije. Na stranici tim izlistan je prvi tim ekipe Crvene Zvezde I odradjena je paginacija. Na stranici about se nalazi opis autora sajta. Na stranici pocetna su prikazani postovi iz baze koji se mogu komentarisati. Na stranici kontakt je odradjen kontakt. Takodje se u navigaciji nalaze logovanje I registracija.

PHP KOD ->Kontroleri

BackendController.php

The screenshot shows a code editor interface with the following details:

- Project Path:** tikaspic > app > Http > Controllers > BackendController.php
- Code Editor:** The file `BackendController.php` is open, showing the following PHP code:

```
<?php
namespace App\Http\Controllers;

use App\Models\Meni;

class BackendController extends Controller{
    //put your code here

    private $data=[];
    public function __construct() {
        $meni= new Meni();
        $this->data['menus']=$meni->getAdmin();
    }
    public function index(){
        return view( 'admin.pages.home', $this->data);
    }
}
```

- Toolbars and Status Bar:** The top bar includes tabs for `phpunit.xml`, `Database`, and other project-related icons. The bottom status bar shows "Activate Windows Go to Settings to activate Windows.", file encoding "UTF-8", and line endings "LF".

FrontendController.php

tikaspic > app > Http > Controllers > FrontendController.php

BackendController.php Controller.php FrontendController.php

```
<?php  
//  
namespace App\Http\Controllers;  
use App\Models\Tim;  
use Illuminate\Support\Facades\Mail;  
  
use App\Models\Meni;  
use App\Models\Post;  
use App\Models\Komentar;  
use App\Models\Korisnik;  
use Illuminate\Http\Request;  
use function view;  
  
class FrontendController extends Controller{  
    //put your code here  
  
    private $data=[];  
  
    public function __construct()  
    {  
        $meni= new Meni();  
        $this->data['menus']= $meni->getAll();  
    }  
  
    public function download()  
    {  
        $headers = array(  
            'Content-Type: application/pdf',  
        );  
        return response()->download(public_path( path: 'dokumentacija.pdf'), name: 'dokumentacija.pdf', $headers);  
    }  
  
    public function index()  
    {  
        //  
    }  
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

38:85 CRLF 4 spaces

tikaspic > app > Http > Controllers > FrontendController.php

BackendController.php Controller.php FrontendController.php

```
public function index()  
{  
    $post=new Post();  
  
    $this->data['posts']=$post->getAll( perPage: 3);  
  
    return view( view: 'pages.home', $this->data);  
}  
  
public function getPost($id)  
{  
    $post=new Post();  
  
    $this->data['singlePost']=$post->get($id);  
    $komentar=new Komentar();  
    $post->id=$komentar->id_post;  
    $this->data['comments']=$komentar->get($id);  
  
    return view( view: 'pages.post', $this->data);  
}  
  
public function about()  
{  
    return view( view: 'pages.about', $this->data);  
}  
  
public function tim()  
{  
    $tim= new Tim();  
    $this->data['tim']=$tim->getAll( perPage: 4);  
  
    return view( view: 'pages.tim', $this->data);  
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

38:85 CRLF 4 spaces

tikaspic > app > Http > Controllers > FrontendController.php

BackendController.php Controller.php FrontendController.php

```
1 Project
  79
  80     public function kontakt() {
  81         return view( view: 'pages.kontakt', $this->data );
  82     }
  83
  84
  85     public function store(Request $request) {
  86
  87         $validate = [
  88             'name' => 'required',
  89             'last' => 'required',
  90
  91             'mail' => 'required|email',
  92             'naslov' => 'required',
  93             'message' => 'required'
  94         ];
  95
  96
  97         $customMessage = [
  98             'required' => 'Polje :attribute je obavezno'
  99         ];
 100
 101         $request->validate($validate, $customMessage);
 102
 103         try {
 104             $subject = $request->Input( key: 'naslov' );
 105             $message = $request->Input( key: 'message' );
 106             $to = 'vekicaradekovic@gmail.com';
 107             $headers = 'From: '. $request->Input( key: 'mail' );
 108
 109             mail($to, $subject, $message, $headers);
 110
 111             return redirect()->back()->with('success', 'Uspeh');
 112
 113         }
 114     }
 115 }
```

Activate Windows
Go to Settings to activate Windows.

App\Http\Controllers > FrontendController > download()

Event Log

38:85 CRLF 4 spaces

tikaspic > app > Http > Controllers > FrontendController.php

BackendController.php Controller.php FrontendController.php

```
1 Project
  116     }
  117     catch(\Exception $ex) {
  118         \Log::error('Greska: '.$ex->getMessage());
  119         return redirect()->back()->with('error', 'Greska');
  120     }
  121
  122     public function profil($id){
  123
  124         $korisnik = new Korisnik();
  125
  126
  127         if(!empty($id)){
  128             $korisnik->id = $id;
  129             $this->data['korisnik'] = $korisnik->get();
  130         }
  131
  132
  133         return view( view: 'pages.profil', $this->data );
  134     }
  135
  136     public function updateProfil($id, Request $request){
  137
  138         try{
  139             $korisnik=new Korisnik();
  140             $korisnik->id=$id;
  141
  142             $korisnik->ime=$request->input( key: 'ime' );
  143             $korisnik->prezime=$request->input( key: 'prezime' );
  144             $korisnik->email=$request->input( key: 'email' );
  145             $korisnik->korisnicko_ime=$request->input( key: 'korisnicko_ime' );
  146
  147             $korisnik->update();
  148
  149             return redirect()->back()->with('success', 'Uspesno!');
  150         }
  151     }
  152 }
```

Activate Windows
Go to Settings to activate Windows.

App\Http\Controllers > FrontendController > download()

Event Log

38:85 CRLF 4 spaces

BackendController.php

```

152     }
153     catch(QueryException $ex){
154         \Log::error($ex->getMessage());
155         return redirect()->back()->with('error','Greska pri upisu u bazu');
156     }
157 }

158 public function storeComment(Request $request){
159     try{
160
161         $komentar=new Komentar();
162         $komentar->tekst=$request->get('comment');
163         $komentar->id_post=$request->get('id_post');
164         $komentar->id_korisnik=session()->get('user')[0]->id_korisnik;
165
166         $komentar->insert();
167
168         return redirect()->with('success','Uspesno!');
169     }
170     catch(QueryException $ex){
171         \Log::error($ex->getMessage());
172         return redirect()->back()->with('error','Greska pri upisu u bazu');
173     }
174 }
175
176
177
178
179
180
181
182
183
184
185
186
187
188

```

\App\Http\Controllers\FrontendController::download()

Activate Windows
Go to Settings to activate Windows.

Event Log

38:85 CRLF : UTF-8 : 4 spaces :

KomentarController.php

KomentarController.php

```

1 <?php
2
3 //...
4
5 namespace App\Http\Controllers;
6
7 use App\Models\Meni;
8 use App\Models\Komentar;
9 use App\Models\Post;
10 use Illuminate\Http\Request;
11
12 class KomentarController {
13     //put your code here
14
15     public function __construct() {
16
17         $meni= new Meni();
18         $this->data['menusi']= $meni->getAdmin();
19     }
20
21     public function tabelaKomentar(){
22
23         $k = new Komentar();
24         $this->data['komentari'] = $k->getAll();
25         return view('admin.pages.tabelaKomentar',$this->data);
26     }
27
28     public function komentar($id=null){
29
30         $komentar = new Komentar();
31         $this->data['komentari'] = $komentar->getAll();
32
33         if(!empty($id)){
34             $komentar->id = $id;
35             $this->data['komentar'] = $komentar->getCom();
36         }
37
38
39
40
41
42

```

Activate Windows
Go to Settings to activate Windows.

Event Log

7:4 CRLF : UTF-8 : 4 spaces :

tikaspic > app > Http > Controllers > KomentarController.php

1-Project

2-Favorites

2-Structure

3-TODO Terminal Event Log

phpunit.xml

Database

```
42
43     $post=new Post();
44     $this->data['postovi']=$post->getPosts();
45
46
47     return view( view: 'admin.pages.komentar', $this->data);
48 }
49
50 public function storeKomentar(Request $request){
51
52
53     $request->validate([
54         'tekst'=>'required',
55         'id_post'=>'required'
56     ], [
57         'required'=>'Polje :attribute je obavezno!'
58     ]);
59
60
61     try{
62
63         $komentar=new Komentar();
64         $komentar->tekst=$request->get( key: 'tekst');
65         $komentar->id_post=$request->get( key: 'id_post');
66         $komentar->id_korisnik=session()->get( key: 'user')[0]->id_korisnik;
67
68
69         $komentar->insert();
70
71         return redirect( to: '/komentar/tabela');
72
73     }catch(QueryException $ex){
74         \Log::error($ex->getMessage());
75         return redirect()->back()->with('error', 'Greska pri upisu u bazu');
76     }
77
78 }
```

```
 77 }  
 78 }  
 79 }  
 80 public function updateKomentar($id, Request $request) {  
 81     try {  
 82         $komentar=new Komentar();  
 83         $komentar->id=$id;  
 84  
 85         $komentar->tekst=$request->get( key: 'tekst');  
 86         $komentar->id_post=$request->get( key: 'id_post');  
 87         $komentar->id_korisnik=session()->get( key: 'user')[0]->id_korisnik;  
 88  
 89         $komentar->update();  
 90  
 91         return redirect( to: '/komentar/tabela');  
 92     }  
 93 }  
 94 }  
 95 }  
 96 catch(QueryException $ex){  
 97     \Log::error($ex->getMessage());  
 98     return redirect()->back()->with('error','Greska pri upisu u bazu');  
 99 }  
100 }  
101 }  
102 }  
103 public function deleteKomentar($id) {  
104     $komentar=new Komentar();  
105     $komentar->id=$id;  
106  
107     $komentar->delete();  
108     return redirect( to: '/');  
109 }  
110 }  
111 }
```

Activate Windows
Go to Settings to activate Windows.

KorisnikController.php

tikaspic > app > Http > Controllers > KorisnikController.php

```
<?php  
namespace App\Http\Controllers;  
  
use App\Models\Meni;  
use App\Models\Korisnik;  
use Illuminate\Http\Request;  
  
class KorisnikController extends BackendController{  
    //put your code here  
    private $data=[];  
    public function __construct() {  
  
        $meni= new Meni();  
        $this->data['menus']= $meni->getAdmin();  
    }  
  
    public function tabelaKorisnik(){  
  
        $korisnik = new Korisnik();  
        $this->data['korisnici'] = $korisnik->getAll();  
  
        return view( 'admin.pages.tabelaKorisnik', $this->data);  
    }  
  
    public function korisnik($id=null){  
  
        $korisnik = new Korisnik();  
        $this->data['korisnici'] = $korisnik->getAll();  
  
        if(!empty($id)){  
            $korisnik->id = $id;  
            $this->data['korisnik'] = $korisnik->get();  
        }  
    }  
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

tikaspic > app > Http > Controllers > KorisnikController.php

```
if(!empty($id)){  
    $korisnik->id = $id;  
    $this->data['korisnik'] = $korisnik->get();  
}  
  
return view( 'admin.pages.korisnik', $this->data);  
}  
  
public function storeKorisnik(Request $request){  
  
    $request->validate([  
        'ime'=>'required',  
        'prezime'=>'required',  
        'email'=>'required|email',  
        'korisnicko_ime'=>'required',  
        'lozinka'=>'required'  
    ]);  
    try{  
  
        $korisnik=new Korisnik();  
        $korisnik->ime=$request->get( key: 'ime');  
        $korisnik->prezime=$request->get( key: 'prezime');  
        $korisnik->email=$request->get( key: 'email');  
        $korisnik->korisnicko_ime=$request->get( key: 'korisnicko_ime');  
        $korisnik->lozinka=$request->get( key: 'lozinka');  
  
        $korisnik->insert();  
  
        return redirect( to: '/korisnik/tabela');  
    }  
    catch(QueryException $ex){  
        \Log::error($ex->getMessage());  
        return redirect()->back()->with('error', 'Greska pri upisu u bazu');  
    }  
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

tikaspic > app > Http > Controllers > KorisnikController.php

Project 1-Project

KorisnikController.php

```
15     \Log::error($ex->getMessage());
16     return redirect()->back()->with('error', 'Greska pri upisu u bazu');
17 }
18 }
19 }
20 }
21 }
22 }
23 }
24 }
25 }
26 }
27 }
28 }
29 }
30 }
31 }
32 }
33 }
34 }
35 }
36 }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }
59 }
60 }
61 }
62 }
63 }
64 }
65 }
66 }
67 }
68 }
69 }
70 }
71 }
72 }
73 }
74 }
75 }
76 }
77 }
78 }
79 }
80 }
81 }
82 }
83 }
84 }
85 }
86 }
87 }
88 }
89 }
90 }
91 }
92 }
93 }
94 }
95 }
96 }
97 }
98 }
99 }
100 }
101 }
102 }
103 }
104 }
105 }
106 }
107 }
108 }
109 }
110 }
111 }
112 }
```

Structure

Favorites

App\Http\Controllers

Activate Windows
Go to Settings to activate Windows.

Event Log

LoginController.php

The screenshot shows a PHP IDE interface with the following details:

- Project:** tikaspic
- File:** LoginController.php
- Code Content:**

```
1 /**
2 * 
3 * @var $request Request
4 * @var $login Korisnik
5 * @var $korisnicko_ime string
6 * @var $lozinka string
7 */
8
9 class LoginController {
10
11     /**
12      * @param Request $request
13      * @return Response
14      */
15     public function login(Request $request) {
16         $korisnicko_ime = $request->get('key: Username');
17         $lozinka = $request->get('key: Password');
18
19         $korisnik = new Korisnik();
20         $korisnik->korisnicko_ime = $korisnicko_ime;
21         $korisnik->lozinka = $lozinka;
22
23         $login = $korisnik->getByUsernameAndPassword();
24
25         if (!empty($login)) {
26             $request->session()->push('user', $login);
27             return redirect()->to('/');
28         }
29         return redirect()->back()->with('error', 'Niste registrovani');
30     }
31
32     /**
33      * @param Request $request
34      * @return Response
35      */
36     public function logout(Request $request) {
37         $request->session()->forget('user');
38         $request->session()->flush();
39         return redirect()->to('/');
40     }
41
42     /**
43      * @return Response
44      */
45     public function registracija() {
46
47         return view('pages.registracija', $this->data);
48     }
49
50     /**
51      * @param Request $request
52      * @return Response
53      */
54     public function registracijaStore(Request $request) {
55
56         $request->validate([
57             'ime' => 'required',
58             'prezime' => 'required',
59             'email' => 'required|email',
60             'korisnicko_ime' => 'required',
61             'lozinka' => 'required'
62         ], [
63             'ime' => 'Ime je obavezno',
64             'prezime' => 'Prezime je obavezno',
65             'email' => 'Email je obvezan i mora biti ispravan',
66             'korisnicko_ime' => 'Korisnicko ime je obavezno',
67             'lozinka' => 'Lozinka je obavezna'
68         ]);
69
70         // Additional validation logic here
71
72     }
73
74 }
```

- Toolbars and Status:** The top bar includes tabs for app, Http, Controllers, LoginController.php, and phpunit.xml. The bottom bar shows tabs for TODO and Terminal, and status indicators for 10:1 CPU, UTE-8, 4 cores, and Event Log.
- Bottom Right:** Activation message: "Activate Windows Go to Settings to activate Windows."

```
68     }
69
70     public function registracijaStore(Request $request){
71
72         $request->validate([
73             'ime'=>'required',
74             'prezime'=>'required',
75             'email'=>'required|email',
76             'korisnicko_ime'=>'required',
77             'lozinka'=>'required'
78         ], [
79             'required'=>'Polje :attribute je obavezno!'
80         ]);
81         try{
82
83             $korisnik=new Korisnik();
84             $korisnik->ime=$request->get( key: 'ime');
85             $korisnik->prezime=$request->get( key: 'prezime');
86             $korisnik->email=$request->get( key: 'email');
87             $korisnik->korisnicko_ime=$request->get( key: 'korisnicko_ime');
88             $korisnik->lozinka=$request->get( key: 'lozinka');
89
90             $korisnik->insert();
91
92             return redirect()->back()->with('success','uspesno');
93
94         } catch(QueryException $ex){
95             \Log::error($ex->getMessage());
96             return redirect()->back()->with('error','Greska pri upisu u bazu');
97         }
98
99     }
100 }
101 }
```

PostController.php

tikaspic > app > Http > Controllers > PostController.php

```
<?php  
// put your code here  
namespace App\\Http\\Controllers;  
  
use App\\Models\\Meni;  
use App\\Models\\Post;  
use Illuminate\\Http\\Request;  
use Illuminate\\Support\\Facades\\File;  
use PhpOption\\Tests\\PhpOptionRepo;  
  
class PostController extends BackendController{  
    //put your code here  
    private $data=[];  
    private $model = null;  
    public function __construct() {  
        $menu= new Meni();  
        $this->data['menu']= $menu->getAdmin();  
        $this->model = new Post();  
    }  
  
    public function tablaPost(){  
        $post = new Post();  
        $this->data['postovi'] = $post->getPosts();  
  
        return view( 'view: admin.pages.tablaPost', $this->data);  
    }  
  
    public function post($id=null){  
        $post = new Post();  
        $this->data['postovi'] = $post->getPosts();  
    }  
}
```

Activate Windows
Go to Settings to activate Windows.

\App\\Http\\Controllers > PostController > deletePost()

Event Log

tikaspic > app > Http > Controllers > PostController.php

```
if(!empty($id)){  
    $post->id = $id;  
    $this->data['post'] = $post->getPost();  
}  
  
return view( 'view: admin.pages.post', $this->data);  
}  
  
public function storePost(Request $request){  
    $request->validate([  
        'title'=>'required',  
        'desc'=>'required',  
        'content'=>'required',  
        'photo'=>'required|mimes:jpg,jpeg,png',  
        'alt'=>'required'  
    ], [  
        'required'=>'Polje :attribute je obavezno!'  
    ]);  
  
    $photo=$request->file( 'photo');  
    $extension=$photo->getClientOriginalExtension();  
    $tmp=$photo->getFileName();  
  
    $folder='images/';  
    $file_name=time().'.'.$extension;  
    $new_path=public_path($folder).$file_name;  
  
    try{  
        File::move($tmp,$new_path);  
    }  
  
    $post=new Post();  
}
```

Activate Windows
Go to Settings to activate Windows.

\App\\Http\\Controllers > PostController > deletePost()

Event Log

The screenshot shows a PHP development environment with the following details:

- Project:** tikaspic
- File:** PostController.php
- Code Content:** The code defines two methods: `createPost()` and `updatePost($id, Request $request)`. Both methods handle various exceptions related to database queries, file operations, and errors.
- Browser Tabs:** The browser has tabs for `index.php` and `phpunit.xml`.
- IDE Features:** The interface includes a toolbar with icons for file operations, a sidebar for project navigation, and a bottom bar for todo items and terminal access.

The screenshot shows a PHP IDE interface with the following details:


- Project:** tikaspic
- File:** PostController.php
- Code Content:**

```
143     $post->update();
144
145     return redirect( to: '/post/tabela');
146
147 }
148
149 } catch(QueryException $ex) {
150     \Log::error($ex->getMessage());
151     return redirect()->back()->with('error', 'Greska pri ubacivanju u bazu');
152 }
153
154 } catch(FileException $ex) {
155     \Log::error('Pogresan fajl', $ex->getMessage());
156     return redirect()->back()->with('error', 'Greska sa slikom');
157 }
158
159 } catch(ErrorException $ex) {
160     \Log::error('Greska sa fajlom', $ex->getMessage());
161     return redirect()->back()->with('error', 'Greska sa fajlom');
162 }
163
164 public function deletePost($id){
165
166     $post=new Post();
167     $post->id=$id;
168
169
170     $post->delete();
171     return redirect()->back()->with('success', 'Uspeh!');
172 }
173
174 // AJAX all
175 public function index(){
176     try{
177
178         $posts = $this->model->get();
179         return response($posts, status: 200);
180     }
181     catch(\Exception $ex){
182         \Log::error('Greska: ' . $ex->getMessage());
183     }
184 }
```
- Bottom Status Bar:** Activate Windows
Go to Settings to activate Windows.
- Bottom Icons:** Todo, Terminal, Event Log

```
162 }  
163  
164     public function deletePost($id){  
165  
166         $post=new Post();  
167         $post->id=$id;  
168  
169         $post->delete();  
170         return redirect()->back()->with('success','Uspeh!');  
171     }  
172     // AJAX all  
173     public function index(){  
174         *|  
175         try{  
176             $posts = $this->model->get();  
177             return response($posts, status: 200);  
178         }  
179         catch(Exception $ex){  
180             \Log::error('Greska: ' . $ex->getMessage());  
181             return response( content: null, status: 500);  
182         }  
183     }  
184     // AJAX search  
185     public function search(Request $request){  
186  
187         $this->model=new Post();  
188  
189         $unos = $request->get( key: 'unos');  
190  
191         $unos = $request->get( key: 'unos');  
192  
193         return $this->model->getByUnos($unos);  
194  
195     }  
196 }  
197  
198  
199 }  
169:1 LF ± UTF-8 ± 4 spaces ± %
```

Models

Komentar.php



The screenshot shows a code editor interface for a PHP project named 'tikaspic'. The current file is 'Komentar.php' located in the 'Models' directory under 'app'. The code defines a class 'Komentar' with methods 'get(\$id)' and 'getAll()'. The 'get(\$id)' method performs a database query to select data from the 'komentar' table, joining it with 'post' and 'korisnik' tables based on their respective IDs. The 'getAll()' method performs a similar query but without specifying an ID. The code uses the Illuminate\Support\Facades\DB; facade for database operations.

```
<?php  
//...  
namespace App\Models;  
  
use Illuminate\Support\Facades\DB;  
  
class Komentar {  
    //put your code here  
  
    public $id;  
    public $tekst;  
    public $id_post;  
    public $id_korisnik;  
    private $table='komentar';  
  
    public function get($id){  
        $resultat=DB::select( query: 'SELECT * FROM komentar'  
        . ' JOIN post ON post.id_post=komentar.id_post'  
        . ' JOIN korisnik ON korisnik.id_korisnik=komentar.id_korisnik'  
        . ' WHERE komentar.id_post='.$id);  
  
        return $resultat;  
    }  
  
    public function getAll(){  
        $resultat=DB::table($this->table)  
        ->select( columns: '*')  
        ->join( table: 'post', first: 'post.id_post', operator: '=', second: 'komentar.id_post')  
        ->join( table: 'korisnik', first: 'korisnik.id_korisnik', operator: '=', second: 'komentar.id_korisnik')  
        ->get();  
  
        return $resultat;  
    }  
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

```
1 Project
2 Structure
3 Favorites
tikaspic app Models Komentar.php
1 Project
Komentar.php x
phpunit.xml
Database

41
42     return $resultat;
43 }
44
45 public function getCom(){
46     $resultat=DB::table($this->table)
47         ->select( columns: '*' )
48         ->join( table: 'post', first: 'post.id_post', operator: '=', second: 'komentar.id_post' )
49         ->join( table: 'korisnik', first: 'korisnik.id_korisnik', operator: '=', second: 'komentar.id_korisnik' )
50         ->where( column: 'komentar.id_komentar', $this->id )
51         ->first();
52
53     return $resultat;
54 }
55 public function insert(){
56     $resultat=DB::table($this->table)
57         ->insert([
58             'tekst'=>$this->tekst,
59             'id_post'=>$this->id_post,
60             'id_korisnik'=>$this->id_korisnik
61         ]);
62     return $resultat;
63 }
64
65 public function update(){
66
67     $resultat=DB::table($this->table)
68         ->where( column: 'id_komentar', $this->id )
69         ->update([
70             'tekst'=>$this->tekst,
71             'id_post'=>$this->id_post,
72             'id_korisnik'=>$this->id_korisnik
73         ]);
74     return $resultat;
75 }
76
77 public function delete(){
78     $resultat=DB::table($this->table)
79         ->where( column: 'id_komentar', $this->id )
80         ->delete();
81 }

Activate Windows
Go to Settings to activate Windows.

Event Log
```

```
1. Project tikaspic > app > Models > Komentar.php
2. Structure
3. Favorites



```

53 return $resultat;
54 }
55 public function insert() {
56 $resultat=DB::table($this->table)
57 ->insert([
58 'tekst'=>$this->tekst,
59 'id_post'=>$this->id_post,
60 'id_korisnik'=>$this->id_korisnik
61]);
62 return $resultat;
63 }
64
65 public function update() {
66
67 $resultat=DB::table($this->table)
68 ->where('column: 'id_komentar', $this->id)
69 ->update([
70 'tekst'=>$this->tekst,
71 'id_post'=>$this->id_post,
72 'id_korisnik'=>$this->id_korisnik
73]);
74 return $resultat;
75 }
76
77 public function delete() {
78 $resultat=DB::table($this->table)
79 ->where('column: 'id_komentar', $this->id)
80 ->delete();
81 return $resultat;
82 }
83
84 }
```


```

Korisnik.php

tikaspic > app > Models > Korisnik.php

```
<?php
namespace App\Models;
use Illuminate\Support\Facades\DB;
class Korisnik {
    //put your code here
    public $id;
    public $ime;
    public $prezime;
    public $email;
    public $korisnicko_ime;
    public $lozinka;
    public $id_uloga;
    private $table='korisnik';
    public function getAll(){
        $resultat=DB::table($this->table)
            ->select( columns: '*')
            ->join( table: 'uloga', first: 'uloga.id_uloga', operator: '=', second: 'korisnik.id_uloga')
            ->get();
        return $resultat;
    }
    public function get(){
        $resultat=DB::table($this->table)
            ->select( columns: '*')
            ->where( column: 'id_korisnik', $this->id)
            ->first();
        return $resultat;
    }
    public function getByUsernameAndPassword(){
        $resultat=DB::table($this->table)
    }
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

tikaspic > app > Models > Korisnik.php

```
public function getByUsernameAndPassword(){
    $resultat=DB::table($this->table)
        ->select( columns: '*')
        ->join( table: 'uloga', first: 'uloga.id_uloga', operator: '=', second: 'korisnik.id_uloga')
        ->where([
            'korisnicko_ime'=>$this->korisnicko_ime,
            'lozinka'=>md5($this->lozinka)
        ])
        ->first();
    return $resultat;
}
public function insert(){
    $resultat=DB::table($this->table)
        ->insert([
            'ime'=>$this->ime,
            'prezime'=>$this->prezime,
            'email'=>$this->email,
            'korisnicko_ime'=>$this->korisnicko_ime,
            'lozinka'=>md5($this->lozinka),
            'id_uloga'=>2
        ]);
    return $resultat;
}
public function update(){
    $resultat=DB::table($this->table)
        ->where( column: 'id_korisnik', $this->id)
        ->update([
            'ime'=>$this->ime,
            'prezime'=>$this->prezime,
            'email'=>$this->email,
            'korisnicko_ime'=>$this->korisnicko_ime,
            'id_uloga'=>
        ]);
    return $resultat;
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

```
tikaspic app Models Korisnik.php
Project Korisnik.php x
1-Project
Korisnik.php x
59     'korisnicko_ime'=>$this->korisnicko_ime,
60     'lozinka'=>md5($this->lozinka),
61     'id_uloga'=>2
62   ]);
63   return $resultat;
64 }
65
66 public function update(){
67
68   $resultat=DB::table($this->table)
69     ->where('column: 'id_korisnik', $this->id)
70     ->update([
71       'ime'=>$this->ime,
72       'prezime'=>$this->prezime,
73       'email'=>$this->email,
74       'korisnicko_ime'=>$this->korisnicko_ime,
75
76       'id_uloga'=>2
77     ])
78   ;
79
80   return $resultat;
81 }
82
83 public function delete(){
84   $resultat=DB::table($this->table)
85     ->where('column: 'id_korisnik', $this->id)
86     ->delete();
87
88   return $resultat;
89 }
90
91 }

Activate Windows
Go to Settings to activate Windows.

2 Favorites
2 Structure
```

Meni.php

```
<?php

namespace App\Models;

use Illuminate\Support\Facades\DB;

class Meni {
    //put your code here
    public $id;
    public $naziv;
    public $link;
    public $tip;
    private $table = 'meni';

    public function getAll(){

        $resultat= DB::table($this->table)
                    ->select( columns: '*')
                    ->where( column: 'tip', operator: '=', value: 'korisnik')
                    ->get();
        return $resultat;
    }

    public function getAdmin(){

        $resultat= DB::table($this->table)
                    ->select( columns: '*')
                    ->where( column: 'tip', operator: '=', value: 'admin')
                    ->get();
        return $resultat;
    }

    public function insert(){
        $resultat=DB::table($this->table)
                    ->insert([
                        'naziv'=>$this->naziv,
                        'link'=>$this->link,
                        'tip'=>$this->tip
                    ]);
    }
}
```

Meni.php

```

1-Project Meni.php x
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

    public function insert(){
        $resultat=DB::table($this->table)
            ->insert([
                'naziv'=>$this->naziv,
                'link'=>$this->link,
                'tip'=>$this->tip
            ]);
        return $resultat;
    }

    public function update(){
        $resultat=DB::table($this->table)
            ->update([
                'naziv'=>$this->naziv,
                'link'=>$this->link,
                'tip'=>'korisnik'
            ]);
        return $resultat;
    }

    public function delete(){
        $resultat = DB::table($this->table)
            ->where('id_menu', $this->id)
            ->delete();
        return $resultat;
    }
}

Activate Windows
Go to Settings to activate Windows.

Event Log
1:1 CRLF: UTF-8: 4 spaces: 

```

Post.php

Post.php

```

1-Project Post.php x
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38

<?php
namespace App\Models;

use Illuminate\Support\Facades\DB;

class Post {
    //put your code here
    public $id;
    public $naslov;
    public $opis;
    public $sadrzaj;
    public $slika;
    public $salt;
    public $id_korisnik;
    private $table = 'post';

    public function getAll($perPage){
        $resultat= DB::table($this->table)
            ->select('*)
            ->join('table: 'korisnik', first: 'korisnik.id_korisnik', operator: '=', second: 'post.id_korisnik')
            ->paginate($perPage);

        return $resultat;
    }

    public function getPosts(){
        $resultat= DB::table($this->table)
            ->select('*)
            ->join('table: 'korisnik', first: 'korisnik.id_korisnik', operator: '=', second: 'post.id_korisnik')
            ->get();

        return $resultat;
    }

    public function getByUnos($unos){
        $resultat= DB::table($this->table)
            ->select( columns: '*', 'post.id post as postId')

```

```
public function getByUnos($unos) {
    $resultat= DB::table($this->table)
        ->select( columns: '*', 'post.id_post as postId')
        ->join( table: 'korisnik as k', first: 'post.id_korisnik', operator: '=', second: 'k.id_korisnik')
        ->where( column: 'post.naslov', operator: 'like', value: '$unos.%')
        ->orWhere( column: 'post.sadrzaj', operator: 'like', value: '$%.$unos.%')
        ->orderBy( column: 'post.kreirano', direction: 'desc')
        ->get();
    ;
    return $resultat;
}

public function get($id){
    $resultat= DB::table($this->table)
        ->select( columns: '*',
            'korisnik.korisnicko_ime as postKorisnik')
        ->join( table: 'korisnik', first: 'korisnik.id_korisnik', operator: '=', second: 'post.id_korisnik')
        ->where( column: 'post.id_post', operator: '=', $id)
        ->first();
    ;
    return $resultat;
}

public function getPost() {
    $resultat = DB::table($this->table)
        ->select( columns: '*')
        ->where( column: 'id_post', $this->id)
        ->first();
    ;
    return $resultat;
}

public function insert(){
```

```
public function insert(){
    $rezultat=DB::table($this->table)
        ->insert([
            'naslov'=>$this->naslov,
            'opis'=>$this->opis,
            'sadrzaj'=>$this->sadrzaj,
            'slika'=>$this->slika,
            'alt'=>$this->alt,
            'id_korisnik'=>$this->id_korisnik,
            'kreiran'=>time()
        ]);
    return $rezultat;
}

public function update(){
    $data=[
        'naslov'=>$this->naslov,
        'opis'=>$this->opis,
        'sadrzaj'=>$this->sadrzaj,
        'alt'=>$this->alt,
        'id_korisnik'=>$this->id_korisnik,
        'kreiran'=>time()
    ];
    if(!empty($this->slika)){
        $data['slika'] = $this->slika;
    }
    $rezultat = DB::table($this->table)
        ->where('id_post',$this->id)
        ->update($data);
    return $rezultat;
}
```

The screenshot shows a PHP IDE interface with the following details:

- Project:** tikaspic
- File:** Post.php
- Code Content:**

```
1 Project
  1 Post.php x
  1.1 Project
    1.1.1 Post.php
      1.1.1.1 Line 85:     }
      1.1.1.1.1 Line 86:   }
      1.1.1.1.2 Line 87:   public function update(){
      1.1.1.1.3 Line 88:     $data=[
      1.1.1.1.4 Line 89:       'naslov'=>$this->naslov,
      1.1.1.1.5 Line 90:       'opis'=>$this->opis,
      1.1.1.1.6 Line 91:       'sadrzaj'=>$this->sadrzaj,
      1.1.1.1.7 Line 92:       'alt'=>$this->alt,
      1.1.1.1.8 Line 93:       'id_korisnik'=>$this->id_korisnik,
      1.1.1.1.9 Line 94:       'kreirano'=>time()
      1.1.1.1.10 Line 95:     ];
      1.1.1.1.11 Line 96:     if(!empty($this->slika)){
      1.1.1.1.12 Line 97:       $data['slika'] = $this->slika;
      1.1.1.1.13 Line 98:     }
      1.1.1.1.14 Line 99:     $resultat = DB::table($this->table)
      1.1.1.1.15 Line 100:       ->where( column: 'id_post', $this->id)
      1.1.1.1.16 Line 101:       ->update($data)
      1.1.1.1.17 Line 102:   ;
      1.1.1.1.18 Line 103:   return $resultat;
      1.1.1.1.19 Line 104: }
      1.1.1.1.20 Line 105: public function delete(){
      1.1.1.1.21 Line 106:   $resultat=DB::table($this->table)
      1.1.1.1.22 Line 107:     ->where( column: 'id_post', $this->id)
      1.1.1.1.23 Line 108:     ->delete();
      1.1.1.1.24 Line 109:   return $resultat;
      1.1.1.1.25 Line 110: }
```

- IDE Features:** The interface includes a toolbar with icons for file operations, a search bar, and a database connection panel.
- Status Bar:** Shows "Activate Windows Go to Settings to activate Windows."
- Bottom Bar:** Includes links for "App\Models > Post", "TODO", "Terminal", and "Event Log".

Tim.php

```
<?php
namespace App\Models;
use Illuminate\Support\Facades\DB;

class Tim {
    //put your code here

    public $id;
    public $putanja;
    public $alt;
    public $naslov;
    private $table='tim';

    public function getAll($perPage){
        $resultat=DB::table($this->table)
            ->select( columns: '*' )
            ->paginate($perPage);

        return $resultat;
    }
}
```

Activate Windows
Go to Settings to activate Windows.

Event Log

21:24 CRLF UTF-8 4 spaces

Korisceni CSS

```
.header1{
    background-color: red;
}

.meni{
    background-color: red;
}

.logovanje{
    margin-left: 620px;
}

.meni li a{
    color: white ;
}

.foterinje{
    height: 60px;
    background-color: red;
}

.blog{
    margin-left: 160px;
    margin-top: 50px;
}

.kolona2{
    padding-bottom: 40px;
    .btn btn-danger
```

Activate Windows
Go to Settings to activate Windows.

Event Log

153:12 CRLF UTF-8 4 spaces

tikaspic > public > css > style.css

```
1 Project 2 Favorites 3 Z-Structure 4 TODO 5 Terminal 6 Database 7 Event Log 8 phpunit.xml 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 .read-more{ margin: 230px; } .parametar1{ text-align: center; } .logovi{ margin-top: 60px; margin-bottom: 500px; } .kolona3,kolona4{ width: 540px; } .velicina{ margin-bottom: 40px; } .kolona7,kolona8{ width: 750px; } .regi{ margin-top: 50px; margin-bottom: 200px; } .btn btn-danger
```

Activate Windows
Go to Settings to activate Windows.

153:12 CRLF 4 spaces

tikaspic > public > css > style.css

```
1 Project 2 Favorites 3 Z-Structure 4 TODO 5 Terminal 6 Database 7 Event Log 8 phpunit.xml 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 43 44 45 46 47 48 49 49 50 51 52 53 54 55 56 57 58 59 59 60 61 62 63 64 65 66 67 68 69 69 70 71 72 73 74 75 76 77 78 79 79 80 81 82 83 84 85 86 87 88 89 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 .nav{ width: 57%; list-style-type: none; display: flex; justify-content: center; margin-left: 40px; } .nav li a { padding-top: 0px; padding-left: 20px; color: white; background-color:red; font-size: 20px; text-decoration: none; } .nav li a:hover { color: black; } .tabela{ margin-top: 20px; } #adminbody{ background-color: #008B8B; } .vesti{ .btn btn-danger
```

Activate Windows
Go to Settings to activate Windows.

153:12 CRLF 4 spaces

```
114 margin-bottom: 50px;
115 }
116 
117 .register{
118     margin-left: 15px;
119 }
120 
121 .pretraga{
122     width: 30%;
123     float: right;
124     margin-top: -1300px;
125 }
126 
127 .kolona45{
128     margin-right: 60px;
129 }
130 
131 #forma{
132     width: 320px;
133     margin-left: -230px;
134 }
135 
136 .profil{
137     margin-top: 100px;
138     padding-bottom: 120px;
139 }
140 
141 .naslov{
142     height: 10px;
143     padding-top: 10px;
144     color: white;
145 }
146 
147 .naslov{
148     height: 10px;
149     padding-top: 10px;
150     color: white;
151 }
152 
153 .btn btn-danger
```

Activate Windows
Go to Settings to activate Windows.

Javascript ajax

home.js

The screenshot shows an IDE interface with the following details:

- Project:** tiktaspic
- File:** home.js
- Code Content:**

```
$('#btnSearch').click(function(){
    var uneto = $('input[name="search"]').val();

    $.ajax({
        type: 'POST',
        url: baseUrl + '/ajax/post/search',
        data: {unos: uneto, _token: token},
        success: function(data, xhr){
            console.log(data);
            console.log(xhr);
            showPosts(data);
        },
        error: function(xhr, status, error){
            console.log(xhr);
            console.log(status);
            console.log(error);
        }
    });
});

/* $('input[name="search"]').keyup(function() {
    var uneto = $(this).val();

    $.ajax({
        type: 'GET',
        url: baseUrl + '/ajax/posts/search',
        data: {unos: uneto},
        success: function(data, xhr){
            console.log(data);
            console.log(xhr);
            showPosts(data);
        },
        error: function(xhr, status, error) {
            console.log(error);
        }
    });
});
```
- Bottom Status Bar:** Activate Windows
Go to Settings to activate Windows.
- Bottom Icons:** Event Log, 18:10, CRLF, UTF-8, Tab*

Stranice

layouts/front.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="description" content="">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <!-- The above 4 meta tags 'must' come first in the head; any other head content must come *after* these tags -->
    <!-- Title -->
    <title>Red Star | @yield('title')</title>
    <!-- Favicon -->

    @section('appendCss')
    <link href="{{ asset('/') }}css/style.css" rel="stylesheet">

    <link href="{{ asset('/') }}css/bootstrap/bootstrap.min.css" rel="stylesheet">
    <style>
        .invalid-feedback{
            display: block;
        }
    </style>
    <link rel="stylesheet" type="text/css" href="{{ asset('/') }}js/fancybox/source/jquery.fancybox.css" media="screen" />
@show
</head>
<body>
    @include('components.header')

```

```
@include('components.header')

@include('components.nav')

@include('components.sidebar')

@yield('center')

@include('components.footer')

@section('appendJS')

    <!-- Jquery-2.2.4 js -->
    <script src="{{ asset('/') }}js/jquery/jquery-2.2.4.min.js"></script>

    <!-- Popper js -->
    <script src="{{ asset('/') }}js/bootstrap/popper.min.js"></script>
    <!-- Bootstrap-4 js -->
    <script src="{{ asset('/') }}js/bootstrap/bootstrap.min.js"></script>
    <!-- All Plugins JS -->
    <script src="{{ asset('/') }}js/others/plugins.js"></script>
    <script async defer src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBTA7Gfkjyhr1hcWlk2A3bSD_uKnykzijjk&callback=initMap"></script>

    <script src="{{ asset('/') }}js/google-map/map-active.js"></script>
    <!-- Active JS -->
    <script src="{{ asset('/') }}js/active.js"></script>

    <script type="text/javascript"
        src="{{ asset('/') }}js/home.js">
    </script>

@show

```

components/header.blade.php

```
<!-- ***** Top Header Area Start ***** -->


<div class="container">
        <div class="row">

            </div>
        </div>
    </div>
<!-- ***** Top Header Area End ***** -->


```

Components/nav.blade.php

The screenshot shows a code editor with the following details:

- Project:** tikaspic
- File:** nav.blade.php
- Code Content:**

```
<div class="meni">
    <div class="naslov">
        <h4 class="naslov">Red Star</h4>
    </div>

    <nav class="navbar navbar-expand-lg">
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#yummyfood-nav" aria-controls="yummyfood-nav" aria-expanded="false" aria-label="Toggle navigation"></button>
        <!-- Menu Area Start -->
        <div class="collapse navbar-collapse justify-content-center" id="yummyfood-nav">
            <ul class="navbar-nav font-shadow-into-light" id="yummy-nav" >
                @isset($menu)
                    @foreach($menu as $menu)
                        <li class="nav-item" {{ ($loop->first) ? 'active' : '' }}>
                            <a class="nav-link" href="{{ asset($menu->link) }}> {{ $menu->naziv }}</a>
                        @if(!$loop->first)
                            <span class="sr-only">(current)</span>
                        @endif
                        </li>
                    @endforeach
                @endisset

                @if(session()->has('user') && session()->get('user')[0]->naziv=='admin')
                    <li>
                        <a class="nav-link" href="{{ route('adminHome') }}" class="font-shadow-into-light">
                            Admin
                        </a>
                    </li>
                @endif
            </ul>
        </div>
    </nav>
</div>
```

- Toolbars:** J Project, Favorites, Structure, Favorites, TODO, Terminal.
- Status Bar:** Activate Windows, Go to Settings to activate Windows.
- Bottom Right:** Event Log, 9:12, LF, UTF-8, 4 spaces.

tikaspic resources views components nav.blade.php

```
37 </li>
38 @endif
39
40     @if(session()->has('user'))
41         <div class="col-8 col-sm-6">
42             <div class="signup-search-area d-flex align-items-center justify-content-end">
43                 <div class="login_register_area d-flex">
44                     <a href="{{ asset('/profil/create/'.session()->get('user')[0]->id_korisnik) }}" style="...">{{ session()->get('user')[0]->korisnicko_ime }}
45                 </div>
46                 <div class="register">
47                     <a href="{{ route('logout') }}" style="...">Logout</a>
48                 </div>
49             </div>
50         </div>
51     @endif
52     @if(!session()->has('user'))
53
54         <div class="logovanje">
55             <div class="log" >
56                 <a href="{{ route('loginView') }}" style="...">LOGIN</a>
57             </div>
58             <div class="reg" >
59                 <a href="{{ route('registracija') }}" style="...">REGISTER</a>
60             </div>
61         </div>
62     @endif
63     @if(!session()->has('user'))
64
65         <div class="logovanje">
66             <div class="log" >
67                 <a href="{{ route('loginView') }}" style="...">LOGIN</a>
68             </div>
69             <div class="reg" >
70                 <a href="{{ route('registracija') }}" style="...">REGISTER</a>
71             </div>
72         </div>
73     @endif
74
75     </div>
76
77     </div>
78
79     </div>
80     </div>
81
82     </ul>
83 </nav>
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
99
```

Activate Windows
Go to Settings to activate Windows.

div.meni > div.naslov

1:Project 2:Favorites

Event Log

9:12 LF: UTF-8: 4 spaces:

tikaspic resources views components nav.blade.php

```
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
```

Activate Windows
Go to Settings to activate Windows.


div.meni > div.naslov

1:Project 2:Favorites

Event Log

9:12 LF: UTF-8: 4 spaces:

Components/sidebar.blade.php



The screenshot shows a code editor interface with the following details:

- Project Path:** tikaspic / resources / views / components / sidebar.blade.php
- Code Content:**

```
<div class="pretraga">
    <form>
        <div class="input-group">
            <input type="text" class="form-control" placeholder="Search for..." name="search"/>
            <span class="input-group-btn">
                <button class="btn btn-secondary" type="button" id="btnSearch">Pretraga</button>
            </span>
        </div>
    </form>
</div>
```
- Editor Features:** The interface includes tabs for 'Project', '1 Project', 'Favorites', 'Structure', 'TODO', and 'Terminal'. It also shows status information like '16:1 LF: UTF-8: 4 spaces' and an 'Event Log' button.
- Activation Message:** A message at the bottom right says 'Activate Windows Go to Settings to activate Windows.'

Components/footer.blade.php

Project: tikaspic > resources > views > components > footer.blade.php

```

1 <footer>
2   <div class="foterinje">
3     <div class="copyright text-center my-auto">
4       <span style="...">Copyright © Crvena Zvezda 2018</span>
5       <a href="{{ asset('/download') }}" class="btn btn-danger"> dokumentacija </a>
6     </div>
7   </div>
8
9   @section('appendJavascript')
10  @parent
11    <script type="text/javascript" src="{{ asset('js/home.js') }}"></script>
12  @endSection
13
14 </footer>
15
16
17
18
19
20
21

```

Activate Windows
Go to Settings to activate Windows.

Footer > div.foterinje > div.copyright.text-center.my-auto > a.btn.btn-danger

Event Log

14 chars 873 LF + UTF-8 + 4 spaces +

Pages/about.blade.php

Project: tikaspic > resources > views > pages > about.blade.php

```

1 <extends('layouts.front')>
2
3   @section('title')
4     about
5   @endSection
6
7   @section('center')
8
9     <section class="blog_area section_padding_0_100">
10
11
12
13
14
15
16
17
18
19       <div class="aboute">
20         <div class="parametar1">
21           
22         </div>
23         <p class="parametar1">
24           <h4>Ja sam Veljko Radenović i rođen sam 1996. godine, u Gornjem Milanovcu.</h4>
25           <h4>Završio sam Ekonomsko-trgovačku školu "Knjaž Miloš".</h4>
26           <h4>Živim u Beogradu gde studiram Visoku ICT školu. Trenutno sam treća godina.</h4>
27         </p>
28       </div>
29
30
31
32
33
34
35
36
37
38

```

Activate Windows
Go to Settings to activate Windows.

section.blog_area.section_padding_0_100 > div.aboute

Event Log

29:11 CRLF + UTF-8 + 4 spaces +

Pages/home.blade.php

The screenshot shows a code editor interface with the following details:

- Project Path:** tikaspic > resources > views > pages > home.blade.php
- Code Editor Area:** The main area displays the Blade template code for `home.blade.php`. The code includes sections for post thumbnails, meta data (author and date), and links to posts and the author's profile.
- Toolbars:** Standard toolbars for file operations, search, and navigation are visible at the top.
- Side Panels:** A left sidebar shows the project structure with "1 Project" and "2 Favorites". A right sidebar labeled "Database" is partially visible.
- Status Bar:** The status bar at the bottom provides information about the file: "section.blog" > "div.post-content" > "div.post-meta.d-flex" > "div.post-author-date-area.d-flex" > "div.post-author" > "a". It also shows the file size (4073), encoding (UTF-8), and indentation settings (4 spaces).
- Bottom Status:** A message "Activate Windows" with a link to "Go to Settings to activate Windows." is displayed.
- Event Log:** An "Event Log" button is located in the bottom right corner.

```
<div class="post-thumb">
    alt }}" style="...">
</div>
<!-- Post Content --&gt;
&lt;div class="post-content"&gt;
    &lt;div class="post-meta d-flex"&gt;
        &lt;div class="post-author-date-area d-flex"&gt;
            &lt;!-- Post Author --&gt;
            &lt;div class="post-author"&gt;
                &lt;a href="index.php/about" style="...&gt; {{ $post-&gt;korisnicko_ime }}&lt;/a&gt;
            &lt;/div&gt;
            &lt;!-- Post Date --&gt;
            &lt;div class="post-date"&gt;
                &lt;a href="#" style="...&gt; {{ date("d.m.Y. H:i:s", $post-&gt;kreirano) }}&lt;/a&gt;
            &lt;/div&gt;
        &lt;/div&gt;
        &lt;a href="{{ asset('/posts/'.$post-&gt;id_post) }}" style="..."&gt;
            &lt;h4 class="post-headline" &gt;{{ $post-&gt;naslov }}&lt;/h4&gt;
        &lt;/a&gt;
        &lt;p&gt; {{ $post-&gt;opis }} &lt;/p&gt;
        &lt;a href="{{ asset('/posts/'.$post-&gt;id_post) }}" class="read-more" style="...&gt;Read more...&lt;/a&gt;
    &lt;/div&gt;
&lt;/div&gt;
@endforeach
&lt;div&gt;
    {{ $posts-&gt;links() }}
&lt;/div&gt;
@empty
    @endisset</pre>
```

The screenshot shows a code editor interface with the following details:

- Project Path:** tikaspic > resources > views > pages > home.blade.php
- Code Editor:** The main area displays the `home.blade.php` template. The code includes Blade syntax like @foreach, @endif, @endisset, and @include.
- Toolbars:** Top right features standard icons for file operations (New, Open, Save, etc.).
- Side Panels:** Left side shows a tree view of the project structure under "Project" and a "Favorites" section. Right side shows a "Database" panel.
- Status Bar:** Bottom right shows "Activate Windows" and "Go to Settings to activate Windows." It also displays file statistics: 40:73, LF, UTF-8, 4 spaces, and a refresh icon.
- Bottom Navigation:** Shows the current file path: section.blog > div.post-content > div.post-meta.d-flex > div.post-author-date-area.d-flex > div.post-author > a.

Pages/kontakt.blade.php

tikaspic > resources > views > pages > kontakt.blade.php

```
kontakt.blade.php
```

Project 1 Project

```
1 @extends('layouts.front')
2
3 @section('title')
4 Kontakt
5 @endsection
6
7 @section('center')
8
9 <div class="breadcrumb-area" style="...>
10
11 </div>
12
13 <section class="blog_area" style="...>
14
15
16
17 <div class="container">
18 <div class="row justify-content-center">
19 <div class="col-12 col-lg-11">
20 <div class="row">
21
22 <!-- Contact Area Start -->
23 <div class="contact-area">
24 <div class="container">
25
26 <div class="contact-info-area">
27 <div class="row">
28
29 <div class="col-12 col-md-4">
30
31 <h4>Kontakt telefon</h4>
32 <p>Phone: +381 11 7672 060<br>
33 Fax: +381 11 7672 070 </p>
34
35 </div>
36
37 <div class="col-12 col-md-4">
38
39
40 <h4>Adresa</h4>
41 <p>Svetiće Borčana 1A<br> Beograd</p>
42
43 </div>
44
45 </div>
46
47 <!-- Contact Form -->
48 <div class="contact-form-area">
49 <div class="row">
50 <div class="col-12 col-md-7">
51
52
53
54
55 <div class="col-12 col-md-5 item">
56
57 <h2>Ako vam treba nešto, tu smo!</h2>
58 <!-- Contact Form -->
59
60
61 @if(Session::has('flash_message'))
62 <div class="alert alert-success">{{ Session::get('flash_message') }}</div>
63 @endif
64 <form id="forma" method="POST" action="{{ route('kontakti') }}">
65 {{ csrf_field() }}
66 <div class="form-group">
67 <input type="text" class="form-control" id="tbFirst" name="name" placeholder="Ime">
68 @if ($errors->has('name'))
69 <small class="form-text invalid-feedback">{{ $errors->first('name') }}</small>
70 @endif
71 </div>
72 <div class="form-group">
73 <input type="text" class="form-control" id="tbLast" name="last" placeholder="Prezime">
74
75 </div>
```

Activate Windows
Go to Settings to activate Windows.

section.blog_area > div.container > div.row.justify-content-center > div.col-12.col-lg-11 > div.row > div.contact-area > div.container > div.contact-form-area > div.row

Event Log

5629 LF 4 spaces

tikaspic > resources > views > pages > kontakt.blade.php

```
kontakt.blade.php
```

Project 2 Project

```
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
```

Activate Windows
Go to Settings to activate Windows.

section.blog_area > div.container > div.row.justify-content-center > div.col-12.col-lg-11 > div.row > div.contact-area > div.container > div.contact-form-area > div.row

Event Log

49:29 LF 4 spaces

The screenshot shows a code editor with the following details:

- Project:** tikaspic
- File:** kontakt.blade.php
- Editor:** phpunit.xml
- Toolbars:** Database, Favorites, Favorites Structure, Favorites List.
- Code Content:**

```
    senzir
    </div>
    <div class="form-group">
        <input type="text" class="form-control" id="tbLast" name="last" placeholder="Prezime">
        @if ($errors->has('last'))
            <small class="form-text invalid-feedback">{{ $errors->first('last') }}</small>
        @endif
    </div>
    <div class="form-group">
        <input type="email" class="form-control" id="tbEmail" name="mail" placeholder="Email">
        @if ($errors->has('mail'))
            <small class="form-text invalid-feedback">{{ $errors->first('mail') }}</small>
        @endif
    </div>
    <div class="form-group">
        <input type="text" class="form-control" id="tbS" name="naslov" placeholder="Naslov">
        @if ($errors->has('naslov'))
            <small class="form-text invalid-feedback">{{ $errors->first('naslov') }}</small>
        @endif
    </div>
    <div class="form-group">
        <textarea class="form-control" id="tbPoruka" name="message" cols="30" rows="10" placeholder="Poruka"></textarea>
        @if ($errors->has('message'))
            <small class="form-text invalid-feedback">{{ $errors->first('message') }}</small>
        @endif
    </div>
    <button type="submit" id="tbB" name="tbB" class="btn btn-success" style="...">Pošalji</button>
</form>

    </div>
</div>
</div>
```
- Status Bar:** Activate Windows, Go to Settings to activate Windows.
- Bottom Bar:** section.blog_area, div.container, div.row.justify-content-center, div.col-12.col-lg-11, div.row, div.contact-area, div.container, div.contact-form-area, div.row, TODO, Terminal, Event Log.

Pages/login.blade.php

The screenshot shows a code editor interface with the following details:

- Project Path:** tikaspic / resources / views / pages / login.blade.php
- Editor Area:** The main area displays the contents of the login.blade.php file. The code uses Blade templating syntax with @extends('layouts.front'), @section('title') Login, and @endsection. It includes a conditional block @if(!session()->has('user')) and a form for user login.
- Syntax Highlighting:** The code is color-coded: comments in green, strings in red, and various tags and classes in blue and purple.
- Toolbars and Menus:** Standard IDE toolbars are visible at the top, including tabs for 'phpunit.xml' and 'Event Log'.
- Side Panels:** A 'Project' panel on the left shows the file structure. A 'Favorites' panel is also present.
- Status Bar:** The bottom status bar shows file statistics: 1:1 CRLF, UTF-8, 4 spaces, and a refresh icon.
- Activation Message:** A message in the center right says 'Activate Windows Go to Settings to activate Windows.'

Project: tikaspic | resources | views | pages | login.blade.php

```

1 Project
2 login.blade.php
3
4 <div class="kolona3 kolona4">
5
6     @if(!session()->has('user'))
7
8         <div class="kolona5 kolona6" style="...>
9
10            <form method="POST" action="{{ route('login') }}>
11                {{ csrf_field() }}
12                <h4 class="velicina">Login</h4>
13                <div class="form-group">
14
15                    <input type="text" name="Username" class="form-control" placeholder="Korisničko ime"/>
16                </div>
17
18                <div class="form-group">
19
20                    <input type="password" name="Password" class="form-control" placeholder="Lozinka"/>
21                </div>
22
23                <input type="submit" name="btnLogin" value="Prijavi se" class="btn contact-btn font-shadow-into-light" />
24
25            </form>
26        </div>
27    @endif
28
29    </div>
30
31    </section>
32
33    <endsection>
34
35
36
37
38
39
40
41
42
43
44
45
46
47

```

Activate Windows
Go to Settings to activate Windows.

Event Log

1:1 CRLF | UTF-8 | 4 spaces |

Pages/post.blade.php

Project: tikaspic | resources | views | pages | post.blade.php

```

1 Project
2 post.blade.php
3
4 @extends('layouts.front')
5
6 @section('title')
7 Post
8 @endsection
9
10 @section('center')
11     @section('blog_area')
12         <div class="container">
13             <div class="row justify-content-center">
14                 <div class="col-12 col-lg-8">
15                     <div class="row">
16                         @isset($singlePost)
17
18                             <!-- Single Blog Area Start -->
19                             <section class="single_blog_area">
20                                 <div class="container">
21                                     <div class="row justify-content-center">
22                                         <div class="col-12 col-lg-10">
23                                             <div class="row no-gutters">
24
25                                             <!-- Single Post -->
26                                             <div class="col-11 col-sm-12">
27                                                 <div class="single-post">
28
29                                                 <!-- Post Thumb -->
30                                                 <div class="post-thumb">
31                                                     alt }}" style="..."/>
32                                                 </div>
33
34                                                 <!-- Post Content -->
35                                                 <div class="post-content">
36
37                                                 <div class="post-meta d-flex">
38
39                                                 <div class="post-author-date-area d-flex">
40
41                                                 <!-- Post Author -->
42                                                 <div class="post-author">
43                                                     <a href="#">{{ $singlePost->korisnicko_ime }}</a>
44                                                 </div>
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
59
60
61
62
63
64
65
66
67
68
69
69
70
71
72
73
74
75
76
77
78
79
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

```

Activate Windows
Go to Settings to activate Windows.

Event Log

1:1 LF | UTF-8 | 4 spaces |

Pages/profil.blade.php

```
tikaspic resources views pages profil.blade.php
profil.blade.php x
Project 1: Project
section.profil
  @endsection

  @section('center')
    <section class="profil">
      <div class="container">
        <h3 class="font-shadow-into-light">Izmenite profil</h3>
        <!-- Single Blog Area Start -->
        <form action="{{ asset('/profil/update/'.$korisnik->id_korisnik) }}" method="POST">
          {{ csrf_field() }}
          <div class="form-group">
            <input type="hidden" name="id" class="form-control" value="{{ $korisnik->id_korisnik }}"/>
          </div>
          <div class="form-group">
            <label class="font-shadow-into-light">IME</label>
            <input type="text" name="ime" class="form-control" value="{{ $korisnik->ime }}"/>
          </div>
          <div class="form-group">
            <label class="font-shadow-into-light">PREZIME</label>
            <input type="text" name="prezime" class="form-control" value="{{ $korisnik->prezime }}"/>
          </div>
          <div class="form-group">
            <label class="font-shadow-into-light">EMAIL</label>
            <input type="text" name="email" class="form-control" value="{{ $korisnik->email }}"/>
          </div>
          <div class="form-group">
            <label class="font-shadow-into-light">KORISNIČKO IME</label>
            <input type="text" name="korisnicko_ime" class="form-control" value="{{ $korisnik->korisnicko_ime }}"/>
          </div>
          <div class="form-group">
            <input type="submit" name="addPost" value="Ažuriraj profil" class="btn btn-success" />
          </div>
        </form>
    </section>
  @endsection

  @section('footer')
    <a href="#">Home</a>
    <a href="#">Blog</a>
    <a href="#">Contact</a>
  @endsection

  @yield('content')

```

Pages/registracija.blade.php

```
37 <input type="text" name="ime" class="form-control" value="{{ old('ime') }}"/>
38 </div>
39 <div class="form-group">
40   <label>Prezime:</label>
41   <input type="text" name="prezime" class="form-control" value="{{ old('prezime') }}"/>
42 </div>
43 <div class="form-group">
44   <label>Email:</label>
45   <input type="text" name="email" class="form-control" value="{{ old('email') }}"/>
46 </div>
47 <div class="form-group">
48   <label>Korisnicko ime:</label>
49   <input type="text" name="korisnicko_ime" class="form-control" value="{{ old('korisnicko_ime') }}"/>
50 </div>
51 <div class="form-group">
52   <label>Lozinka:</label>
53   <input type="password" name="lozinka" class="form-control" value="{{ old('lozinka') }}"/>
54 </div>
55 <div class="form-group">
56   <input type="submit" name="addPost" value="Registracija" class="btn contact-btn" style="..."/>
57 </div>
58 </form>
59
60
61
62
63
64
65 @endif
66
67
68
69
70
71
72
73
74
```

Pages/single0.blade.php

```
single0.blade.php
1 @extends('layouts.front')
2
3 @section('title')
4 Post
5 @endsection
6
7 @section('center')
8     <div class="breadcrumb-area" style="...>
9
10        <div class="container h-100">
11            <div class="row h-100 align-items-center">
12                <div class="col-12">
13                    <div class="breadcrumb-title text-center">
14                        <h2 class="font-shadow-into-light">{{ $single0->naslov }}</h2>
15                    </div>
16                </div>
17            </div>
18        </div>
19    </div>
20
21    <section class="blog_area section_padding_0_100">
22        <div class="container">
23            <div class="row justify-content-center">
24                <div class="col-12 col-lg-12">
25                    <div class="row">
26                        <!-- ***** Single Blog Area Start ***** -->
27                        <section class="single_blog_area section_padding_40">
28                            <div class="container">
29                                <div class="row justify-content-center">
30                                    <div class="col-12 col-lg-12">
31                                        <div class="row no-gutters">
32
33                                            <!-- Single Post -->
34                                            <div class="col-12 col-sm-12">
35                                                <div class="single-post">
36
37                                                    <!-- Post Content -->
38                                                    <div class="post-content font-shadow-into-light">
```

Pages/tim.blade.php

tikaspic resources views pages tim.blade.php

tim.blade.php x

1-Project

```
1 @extends('layouts.front')
2
3 @section('title')
4 Tim
5 @endsection
6
7 @section('center')
8
9
10
11 <div class="container">
12     <div class="kolona22 kolona23">
13         <div class="row">
14             @isset($tim)
15             @foreach($tim as $t)
16
17                 <div class="kolona45 kolona46" style="...">
18
19                     <div class="post-thumb" style="...">
20                         <a href="{{ asset($t->putanja) }}" class="fancybox" data-fancybox-group="gallery1" >alt}}>
21
22                     <div class="project_title" style="...">
23                         <h5><b>{{ $t->naslov }}</b></h5>
24
25                 </div>
26             </div>
27
28         </div>
29
30     </div>
31
32     @endforeach
33
34
35     @endif
36
37     @isset($tim)
38         <div.container> <div.kolona22.kolona23> <div.row> <div.kolona45.kolona46> <div.post-thumb> <div.project_title> <h5> <b>
```

Activate Windows
Go to Settings to activate Windows.

2-Structure

2-Favorites

5 TODO Terminal Event Log

```
tim.blade.php
31     </div>
32
33     @foreach
34
35         @endforeach
36
37         @isset($tim)
38             <div style="...">
39                 {{ $tim->links() }}
40             </div>
41         @endisset
42
43     </div>
44
45 </div>
46
47
48 @endsection
49
50 @section('appendJS')
51 @parent
52
53 <script type="text/javascript" src="{{ asset('') }}js/fancybox/lib/jquery-1.10.1.min.js"></script>
54 <script type="text/javascript" src="{{ asset('') }}js/fancybox/source/jquery.fancybox.js"></script>
55 <script language="javascript">
56     $(document).ready(function() {
57         $('.fancybox').fancybox();
58     });
59 </script>
60
61 @endsection
62
63
```

Admin/layouts/back.blade.php


```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
        <meta name="description" content="">
        <meta name="author" content="">
        <link href="{{ asset('/') }}css/style.css" rel="stylesheet">
        <title>@yield('title')</title>
    </head>
    <body id="adminbody">
        @include('admin.components.sidebar')

        @yield('center')

        @include('admin.components.footer')
    </body>
</html>
```

Activate Windows
Go to Settings to activate Windows.

Event Log




```
1Project 1 back.blade.php x Database
21
22    @yield('center')
23
24
25    @include('admin.components.footer')
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42    <!-- Bootstrap core JavaScript-->
43    <script src="{{ asset('/') }}/vendor/jquery/jquery.min.js"></script>
44    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
45
46    <!-- Core plugin JavaScript-->
47    <script src="{{ asset('/') }}/vendor/jquery-easing/jquery.easing.min.js"></script>
48
49    <!-- Page level plugin JavaScript-->
50    <script src="{{ asset('/') }}/vendor/chart.js/Chart.min.js"></script>
51    <script src="{{ asset('/') }}/vendor/datatables/jquery.dataTables.js"></script>
52    <script src="{{ asset('/') }}/vendor/datatables/dataTables.bootstrap4.js"></script>
53
54    <!-- Custom scripts for all pages-->
55    <script src="{{ asset('/') }}/js/sb-admin.min.js"></script>
56
57
58
59    </body>
60
61</html>
62
63
```

Activate Windows
Go to Settings to activate Windows.

Event Log

21:1 LF UTF-8 2 spaces* 


Admin/components/sidebar.blade.php



```
<!-- Sidebar -->
<div id="blok5">
    <ul class="nav">
        @isset($menus)
        @foreach($menus as $menu)
        <li class="@( ($loop->first) ? 'active' : '' )">
            <a href="{{ asset($menu->link) }}> {{ $menu->naziv }}
            @if($loop->first)
                <span class="sr-only">(current)</span>
            @endif
        </a>
        </li>
        @endforeach
        @endifset
        <li class="nav-item">
            <a class="nav-link" href="{{ route('home') }}>
                Back </a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="{{ route('logout') }}>
                    Logout </a>
            </li>
        </ul>
    </div>
```


Activate Windows
Go to Settings to activate Windows.

Admin/components/footer.blade.php



A screenshot of a code editor interface showing a file named `footer.blade.php`. The code is a simple blade template:`<!-- Sticky Footer -->
<footer>
 <div class="container my-auto">
 </div>
</footer>`The editor has a toolbar at the top with icons for file operations, a dropdown for `phpunit.xml`, and a search bar. On the left is a project tree showing the file's location under `tikaspic/resources/views/admin/components`. The bottom status bar shows file type `blade`, encoding `UTF-8`, and a warning icon.

Admin/pages/home.blade.php



A screenshot of a code editor interface showing a file named `home.blade.php`. The code is a blade template extending from `admin.layouts.back`:`@extends('admin.layouts.back')

@section('title')
 Admin panel
@endsection

@section('center')
@endsection`The editor has a toolbar at the top with icons for file operations, a dropdown for `phpunit.xml`, and a search bar. On the left is a project tree showing the file's location under `tikaspic/resources/views/admin/pages`. The bottom status bar shows file type `blade`, encoding `UTF-8`, and a warning icon.

Admin/pages/komentar.blade.php

The screenshot shows a code editor with a file named `komentar.blade.php`. The code is a PHP blade template for adding a comment. It includes form fields for a post ID, a text area for text, and a submit button. The code uses conditional logic to check if a comment is being edited or added.

```
<table class="table" border="1px solid">
    <tr>

        <td><input type="hidden" name="id" class="form-control" value="{{ (isset($komentar)) ? $komentar->id_komentar : '' }}"/>
    </tr>
    <tr>
        <td><label>Post:</label></td>
        <td><select class="form-control" id="id_post" name="id_post">
            @foreach($postovi as $post)

                <option value='{{ (isset($komentar)) ? $komentar->id_post : $post->id_post }}'> {{ (isset($komentar)) ? $komentar->naslov : $post->naslov }} </option>

            @endforeach
        </select></td>
    </tr>

    <tr>
        <td><label>Tekst:</label></td>
        <td><textarea name="tekst" class="form-control" rows="7">{{ (isset($komentar)) ? $komentar->tekst : old('tekst') }}</textarea></td>
    </tr>

    <tr>
        <td><input type="submit" name="addPost" value="{{ (isset($komentar)) ? 'Ažuriraj komentar' : 'Dodaj komentar' }}" class="btn btn-success" /></td>
    </tr>
</table>
</form>

@endsection
```

Admin/pages/korisnik.blade.php

```
<?php

@extends('admin.layouts.back')

@section('title')
Korisnik
@endsection

@section('center')

@if(isset($errors))
@if($errors->any())
@foreach($errors->all() as $error)
<div class="alert alert-danger"> {{ $error }} </div>
@endforeach
@endif
@endif
@isset($korisnik)
<h3>New user</h3>

<form action="{{ (isset($korisnik)) ? asset('/korisnik/update/' . $korisnik->id_korisnik) : asset('/korisnik/store') }}" method="POST" enctype="multipart/form-data">
{{ csrf_field() }}
<table class="table" border="1px solid">
<tr>
<td><input type="hidden" name="id" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->id_korisnik : '' }}"/></td>
</tr>
<tr>
<td><label>Ime:</label></td>
<td><input type="text" name="ime" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->ime : old('ime') }}"/></td>
</tr>
<tr>
<td><label>Prezime:</label></td>
<td><input type="text" name="prezime" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->prezime : old('prezime') }}"/></td>
</tr>
<tr>
<td><label>Email:</label></td>
<td><input type="text" name="email" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->email : old('email') }}"/></td>
</tr>
<tr>
<td colspan="2" style="text-align: right;">
<input type="submit" name="addPost" value="{{ (isset($korisnik)) ? 'Ažuriraj korisnika' : 'Dodaj korisnika' }}" class="btn btn-success" />

```

```
<?php

@extends('admin.layouts.back')

@section('center')

@if(isset($errors))
@if($errors->any())
@foreach($errors->all() as $error)
<div class="alert alert-danger"> {{ $error }} </div>
@endforeach
@endif
@endif
@isset($korisnik)
<h3>New user</h3>

<form action="{{ (isset($korisnik)) ? asset('/korisnik/update/' . $korisnik->id_korisnik) : asset('/korisnik/store') }}" method="POST" enctype="multipart/form-data">
{{ csrf_field() }}
<table class="table" border="1px solid">
<tr>
<td><input type="hidden" name="id" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->id_korisnik : '' }}"/></td>
</tr>
<tr>
<td><label>Ime:</label></td>
<td><input type="text" name="ime" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->ime : old('ime') }}"/></td>
</tr>
<tr>
<td><label>Prezime:</label></td>
<td><input type="text" name="prezime" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->prezime : old('prezime') }}"/></td>
</tr>
<tr>
<td><label>Email:</label></td>
<td><input type="text" name="email" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->email : old('email') }}"/></td>
</tr>
<tr>
<td><label>Korisnicko ime:</label></td>
<td><input type="text" name="korisnicko_ime" class="form-control" value="{{ (isset($korisnik)) ? $korisnik->korisnicko_ime : old('korisnicko_ime') }}"/></td>
</tr>
<tr>
<td><label>Lozinka:</label></td>
<td><input type="password" name="lozinka" class="form-control" value="{{ old('lozinka') }}"/></td>
</tr>
<tr>
<td colspan="2" style="text-align: right;">
<input type="submit" name="addPost" value="{{ (isset($korisnik)) ? 'Ažuriraj korisnika' : 'Dodaj korisnika' }}" class="btn btn-success" />

```

Admin/pages/post.blade.php

```
tikaspic > resources > views > admin > pages > post.blade.php
post.blade.php x
Project
1:post.blade.php
1 @extends('admin.layouts.back')
2
3 @section('title')
4     Postovi
5 @endsection
6
7
8 @section('center')
9
10 @isset($errors)
11     @if($errors->any())
12         @foreach($errors->all() as $error)
13             <div class="alert alert-danger"> {{ $error }} </div>
14         @endforeach
15     @endif
16     @endisset
17     <h3>Post</h3>
18
19     <form action="{{ (isset($post)) ? asset('/post/update/'.$post->id_post) : asset('/post/store') }}" method="POST" enctype="multipart/form-data">
20         {{ csrf_field() }}
21         <table class="table" border="1px solid">
22             <tr>
23                 <td><label>Naslov:</label></td>
24                 <td><input type="text" name="title" class="form-control" value="{{ (isset($post)) ? $post->naslov : old('title') }}"/></td>
25             </tr>
26             <tr>
27                 <td><label>Opis:</label></td>
28                 <td><textarea name="desc" class="form-control" rows="7">{{ (isset($post)) ? $post->opis : old('desc') }}</textarea></td>
29             </tr>
30             <tr>
31                 <td><label>Sadrzaj:</label></td>
32                 <td><textarea name="content" class="form-control" rows="7">{{ (isset($post)) ? $post->sadrzaj : old('content') }}</textarea></td>
33             </tr>
34             <tr>
35                 <td><label>Slika:</label></td>
36             </tr>
37         </table>
38     </form>

```

Activate Windows
Go to Settings to activate Windows.

Event Log

Screenshot of a code editor showing a PHP blade template named `post.blade.php`. The code handles form submission for a post. It includes sections for title, description, content, and image upload. A success message is displayed if the post is added.

```

24 </tr>
25 <tr>
26     <td><label>Naslov:</label></td>
27     <td><input type="text" name="title" class="form-control" value="{{ (isset($post)) ? $post->naslov : old('title') }}"/></td>
28 </tr>
29 <tr>
30     <td><label>Opis:</label></td>
31     <td><textarea name="desc" class="form-control" rows="7">{{ (isset($post)) ? $post->opis : old('desc') }}</textarea></td>
32 </tr>
33 <tr>
34     <td><label>Sadržaj:</label></td>
35     <td><textarea name="content" class="form-control" rows="7">{{ (isset($post)) ? $post->sadrzaj : old('content') }}</textarea></td>
36 </tr>
37 <tr>
38     <td><label>Slika:</label></td>
39     <td>$post
40         
41         @isset
42             <input type="file" name="photo" class="form-control" />
43         @endisset
44 </tr>
45 <tr>
46     <td><label>Naziv slike:</label></td>
47     <td><input type="text" name="alt" class="form-control" value="{{ (isset($post)) ? $post->alt : old('alt') }}"/></td>
48 </tr>
49 <tr>
50     <td><input type="submit" name="addPost" value="{{ (isset($post)) ? 'Ažuriraj post' : 'Dodaj novi post' }}></td>
51 </table>
52 </form>
53
54 @endsection
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
639
640
641
642
643
644
645
646
647
648
649
649
650
651
652
653
654
655
656
657
658
659
659
660
661
662
663
664
665
666
667
668
669
669
670
671
672
673
674
675
676
677
678
679
679
680
681
682
683
684
685
686
687
687
688
689
689
690
691
692
693
694
695
696
697
697
698
699
699
700
701
702
703
704
705
706
707
708
709
709
710
711
712
713
714
715
716
717
717
718
719
719
720
721
722
723
724
725
726
727
727
728
729
729
730
731
732
733
734
735
735
736
737
737
738
738
739
739
740
740
741
741
742
742
743
743
744
744
745
745
746
746
747
747
748
748
749
749
750
750
751
751
752
752
753
753
754
754
755
755
756
756
757
757
758
758
759
759
760
760
761
761
762
762
763
763
764
764
765
765
766
766
767
767
768
768
769
769
770
770
771
771
772
772
773
773
774
774
775
775
776
776
777
777
778
778
779
779
780
780
781
781
782
782
783
783
784
784
785
785
786
786
787
787
788
788
789
789
790
790
791
791
792
792
793
793
794
794
795
795
796
796
797
797
798
798
799
799
800
800
801
801
802
802
803
803
804
804
805
805
806
806
807
807
808
808
809
809
810
810
811
811
812
812
813
813
814
814
815
815
816
816
817
817
818
818
819
819
820
820
821
821
822
822
823
823
824
824
825
825
826
826
827
827
828
828
829
829
830
830
831
831
832
832
833
833
834
834
835
835
836
836
837
837
838
838
839
839
840
840
841
841
842
842
843
843
844
844
845
845
846
846
847
847
848
848
849
849
850
850
851
851
852
852
853
853
854
854
855
855
856
856
857
857
858
858
859
859
860
860
861
861
862
862
863
863
864
864
865
865
866
866
867
867
868
868
869
869
870
870
871
871
872
872
873
873
874
874
875
875
876
876
877
877
878
878
879
879
880
880
881
881
882
882
883
883
884
884
885
885
886
886
887
887
888
888
889
889
890
890
891
891
892
892
893
893
894
894
895
895
896
896
897
897
898
898
899
899
900
900
901
901
902
902
903
903
904
904
905
905
906
906
907
907
908
908
909
909
910
910
911
911
912
912
913
913
914
914
915
915
916
916
917
917
918
918
919
919
920
920
921
921
922
922
923
923
924
924
925
925
926
926
927
927
928
928
929
929
930
930
931
931
932
932
933
933
934
934
935
935
936
936
937
937
938
938
939
939
940
940
941
941
942
942
943
943
944
944
945
945
946
946
947
947
948
948
949
949
950
950
951
951
952
952
953
953
954
954
955
955
956
956
957
957
958
958
959
959
960
960
961
961
962
962
963
963
964
964
965
965
966
966
967
967
968
968
969
969
970
970
971
971
972
972
973
973
974
974
975
975
976
976
977
977
978
978
979
979
980
980
981
981
982
982
983
983
984
984
985
985
986
986
987
987
988
988
989
989
990
990
991
991
992
992
993
993
994
994
995
995
996
996
997
997
998
998
999
999
1000
1000
1001
1001
1002
1002
1003
1003
1004
1004
1005
1005
1006
1006
1007
1007
1008
1008
1009
1009
1010
1010
1011
1011
1012
1012
1013
1013
1014
1014
1015
1015
1016
1016
1017
1017
1018
1018
1019
1019
1020
1020
1021
1021
1022
1022
1023
1023
1024
1024
1025
1025
1026
1026
1027
1027
1028
1028
1029
1029
1030
1030
1031
1031
1032
1032
1033
1033
1034
1034
1035
1035
1036
1036
1037
1037
1038
1038
1039
1039
1040
1040
1041
1041
1042
1042
1043
1043
1044
1044
1045
1045
1046
1046
1047
1047
1048
1048
1049
1049
1050
1050
1051
1051
1052
1052
1053
1053
1054
1054
1055
1055
1056
1056
1057
1057
1058
1058
1059
1059
1060
1060
1061
1061
1062
1062
1063
1063
1064
1064
1065
1065
1066
1066
1067
1067
1068
1068
1069
1069
1070
1070
1071
1071
1072
1072
1073
1073
1074
1074
1075
1075
1076
1076
1077
1077
1078
1078
1079
1079
1080
1080
1081
1081
1082
1082
1083
1083
1084
1084
1085
1085
1086
1086
1087
1087
1088
1088
1089
1089
1090
1090
1091
1091
1092
1092
1093
1093
1094
1094
1095
1095
1096
1096
1097
1097
1098
1098
1099
1099
1100
1100
1101
1101
1102
1102
1103
1103
1104
1104
1105
1105
1106
1106
1107
1107
1108
1108
1109
1109
1110
1110
1111
1111
1112
1112
1113
1113
1114
1114
1115
1115
1116
1116
1117
1117
1118
1118
1119
1119
1120
1120
1121
1121
1122
1122
1123
1123
1124
1124
1125
1125
1126
1126
1127
1127
1128
1128
1129
1129
1130
1130
1131
1131
1132
1132
1133
1133
1134
1134
1135
1135
1136
1136
1137
1137
1138
1138
1139
1139
1140
1140
1141
1141
1142
1142
1143
1143
1144
1144
1145
1145
1146
1146
1147
1147
1148
1148
1149
1149
1150
1150
1151
1151
1152
1152
1153
1153
1154
1154
1155
1155
1156
1156
1157
1157
1158
1158
1159
1159
1160
1160
1161
1161
1162
1162
1163
1163
1164
1164
1165
1165
1166
1166
1167
1167
1168
1168
1169
1169
1170
1170
1171
1171
1172
1172
1173
1173
1174
1174
1175
1175
1176
1176
1177
1177
1178
1178
1179
1179
1180
1180
1181
1181
1182
1182
1183
1183
1184
1184
1185
1185
1186
1186
1187
1187
1188
1188
1189
1189
1190
1190
1191
1191
1192
1192
1193
1193
1194
1194
1195
1195
1196
1196
1197
1197
1198
1198
1199
1199
1200
1200
1201
1201
1202
1202
1203
1203
1204
1204
1205
1205
1206
1206
1207
1207
1208
1208
1209
1209
1210
1210
1211
1211
1212
1212
1213
1213
1214
1214
1215
1215
1216
1216
1217
1217
1218
1218
1219
1219
1220
1220
1221
1221
1222
1222
1223
1223
1224
1224
1225
1225
1226
1226
1227
1227
1228
1228
1229
1229
1230
1230
1231
1231
1232
1232
1233
1233
1234
1234
1235
1235
1236
1236
1237
1237
1238
1238
1239
1239
1240
1240
1241
1241
1242
1242
1243
1243
1244
1244
1245
1245
1246
1246
1247
1247
1248
1248
1249
1249
1250
1250
1251
1251
1252
1252
1253
1253
1254
1254
1255
1255
1256
1256
1257
1257
1258
1258
1259
1259
1260
1260
1261
1261
1262
1262
1263
1263
1264
1264
1265
1265
1266
1266
1267
1267
1268
1268
1269
1269
1270
1270
1271
1271
1272
1272
1273
1273
1274
1274
1275
1275
1276
1276
1277
1277
1278
1278
1279
1279
1280
1280
1281
1281
1282
1282
1283
1283
1284
1284
1285
1285
1286
1286
1287
1287
1288
1288
1289
1289
1290
1290
1291
1291
1292
1292
1293
1293
1294
1294
1295
1295
1296
1296
1297
1297
1298
1298
1299
1299
1300
1300
1301
1301
1302
1302
1303
1303
1304
1304
1305
1305
1306
1306
1307
1307
1308
1308
1309
1309
1310
1310
1311
1311
1312
1312
1313
1313
1314
1314
1315
1315
1316
1316
1317
1317
1318
1318
1319
1319
1320
1320
1321
1321
1322
1322
1323
1323
1324
1324
1325
1325
1326
1326
1327
1327
1328
1328
1329
1329
1330
1330
1331
1331
1332
1332
1333
1333
1334
1334
1335
1335
1336
1336
1337
1337
1338
1338
1339
1339
1340
1340
1341
1341
1342
1342
1343
1343
1344
1344
1345
1345
1346
1346
1347
1347
1348
1348
1349
1349
1350
1350
1351
1351
1352
1352
1353
1353
1354
1354
1355
1355
1356
1356
1357
1357
1358
1358
1359
1359
1360
1360
1361
1361
1362
1362
1363
1363
1364
1364
1365
1365
1366
1366
1367
1367
1368
1368
1369
1369
1370
1370
1371
1371
1372
1372
1373
1373
1374
1374
1375
1375
1376
1376
1377
1377
1378
1378
1379
1379
1380
1380
1381
1381
1382
1382
1383
1383
1384
1384
1385
1385
1386
1386
1387
1387
1388
1388
1389
1389
1390
1390
1391
1391
1392
1392
1393
1393
1394
1394
1395
1395
1396
1396
1397
1397
1398
1398
1399
1399
1400
1400
1401
1401
1402
1402
1403
1403
1404
1404
1405
1405
1406
1406
1407
1407
1408
1408
1409
1409
1410
1410
1411
1411
1412
1412
1413
1413
1414
1414
1415
1415
1416
1416
1417
1417
1418
1418
1419
1419
1420
1420
1421
1421
1422
1422
1423
1423
1424
1424
1425
1425
1426
1426
1427
1427
1428
1428
1429
1429
1430
1430
1431
1431
1432
1432
1433
1433
1434
1434
1435
1435
1436
1436
1437
1437
1438
1438
1439
1439
1440
1440
1441
1441
1442
1442
1443
1443
1444
1444
1445
1445
1446
1446
1447
1447
1448
1448
1449
1449
1450
1450
1451
1451
1452
1452
1453
1453
1454
1454
1455
1455
1456
1456
1457
1457
1458
1458
1459
1459
1460
1460
1461
1461
1462
1462
1463
1463
1464
1464
1465
1465
1466
1466
1467
1467
1468
1468
1469
1469
1470
1470
1471
1471
1472
1472
1473
1473
1474
1474
1475
1475
1476
1476
1477
1477
1478
1478
1479
1479
1480
1480
1481
1481
1482
1482
1483
1483
1484
1484
1485
1485
1486
1486
1487
1487
1488
1488
1489
1489
1490
1490
1491
1491
1492
1492
1493
1493
1494
1494
1495
1495
1496
1496
1497
1497
1498
1498
1499
1499
1500
1500
1501
1501
1502
1502
1503
1503
1504
1504
1505
1505
1506
1506
1507
1507
1508
1508
1509
1509
1510
1510
1511
1511
1512
1512
1513
1513
1514
1514
1515
1515
1516
1516
1517
1517
1518
1518
1519
1519
1520
1520
1521
1521
1522
1522
1523
1523
1524
1524
1525
1525
1526
1526
1527
1527
1528
1528
1529
1529
1530
1530
1531
1531
1532
1532
1533
1533
1534
1534
1535
1535
1536
1536
1537
1537
1538
1538
1539
1539
1540
1540
1541
1541
1542
1542
1543
1543
1544
1544
1545
1545
1546
1546
1547
1547
1548
1548
1549
1549
1550
1550
1551
1551
1552
1552
1553
1553
1554
1554
1555
1555
1556
1556
1557
1557
1558
1558
1559
1559
1560
1560
1561
1561
1562
1562
1563
1563
1564
1564
1565
1565
1566
1566
1567
1567
1568
1568
1569
1569
1570
1570
1571
1571
1572
1572
1573
1573
1574
1574
1575
1575
1576
1576
1577
1577
1578
1578
1579
1579
1580
1580
1581
1581
1582
1582
1583
1583
1584
```

tikaspic > resources > views > admin > pages > tabelaKomentar.blade.php

```

1-Project tabelaKomentar.blade.php x phpunit.xml Database
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

    <th>Tekst</th>
    <th>ID Posta</th>
    <th>Naziv Posta</th>
    <th>ID Korisnika</th>
    <th>Naziv Korisnika</th>
    <th>Imeni</th>
    <th>Obrisi</th>
</tr>
</thead>

<tbody>

@foreach($komentari as $k)
|  |  |  |  |  |  |  |
| --- | --- | --- | --- | --- | --- | --- |
| {{ $k->id_komentar }} | {{ $k->tekst }} | {{ $k->id_post }} | {{ $k->naslov }} | {{ $k->id_korisnik }} | {{ $k->korisnicko_ime }} | Izmeni Obriši |

@endforeach
@endforeach
@endifset
</tbody>
</table>

@endsession

```

Activate Windows
Go to Settings to activate Windows.

table#dataTable.tabela

Event Log

1885 LF 2 spaces

Admin/pages/tabelaKorisnik.blade.php

tikaspic > resources > views > admin > pages > tabelaKorisnik.blade.php

```

1-Project tabelaKorisnik.blade.php x phpunit.xml Database
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38

@extends('admin.layouts.back')

@section('title')
Korisnik
@endsection

@section('center')

isset($korisnici)

Users <a href="{{ asset('/korisnik/create') }}><input type="submit" name="btnNovi" value="New user" class="btn btn-success"/></a>



| ID                            | Ime                   | Prezime                   | Email                   | Korisničko ime                   |
|-------------------------------|-----------------------|---------------------------|-------------------------|----------------------------------|
| Imeni                         | Obrisi                |                           |                         |                                  |
| {{ \$korisnik->id_korisnik }} | {{ \$korisnik->ime }} | {{ \$korisnik->prezime }} | {{ \$korisnik->email }} | {{ \$korisnik->korisnicko_ime }} |


```

Activate Windows
Go to Settings to activate Windows.

Event Log

1:1 CRLF 2 spaces

The screenshot shows the PhpStorm IDE interface with the following details:

- Project Tree:** Shows a single file named "tabelaKorisnik.blade.php".
- Editor:** Displays the PHP code for the blade template. The code includes a table structure with columns for ID, Name, Surname, Email, and Action (Izmeni/Obrisi). It uses Blade syntax for loops and conditionals.
- Sidebar:** Shows sections for "Structure" and "Favorites".
- Status Bar:** Shows the message "Activate Windows Go to Settings to activate Windows."
- Bottom Bar:** Includes icons for "TODO" and "Terminal".

```
<th>Izmeni</th>
<th>Obrisi</th>
</tr>
</thead>

<tbody>

@foreach($korisnici as $korisnik)
<tr>
<td>{{ $korisnik->id_korisnik }}</td>
<td>{{ $korisnik->ime }}</td>
<td>{{ $korisnik->prezime }}</td>
<td>{{ $korisnik->email }}</td>
<td>{{ $korisnik->korisnicko_ime }}</td>

<td><a href="{{ asset('/korisnik/create/'.$korisnik->id_korisnik) }}">Izmeni</a></td>
<td><a href="{{ asset('/korisnik/delete/'.$korisnik->id_korisnik) }}">Obrisi</a></td>
</tr>
@endforeach
@isset
</tbody>
</table>

@endsession
```

Admin/pages/tabelaPost.blade.php

tikaspic resources views admin pages tabelaPost.blade.php

1 Project

1 tabelaPost.blade.php

```
<th>Naslov</th>
<th>Opis</th>
<th>Sadrija</th>
<th>Slike</th>
<th>Naiv slike</th>

<th>Izmeni</th>
<th>Obriši</th>
</tr>
</thead>

<tbody>

@foreach($postovi as $post)
<tr>
<td> {{ $post->id_post }} </td>
<td> {{ $post->naslov }} </td>
<td> {{ str_limit($post->opis, 80) }} </td>
<td> {{ str_limit($post->sadrzaj, 80) }} </td>
<td>  </td>
<td> {{ $post->alt }} </td>
<td> <a href="{{ asset('/post/create/'. $post->id_post) }}>Izmeni</a> </td>
<td> <a href="{{ asset('/post/delete/'. $post->id_post) }}>Obriši</a> </td>
</tr>
@endforeach
</tbody>
</table>

@endsection
```

2 Favorites

2 Zadnje

Activate Windows
Go to Settings to activate Windows.

1:1 | F5 | UTF-8 | 2 spaces | %

□ Event Log

Routes

The screenshot shows the PhpStorm IDE interface with the following details:

- Project:** A tree view on the left showing the project structure with 'tikaspic' as the root.
- Editor:** The main window displays the file `web.php` containing PHP code for defining routes. The code includes routes for home, about, galerija, kontakt, posts, profil, komentar, registracija, login, logout, and admin sections.
- Toolbars:** Standard Java-like toolbars for file operations like Open, Save, and Run.
- Status Bar:** Shows the current file path (`tikaspic\routes\web.php`), the file type (`phpunit.xml`), and the current line number (1663).
- Bottom Status Bar:** Shows browser icons for Chrome, Firefox, and others, along with a 'Event Log' button.

```
<?php

Route::get('/', 'FrontendController@index')->name('home');
Route::get('/about', 'FrontendController@about')->name('about');
Route::get('/tim', 'FrontendController@tim')->name('galerija');

Route::get('/kontakt', 'FrontendController@kontakt');

Route::post('/kontakt', 'FrontendController@store')->name('kontakte');

Route::get('/posts/{id}', 'FrontendController@getPost');

Route::get('/profil/create/{id}', 'FrontendController@profil')->name('profil');
Route::post('/profil/update/{id}', 'FrontendController@updateProfil');

Route::post('/komentar/storeKom', 'FrontendController@storeComment')->name('unosKom');

Route::get('/registracija', 'LoginController@registeracija')->name('registracija');
Route::post('/registracija/store', 'LoginController@registeracijaStore');

//Logovanje
Route::get('/login', 'LoginController@index')->name('loginView');
Route::post('/login/create', 'LoginController@login')->name('login');
Route::get('/logout', 'LoginController@logout')->name('logout');

//ADMIN
Route::get('/homeAdmin', 'BackendController@index')->name('adminHome');

//ADMIN Korisnici
Route::get('/korisnik/tabela', 'KorisnikController@tabelaKorisnik');
```

tikaspic > routes web.php

```

1-Project  web.php x Database
43
44 Route::get('/homeAdmin','BackendController@index')->name('adminHome');
45
46 //ADMIN Korisnici
47 Route::get('/korisnik/tabela','KorisnikController@tabelaKorisnik');
48 Route::get('/korisnik/create/{id}','KorisnikController@storeKorisnik');
49 Route::post('/korisnik/store','KorisnikController@storeKorisnik');
50 Route::post('/korisnik/update/{id}','KorisnikController@updateKorisnik');
51 Route::get('/korisnik/delete/{id}','KorisnikController@deleteKorisnik');

52
53
54
55
56 //ADMIN Postovi
57 Route::get('/post/tabela','PostController@tabelaPost');
58 Route::get('/post/create/{id}','PostController@post');
59 Route::post('/post/store','PostController@storePost');
60 Route::post('/post/update/{id}','PostController@updatePost');
61 Route::get('/post/delete/{id}','PostController@deletePost');

62
63 //ADMIN Komentari
64 Route::get('/komentar/tabela','KomentarController@tabelaKomentar');
65 Route::get('/komentar/create/{id}','KomentarController@komentar');
66 Route::post('/komentar/store','KomentarController@storeKomentar');
67 Route::post('/komentar/update/{id}','KomentarController@updateKomentar');
68 Route::get('/komentar/delete/{id}','KomentarController@deleteKomentar');

69
70 Route::group(['prefix=> '/ajax'], function()
71 {
72     Route::get('/post/search','PostController@search');
73     Route::post('/post/search','PostController@search');
74 });
75
76 Route::get('/download','FrontendController@download');

```

Activate Windows
Go to Settings to activate Windows.

Event Log
1663 LF + UTF-8 + 4 spaces +

Dizajn baze podataka

Red Star | Početna < → C localhost / 127.0.0.1 / redstar | p +

localhost/phpmyadmin/db_designer.php?db=redstar

phpMyAdmin Server: 127.0.0.1 » Database: redstar

Recent | Favorites

- New
- bubre
- genericblok_skakac
- information_schema
- lablk
- liverpool
- liverpool
- logovanje
- mysql
- performance_schema
- php
- php2gt13
- php2t18
- php2termin5
- php2termin7
- phpmyadmin
- redstar
- New
- komentar
- korisnik
- meni
- post
- tim
- uloga
- ssdaw
- test
- vezba

Structure SQL Search Query Export Import Operations Privileges Routines Events More

redstar.komentar

- id_komentar**: int(10)
- tekst: text
- # id_post : int(10)
- # id_korisnik : int(10)

redstar.tim

- id_galerija**: int(10)
- putanja : varchar(255)
- alt : varchar(50)
- naslov : varchar(100)

redstar.uloga

- id_uloga**: int(10)
- naziv : varchar(20)

redstar.meni

- id_meni**: int(10)
- naziv : varchar(50)
- link : varchar(255)
- tip : varchar(20)

redstar.post

- id_post**: int(10)
- naslov : varchar(255)
- opis : text
- sadrzaj : text
- slika : varchar(255)
- alt : varchar(100)
- # id_korisnik : int(10)
- # kreirano : int(255)

redstar.korisnik

- id_korisnik**: int(10)
- ime : varchar(50)
- prezime : varchar(50)
- email : varchar(255)
- korisnicko_ime : varchar(100)
- lozinka : varchar(255)
- # id_uloga : int(10)

Activate Windows
Go to Settings to activate Windows.