SIMATS Online Programming Lab

DS PROGRAMMING

Vigne
19252

Your Fixed Code

```c
#include <stdio.h>
#define MAX 5

int queue[MAX];
int front = 0,rear = 0;

void enqueue(int x)
{
    if (rear == MAX)
    {
        printf("Overflow\n");
        return;
    }
    queue[rear++] = x;
    printf("Value is %d\n", queue[rear - 1]);
}
int main()
{
    int x;

    printf("Enter the value: ");
```

Test Input

25

Output

```
Enter the value: Value is 25
```

Pending manual review

ATS
EERING

SIMATS Online Programming Lab

DS PROGRAMMING

```c
#include <stdio.h>
#include <stdlib.h>

struct Node{
    int data;
    struct Node *next;
};
int main()
{
    struct Node *newNode;

    newNode=(struct Node *)malloc(sizeof(struct Node));

    if (newNode == NULL)
    {
        printf("Memory allocation failed");
        return 1;
    }
    newNode->data = 10;
    newNode->next = NULL;

    printf("%d",newNode->data);
    free(newNode);
```

stdin input (optiona

Output

```
10
```

Pending manual rev

SIMATS Online Programming Lab

DS PROGRAMMING

```
#include <stdio.h>
#include <stdlib.h>
struct Node
{
    int data;
    struct Node *next;
};
void display(struct Node *head)
{
    while (head != NULL)
    {
        printf("%d ", head->data);
        head = head->next;
    }
}
int main()
{
    struct Node n1 = {10, NULL};
    struct Node n2 = {20, NULL};

    n1.next = &n2;
    display(&n1);
```

stdin input (

Output

```
10 20
```

Pending manu