



More ▾



[IAM](#)



[Users](#)



[timber-worker](#)



Add permissions



CloudShell

[Feedback](#)

[Privacy](#)

[Terms](#)

[Cookie preferences](#)

 Add permissions

- Step 2
- ☐ Review

Add permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☐ **Add user to group**
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ **Copy permissions**
Copy all group memberships, attached managed policies, inline policies, and any existing permissions boundaries from an existing user.

☒ **Attach policies directly**
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (1396)



Filter by Type

All types

< 1 2 3 4 5 6 7 ... 70 >

☐	Policy name	Type	
☐	AccessAnalyzerSer...	AWS managed	0
☐	AdministratorAccess	AWS managed - j...	0
☐	AdministratorAcce...	AWS managed	0
☐	AdministratorAcce...	AWS managed	0
☐	AIOpsAssistantInci...	AWS managed	0
☐	AIOpsAssistantPol...	AWS managed	0
☐	AIOpsConsoleAd...	AWS managed	0
☐	AIOpsOperatorAcc...	AWS managed	0
☐	AIOpsReadOnlyAc...	AWS managed	0
☐	AlexaForBusiness...	AWS managed	0
☐	AlexaForBusinessF...	AWS managed	0
☐	AlexaForBusiness...	AWS managed	0



☐	Policy name	Type	
☐	AlexaForBusinessP...	AWS managed	0
☐	AlexaForBusinessP...	AWS managed	0
☐	AlexaForBusinessR...	AWS managed	0
☐	AmazonAPIGatew...	AWS managed	0
☐	AmazonAPIGatew...	AWS managed	0
☐	AmazonAPIGatew...	AWS managed	0
☐	AmazonAppFlowF...	AWS managed	0

There are no permissions selected.

Cancel **Next**