

Dynamic Solutions International, LLC

Quick Guide for the CE-QUAL-W2 Post Processor W2_Post

July 2012

W2_Post A post-processor for CE-QUAL-W2 Version3 that provides the user with a broad range of visualization and analyses of the model results. W2_Post provides for rapid visualization and assessment of W2 model results. W2_Post uses a binary file generated by the CE-QUAL-W2 (i.e. the "W2L" file extension) for all of its model data analysis. No need to output multiple types of output from W2. The post-processor provides extensive model calibration / measured data comparison tools and statistics. The following are summaries of each major type of post-processing available.

1) Model Grid Visualizations

- a) Plan View
 - i) Normal View (i.e. using model input angles and widths)
 - ii) Simple View (simplified block view of grid)
 - iii) Line View
- b) Longitudinal Profiles by Branch
- c) Segment Profiles
- d) Cells colored by connection and type
- e) Google Earth KML, metafile and bitmap outputs

2) Animations

- a) Animations time interpolate model stored results (in the W2L file) to user specified interval to speed up/slow down animations.
- b) Compare up to four separate model runs within a single animation. Mix and match parameters.
- c) Up to four parameters from a single run can be animated.
- d) User control of min/max color ranges.
- e) User control of axis formats and types (i.e. segment/layer labels or distance/elevation units)

3) Vertical Profiles

- a) View profile of any segment at any time (@ W2L intervals) for any parameter.
- b) Automatic comparison of model and measured data with various statistics.
- c) Various output formats.

4) Contours

- a) View any branch longitudinal profile for any constituent.
- b) Rapidly scroll through time.
- c) Color filled and/or line contours.
- d) Branch/Longitudinal Profile calibration statistics.
- e) Various output formats.

5) Time Series

- a) Point and click interface to select cells to plot.
- b) Get a time series of any cell (if inundated) for any parameters for all or some of the modeled times.
- c) Wide range of graph formatting options.
- d) Various output options.

6) Velocity Vectors

- a) View 2D velocity patters for any branch/longitudinal profile.
- b) Rapidly scroll through time.
- c) Various arrows formatting options.
- d) Various output formats.

7) 2D Plan View

- a) View 2D plan view concentrations at:
 - i) A specified layer
 - ii) Top active layer for each segment
 - iii) Volume weighted average for each segment
- b) Rapidly scroll through time.
- c) Use real world coordinates
- d) If the model is using UTM, then Google Earth KML export option is available

W2_Tool/W2_Post Specific Files


W2P The "W2P" file is the extension used by the W2_Tool utilities to define and retain non-model specific information and user interface settings. This file is optional for W2_Post, however, it is strongly recommended to save your project and use it for loading your projects.

W2L A binary file that W2 creates during the model run. The W2L file contains all of the data necessary to post-process the model results. However, it does not contain the scales and formatting that, once set, streamlines the post-processing.




Setting up the W2_Post Linkage

• Run the W2Control preprocessor for W2.




• Turn on the W2_Post Linkage and define the snapshot timing.





• Define the W2L file name




- Save the model, then
- Run the Model






Run W2_Post

• The default W2_Post executable file name: W2Tool_Post3.exe





• The W2_Post main form:







Degray Reservoir Example



















Roosevelt Reservoir Example




Grid - Plan View - Block View






Grid - Plan View - Normal View






Grid - Plan View - Normal View with Labeling




Grid - Longitudinal Profile






2D Velocity Vectors






Longitudinal Profile - Contours











- 1) Open the W2L file desired
 - a) Each "File" tab on the W2_Post form can be animated on one screen. Only 4 total branch/parameter combinations can be animate at the same time.
- 2) Select the branch for each file
- 3) Select the parameters for each branch.
- 4) Press "Animate"







Whatcom Reservoir Example



































Output of grid to kml or Google Earth file

Plan View Options	
Format Options Normal View Simple Angle View Angles Line View	Labeling Options Branch ID's No Labeling Label Ends Label All
World Coordinate Offset Easting: 0 Northing: 0	
Segment Widths Varies by bathymetry Fixed	Layer: 2 Width Exageration: 1 Width: 2000
Cell Colors InAct Std With Show Colors	Out Strc Trib Change
<u>C</u> ancel	<u>o</u> k


Enter UTM coordinates for Easting and Westing; these can be obtained from Google Earth. You must choose what coordinate to start your grid. For Lake Roosevelt the world coordinates are WorldX=352 136.09375 WorldY=531 3519.5






You also must set the UTM zone. For Lake Roosevelt this is shown in Google Earth if you set the x-y coordinates to UTM.





Calibration Data







The data import format is as follows:



Vertical Profiles - Calibration Data: Date/Time Vertical Profiles - Calibration Data: Julian Date





File Contents

Line1: Text description of file contents (ignored by W2 Post)

Line2: A line containing the parameter numbers (from the W2 parameters being modeled) that are included in this calibration file. Any number of parameters can be included, one parameter per column.

Line3 and Line4: Description and units (ignored by W2 Post).

Column Definitions:

Br: W2 model branch number

RM: Distance upstream of the most downstream segment face of the

specified branch

Date/Time or Julian Date: A valid date time formatted field (must include time), or

A valid Julian date from the start date of the model (e.g. 2004-01-01)

Depth: Depth of the measurement


Parameter Measurement value corresponding to each depth. Each parameter in

a column. Use -999 to indicate missing values. All columns must be

filled.




Example Form showing the calibration file settings after loading the specified file (using "Load File").





Using the "Calib Stats" button on the main W2_Post form, the user will see the W2_Tool Calibration Summary form. The user must select the parameter to compute then click on the "Compute" button. W2_Post will then compute the profile statistics and summarize all of the measured profiles in the summary, as seen below.





After computing the summary statistics, the user can view the profiles by clicking on the "Show Profiles". Eight profiles are shown per page. Plotting control is available using the "X Axis" and elevation settings on the form. The profiles can be saved as metafiles using the "Export Plots" button. An example is shown below.

