

VELORA

PROJECT STRUCTURE MAP & PATH AUDIT

Verified English Source-of-Truth Baseline

AS-IS VERIFIED BASELINE • READ-ONLY • APPROVAL REQUIRED BEFORE CHANGE

Audit date	2026-08-14
Audited root	/home/user/404_extracted/
Scope	630 files • 159 directories • approximately 29 MB
Actual architecture	Static/generated HTML + Vanilla JS/CSS + PHP locale router + custom PHP/PDO API
Change status	No application file was moved, renamed, deleted, refactored, or remediated.
Document status	Structural source of truth for the audited baseline; all findings remain open.

CONFIDENTIALITY: .env values, database records, logs, credentials, and personal data are not disclosed. Sensitive evidence is limited to paths, permissions, hashes, and masked counts.

Document Control and Audit Method

This document records the verified state of the repository. Review it before any feature, refactor, file move, routing/API/localization/build change, or deployment. Every structural change requires approval, the smallest safe patch, staging validation, and an updated structure map.

Original archive SHA-256	d1a680274cf0087ae1b6a1b78c164395fa5df4c4553296d501336cc47d844d5a
Previous Production SHA-256	4dc741aac7fde68d3124d6d6b7b1e0b8bfefaf2d7885b679874e6ea532e1c615
Current Production SHA-256	2550236584a55523ebefd02465c1750c8da721a2fda9eb741f94f303614fee7a
Methods	Filesystem walk; SHA-256; route/import/reference parsing; JSON validation; localization contract checks; ZIP diff; case-fold and pixel comparison.
Execution limit	PHP, MySQL, MariaDB, SQLite CLI, and Docker were unavailable in the sandbox; live backend/database tests must run in staging.
Safety rule	Non-destructive tests; masked evidence; no deletion; preserve Production .env and runtime data.

Quantitative Summary

Files	630
Directories below root	159
Files in current Production ZIP	451
Working-tree exclusions	179
Source routes	28
Generated locale outputs	59 / 59 present
API endpoints	35 registered + GET /health
Exact duplicate groups	36 groups / 91 files
Near-duplicate triage	117 text pairs / 13 perceptual image pairs
Findings	0 CRITICAL • 4 HIGH • 10 MEDIUM • 6 LOW
Version comparison	36 changed • 9 added • 0 removed • 0 moved • 406 unchanged

1. Executive Result

The active frontend is generated/static HTML with browser-native JavaScript and CSS. There is no active Next.js, React, Vue, Composer, npm, or bundler application. The backend is a custom PHP API with lightweight PSR-4-style autoloading, an internal Router, PDO repositories, cron workers, and optional OCR system dependencies.

Verified Healthy Controls

- 26 static PHP include/require targets checked: 0 missing.
- 96 HTML files and 2,645 direct asset references checked: 0 direct targets missing.
- 21 browser JavaScript/related source files and 13 relative dependencies checked: 0 missing.
- 54 PHP source files and 53 namespaced symbols: 0 namespace/path mismatch and no use-graph cycle found.
- All 35 registered API routes resolve to existing handler classes and methods; /health is handled before dispatch.
- 28 templates and all 59 expected generated outputs exist; 40 locale JSON files are valid and 34 feature chunk hashes/sizes match.
- The 451-file Production ZIP excludes .env, runtime storage, dumps, tools, source templates, legacy Next artifacts, and backup assets.
- Screenshot extraction uses permission-restricted temporary files and finally cleanup; no persistent upload directory exists.

Risk Posture

No CRITICAL issue was verified. Four HIGH findings concern source-tree data/runtime hygiene, checkout localization, and Persian copy in English outputs. All 20 findings remain OPEN; no remediation was applied.

2. Architecture and Path Map

Browser	Generated HTML first paint → shared CSS/JS → locale chunks → API fetch
Page routing	Apache/LiteSpeed .htaccess → locale-router.php → localized/{locale}/{route}
Localization build	routes.json + catalogs/maps → Python sync/build → 59 HTML outputs + 34 chunks
API	/api/* or /health → api/index.php → Router → middleware → controller
Data	Controllers → services → repositories → PDO → MySQL/MariaDB or local SQLite
Workers	Cron → MetaApi sync / dynamic translation; OCR → Tesseract + Python helper
Runtime	api/.env + api/storage; persistent screenshot uploads: none
Deployment	Explicit 451-file package → cPanel public_html; host .env/data preserved

Page Route Contract

- An explicit /fa/... or /en/... prefix is authoritative.
- For unprefixed URLs, locale-router checks velora_locale, then primary Accept-Language, then default=fa; unsupported languages fall back to en.
- Only generated localized artifacts are needed for Production first paint; source templates are excluded from the current Production ZIP.
- API, health, public assets, and checkout are outside page-language negotiation.
- Generated canonical/hreflang URLs use explicit locale paths, but sitemap/navigation/robots still drift from that contract.

Import and Path Contract

- Browser code uses global namespaces and script ordering; no @/ alias or bundler resolution exists.
- PHP autoload maps only Velora\ to api/src/{Namespace}.php; Composer is not used.
- Static browser paths are predominantly web-root absolute; source-relative paths serve build tooling.
- Only one case-fold collision exists: MANIFEST.json versus manifest.json.

3. Frontend, Localization, and Design-System Map

Pages	index.html plus 27 route templates; 28 source routes
Components	Footer, dialog, product gallery, sidebar icons, smart import, symbol picker, locale switcher
Layouts	Navigation/sidebar/shell are mostly embedded in templates; no framework layout component
Hooks	No React/Vue hooks; DOM events, IIFEs, and helper functions
Utilities	velora-data.js, localization.js, latin-digits.js, dynamic-content.js, symbol-icons.js
Styles	Inline page CSS plus 16 shared CSS files; no CSS build/bundle pipeline
Assets	public/assets: logos, backgrounds, symbols, flags, OCR data
Generated	localized/fa and localized/en; builder-owned, never manually edited

Localization Flow

public/locales/manifest.json → tools/localization/sync_registry.py → public/assets/velora-locale-registry.js

catalogs + feature maps + routes.json → build_localized_static.py → localized/{fa,en}/**

.htaccess → locale-router.php → generated artifact + Content-Language / Vary / ETag

velora-locale-bootstrap.js resolves lang/dir before paint; velora-localization.js loads chunks and supplies t()/Intl/switching

API dynamic translation uses public cache-only lookup; the provider is invoked only from the CLI worker

Frontend Route Summary

index.html	localized/fa/index.html	localized/en/index.html	—
404.html	localized/fa/404.html	localized/en/404.html	—
404/index.html	localized/fa/404/index.html	localized/en/404/index.html	—
accounts/connect/index.html	localized/fa/accounts/connect/index.html	localized/en/accounts/connect/index.html	—
admin/index.html	localized/fa/admin/index.html	localized/en/admin/index.html	—
dashboard/index.html	localized/fa/dashboard/index.html	localized/en/dashboard/index.html	—
forgot-password/index.html	localized/fa/forgot-password/index.html	localized/en/forgot-password/index.html	—
intelligence/index.html	localized/fa/intelligence/index.html	localized/en/intelligence/index.html	—
login/index.html	localized/fa/login/index.html	localized/en/login/index.html	—
markets/index.html	localized/fa/markets/index.html	localized/en/markets/index.html	—
news/index.html	localized/fa/news/index.html	localized/en/news/index.html	—
performance/index.html	localized/fa/performance/index.html	localized/en/performance/index.html	—
privacy/index.html	localized/fa/privacy/index.html	localized/en/privacy/index.html	—
profile/index.html	localized/fa/profile/index.html	localized/en/profile/index.html	—
register/index.html	localized/fa/register/index.html	localized/en/register/index.html	—
reset-password/index.html	localized/fa/reset-password/index.html	localized/en/reset-password/index.html	—
support/index.html	localized/fa/support/index.html	localized/en/support/index.html	—
terms/index.html	localized/fa/terms/index.html	localized/en/terms/index.html	—
trades/index.html	localized/fa/trades/index.html	localized/en/trades/index.html	—
trades/new/index.html	localized/fa/trades/new/index.html	localized/en/trades/new/index.html	—
verify-email/index.html	localized/fa/verify-email/index.html	localized/en/verify-email/index.html	—
wallet/index.html	localized/fa/wallet/index.html	localized/en/wallet/index.html	—
blog/index.html	localized/fa/blog/index.html	localized/en/blog/index.html	—
blog/what-is-trading-journal/index.html	localized/fa/blog/what-is-trading-journal/index.html	localized/en/blog/what-is-a-trading-journal/index.html	English legacy alias: localized/en/blog/what-is-trading-journal/index.html
blog/forex-trading-journal/index.html	localized/fa/blog/forex-trading-journal/index.html	localized/en/blog/forex-trading-journal/index.html	—
blog/why-traders-need-journal/index.html	localized/fa/blog/why-traders-need-journal/index.html	localized/en/blog/why-traders-need-a-journal/index.html	English legacy alias: localized/en/blog/why-traders-need-journal/index.html
blog/risk-management-trading/index.html	localized/fa/blog/risk-management-trading/index.html	localized/en/blog/risk-management-in-trading/index.html	English legacy alias: localized/en/blog/risk-management-trading/index.html

blog/mt4-mt5-trading-journal/index.html	localized/fa/blog/mt4-mt5-trading-journal/index.html	localized/en/blog/mt4-mt5-trading-journal/index.html	—
---	--	--	---

4. Backend, API, and Middleware Map

The backend uses no external application framework. `api/src/bootstrap.php` provides custom autoloading and exception handling; `Core/Router.php` and `Core/Request/Response.php` define the HTTP contract. PHP 8.1+ is required by syntax and runtime functions.

Registered Routes, Handlers, and Access

Every handler below was verified for class-file and method existence. Protected routes use `AuthMiddleware`; admin uses `adminOnly`; the public `MetaApi` webhook performs HMAC verification inside the service.

GET /health	Inline response	Public	Handled before Router dispatch
POST /api/v1/auth/register	Velora\Auth\AuthController::register	Public	Handler verified; rate 5 / 3600 s
POST /api/v1/auth/verify-email	Velora\Auth\AuthController::verifyEmail	Public	Handler verified; rate 20 / 900 s
POST /api/v1/auth/resend-verification	Velora\Auth\AuthController::resendVerification	Public	Handler verified; rate 4 / 3600 s
POST /api/v1/auth/resend-verification-email	Velora\Auth\AuthController::resendVerification	Public	Handler verified; rate 4 / 3600 s
POST /api/v1/auth/login	Velora\Auth\AuthController::login	Public	Handler verified; rate 8 / 300 s
POST /api/v1/auth/refresh	Velora\Auth\AuthController::refresh	Public	Handler verified; rate 30 / 300 s
POST /api/v1/auth/logout	Velora\Auth\AuthController::logout	Public	Handler verified
POST /api/v1/auth/forgot-password	Velora\Auth\AuthController::forgotPassword	Public	Handler verified; rate 4 / 3600 s
POST /api/v1/auth/reset-password	Velora\Auth\AuthController::resetPassword	Public	Handler verified; rate 6 / 3600 s
POST /api/v1/content-translations/lookup	Velora\Core\Locale\ContentTranslationController::lookup	Public	Handler verified
GET /api/v1/auth/me	Velora\Auth\AuthController::me	JWT authenticated	Handler verified
POST /api/v1/auth/change-password	Velora\Auth\AuthController::changePassword	JWT authenticated	Handler verified; rate 8 / 900 s
GET /api/v1/trades	Velora\Trades\TradeController::index	JWT authenticated	Handler verified
POST /api/v1/trades	Velora\Trades\TradeController::store	JWT authenticated	Handler verified
GET /api/v1/trades/symbols	Velora\Trades\TradeController::symbols	JWT authenticated	Handler verified
POST /api/v1/trades/extract-screenshot	Velora\Trades\ScreenshotExtractController::extract	JWT authenticated	Handler verified; rate 8 / user / 300 s
GET /api/v1/trades/{id}/exits	Velora\Trades\TradeExitController::index	JWT authenticated	Handler verified
POST /api/v1/trades/{id}/exits	Velora\Trades\TradeExitController::store	JWT authenticated	Handler verified
DELETE /api/v1/trades/exits/{exitId}	Velora\Trades\TradeExitController::destroy	JWT authenticated	Handler verified
GET /api/v1/trades/{id}	Velora\Trades\TradeController::show	JWT authenticated	Handler verified
PUT /api/v1/trades/{id}	Velora\Trades\TradeController::update	JWT authenticated	Handler verified
DELETE /api/v1/trades/{id}	Velora\Trades\TradeController::destroy	JWT authenticated	Handler verified
GET /api/v1/accounts	Velora\Accounts\AccountController::index	JWT authenticated	Handler verified
POST /api/v1/accounts	Velora\Accounts\AccountController::store	JWT authenticated	Handler verified
POST /api/v1/accounts/detect-server	Velora\Accounts\AccountController::detectServer	JWT authenticated	Handler verified
POST /api/v1/accounts/connect-metaapi	Velora\Accounts\AccountController::connectMetaApi	JWT authenticated	Handler verified
POST /api/v1/accounts/{id}/sync	Velora\Accounts\AccountController::sync	JWT authenticated	Handler verified
GET /api/v1/accounts/{id}/sync-status	Velora\Accounts\AccountController::syncStatus	JWT authenticated	Handler verified
DELETE /api/v1/accounts/{id}	Velora\Accounts\AccountController::destroy	JWT authenticated	Handler verified
POST /api/v1/webhooks/metaapi	Velora\Webhooks\MetaApiWebhookController::handle	Public transport; HMAC verified in service	Handler verified
GET /api/v1/webhooks/metaapi/test	Velora\Webhooks\MetaApiWebhookController::test	Development only; Production 404	Handler verified
GET /api/v1/dashboard/summary	Velora\Dashboard\DashboardController::summary	JWT authenticated	Handler verified
GET /api/v1/dashboard/equity-curve	Velora\Dashboard\DashboardController::equityCurve	JWT authenticated	Handler verified
GET /api/v1/dashboard/strategies	Velora\Dashboard\DashboardController::strategies	JWT authenticated	Handler verified
GET /api/v1/admin/users	Velora\Admin\AdminController::users	JWT + admin role	Handler verified

Dependency Flow

AuthController → AuthService → user/session/reset/verification repositories → Database, Mailer, Jwt.

AccountController → MetaApiService + account/sync/webhook repositories → Crypto, HTTP, PDO.

Trade/Exit/Screenshot controllers → TradeService/PnlCalculator/repositories/OCR → PDO and optional system tools.

DashboardController → MetricsService → trades/accounts data.

AdminController → JWT authentication + admin role → users table.

5. Database, Storage, Upload, and OCR Map

Canonical Schema

users	Identity and roles	YES
user_sessions	Refresh/access sessions	YES
password_resets	Password-reset tokens	YES
email_verifications	Email verification	YES
email_notifications	Email notification queue	YES
email_preferences	Email preferences	YES
user_achievements	Achievements	YES
user_devices	Device/fingerprint records	YES
rate_limits	Rate-limit buckets	YES
trading_accounts	Trading/MetaApi accounts	YES
trades	Trades	YES
trade_exits	Partial/full exits	YES
sync_jobs	MetaApi sync queue	YES
webhook_events	Webhook idempotency/log	YES
content_translation_cache	Dynamic translation cache	YES
content_translation_jobs	Dynamic translation queue	YES

All 16 canonical schema tables have at least one active PHP reference. Historical tables such as `trade_screenshots`, `tags`, and `trade_features` occur only in old dumps and are not used by the current screenshot controller or canonical schema.

Migrations and Installer

- `api/install.php` imports only `api/database/schema.sql`; Production `.htaccess` denies it and the current release excludes it.
- `add_language_support.sql`, `v0.2_metaapi_bridge.sql`, and `v0.3_trade_financial_consistency.sql` are manual operational migrations; no automatic migration runner exists.
- `init-sqlite.php` creates a smaller local/test schema and demo seed; it is denied and release-excluded.
- v0.2 requires a dialect decision and staged MySQL/MariaDB validation (F-13).

Screenshot Flow

Browser data URLs (max 4 images; 8 MiB each; 16 MiB total) → authenticated extraction endpoint with a per-user rate limit

Controller validates MIME/content/dimensions → temp file → `chmod 0600` → OCR tools → finally unlink

First temp image → `python3 read_mt5_times.py` → Pillow/NumPy parsing → finally unlink

Server OCR unavailable → HTTP 501 → browser Tesseract.js 5.1.1 with SRI loader and local `eng/fas traineddata`

Persistent screenshot upload directory: NONE; `trade_screenshots` appears only in historical SQL dumps

6. Configuration, Build, Deployment, and cPanel

Document root	/home/[cpanel-user]/public_html/ — account-specific examples must not be authoritative
Web server	Apache-compatible LiteSpeed, rewrite, AllowOverride, headers, directory indexing disabled
Page runtime	PHP 8.1+, locale-router.php, read access to localized and public/locales
API runtime	PHP 8.1+, PDO MySQL, OpenSSL, cURL/mail, JSON; GD/proc_open/Tesseract for server OCR
Workers	Cron PHP workers; Python 3 + Pillow + NumPy for timestamp OCR
Writable state	api/storage at runtime; preferably outside the document root; 0700 directory and 0600 files
Secrets	api/.env or host environment; a release must never overwrite Production values
Build host	Python localization tools; source templates need not ship to Production
Remote runtime	Google Fonts; pinned jsDelivr resources for browser OCR fallback
Deployment unit	Current 451-file ZIP; incremental by default; server state preserved

Working Tree vs Production Boundary

IN TREE + PACKAGE	451	Required Production runtime files
IN TREE, NOT PACKAGE	179	Sources, tools, docs, secrets/runtime, dumps, backups, and legacy artifacts
PACKAGE, NOT TREE	0	No fabricated or package-only path

Approved Release Gate Sequence

```
python3 tools/localization/normalize_brand.py
python3 tools/localization/sync_registry.py
python3 tools/localization/build_localized_static.py
python3 tools/localization/validate_localization.py
```

Create an incremental allowlisted package; preserve server api/.env and runtime data; report CHANGED / ADDED / DELETED / UNCHANGED / SERVER ACTION.

The current validator exits with code 1. An older LOCALIZATION_VALIDATION_OK statement in deployment documentation must not be treated as current release evidence.

7. Important File Inventory

.htaccess	Web-server config	Production rewrites, locale routing, security, cache, CSP	Apache/LiteSpeed	ACTIVE; checkout exception
locale-router.php	PHP front controller	Locale negotiation and generated HTML serving	.htaccess, locale manifest, localized/	ACTIVE
router.php	Development router	Local no-cache/live reload and API delegation	PHP built-in server	DEV ONLY; blocked in Production
tools/localization/routes.json	Route registry	28 source templates and aliases	Builder, tests, audit	AUTHORITATIVE BUILD ROUTES
tools/localization/build_localized_static.py	Build tool	Generates localized/{fa,en}	Routes, catalogs	ACTIVE BUILD
tools/localization/validate_localization.py	Validator	Localization/brand/path QA	Catalogs, policy, HTML	ACTIVE; currently fails
index.html + 27 templates	HTML source	One shared source per route	Localization builder	ACTIVE SOURCE; not packaged
checkout/index.html	Standalone HTML	Checkout/plan selection	Homepage link, static bypass	ACTIVE; outside localization
localized/{fa,en}/**	Generated HTML	Locale-specific first paint	Locale router	GENERATED; do not edit
public/locales/manifest.json	Runtime JSON	Locale/default/fallback/version	Router and browser bootstrap	ACTIVE 2026.08.13.11
public/locales/feature-manifest.json	Chunk index	34 feature chunks and hashes	Localization runtime	ACTIVE; stale version
velora-locale-registry.js	Browser registry	Frozen locale configuration	Bootstrap/localization	ACTIVE
velora-locale-bootstrap.js	Browser bootstrap	Resolves locale before paint	Generated pages	ACTIVE
velora-localization.js	Browser service	Catalog load, t(), formatting, switcher	Registry/chunks	ACTIVE
velora-data.js	Browser utility	API/auth/data helper	Application pages	ACTIVE
velora-dialog.js	UI behavior	Shared confirmation/logout dialog	Application pages	ACTIVE; inline locale branch
velora-smart-import.js	OCR feature	Screenshot import, API extraction, browser OCR	API, Tesseract resources	ACTIVE; system deps
symbol-icons.js + symbols.json	Asset service	Registry and dynamic symbol icons	Trading UI	ACTIVE; one missing target
public/assets/*.css	CSS system	Shared design fragments	HTML templates	ACTIVE; no bundler
velora-premium-footer.*	Shared component	Footer style and behavior	Site pages	ACTIVE
sitemap.xml / robots.txt	SEO configuration	Discovery and crawl policy	Search engines	ACTIVE; route drift
api/.htaccess	API server config	Protect source/storage/tools and route API	Apache/LiteSpeed	ACTIVE
api/index.php	API front controller	35 routes plus health	Root/API rewrite	AUTHORITATIVE API MAP
api/public/index.php	Compatibility entry	Delegates to canonical API entry	Alternate document root	ACTIVE
api/src/bootstrap.php	PHP bootstrap	Autoload and exception handling	api/index.php	ACTIVE; PHP 8.1+
api/config/config.php	Runtime config	Environment, DB, CORS, limits, proxy	Config loader / .env	ACTIVE; template gap
api/src/Core/**	Backend core	Router, HTTP, config, DB, JWT, mail, locale	All backend modules	ACTIVE
api/src/Auth/**	Domain module	Auth, sessions, reset, email verification	Auth routes	ACTIVE
api/src/Accounts/**	Domain module	Accounts, MetaApi, sync, webhooks	Account routes/workers	ACTIVE
api/src/Trades/**	Domain module	Trades, exits, PnL, OCR	Trade routes	ACTIVE
api/src/Dashboard/**	Domain module	Summary, equity, strategy metrics	Dashboard routes	ACTIVE
api/src/Webhooks/**	Domain module	MetaApi HMAC ingestion	Webhook routes	ACTIVE
api/src/Admin/AdminController.php	Controller	Admin user list	Admin route	ACTIVE; admin guard
api/database/schema.sql	SQL schema	Canonical fresh-install 16 tables	Installer/manual deployment	PRIMARY SCHEMA
api/database/migrations/*.sql	SQL migration	Language and v0.2/v0.3 upgrades	Operator	ACTIVE OPS; v0.2 issue
database_corrected.sql / db_backup.sql	Historical exports	Data-bearing historical database copies	No active code	SENSITIVE/LEGACY
api/workers/metaapi_sync_worker.php	CLI worker	Processes MetaApi sync jobs	Cron	ACTIVE CLI
api/workers/content_translation_worker.php	CLI worker	Processes translation jobs	Cron/provider env	ACTIVE CLI
api/workers/read_mt5_times.py	Python worker	Extracts MT5 timestamps	Screenshot controller	ACTIVE OPTIONAL OCR
api/storage/	Runtime storage	SQLite and logs	Database/Mailer	SENSITIVE RUNTIME
api/.env / api/.env.example	Environment config	Secrets / safe template	Config.php	SECRET / TEMPLATE
public/assets/tesseract-data/**	OCR models	Local English/Persian traineddata	Browser OCR fallback	ACTIVE

public/assets/symbols/**	Asset library	Registry symbols and fallbacks	Symbol service	ACTIVE + candidates
_next/** + */index.txt	Legacy output	Historical Next/RSC artifacts	No active importer	ORPHAN CANDIDATE
Deployment manifests/guides	Release history	Old package lists and instructions	Operator only	STALE

8. Findings and Approval-Gated Remediation Plan

F-01		Secret and runtime artifacts have mode 0644	api/.env; api/storage/velora.sqlite; api/storage/mail.log; api/error_log
F-02		Data-bearing historical SQL exports remain under the web-root snapshot	_database/database_corrected.sql; api/database/database_corrected.sql; api/database/db_backup.sql
F-03		Checkout bypasses locale routing and has no independent English route	index.html:1824; .htaccess; checkout/index.html; tools/localization/routes.json
F-04		Five English outputs contain 161 visible Persian nodes	localized/en/accounts/connect (17); privacy (85); profile (3); terms (52); trades/new (4)
F-05		Localization release and cache-busting versions are inconsistent	public/locales/manifest.json; locale registry; catalogs; feature manifest/chunks; 87 HTML files
F-06		Active locale branches remain outside the central catalog and escape validator detection	velora-dialog.js:7,14; velora-smart-import-dash.js:9; velora-smart-import.js:11–12; index.html:2395,2537
F-07		Active locale key errors.validation.format is missing	AccountController.php; TradeService.php; public/locales/*
F-08		Localization validation fails with 622 mixed real and false-positive reports	tools/localization/validate_localization.py; brand_policy.py; test-localization.html; /tmp/velora_validate.out
F-09		GER40 and DAX40 reference a missing flag target	public/assets/symbols/symbols.json:214,239 → assets/flags/de.png
F-10		Sitemap, robots, locale-aware links, and canonical route contracts drift	sitemap.xml; robots.txt; localized/en/*.html; routes.json
F-11		Historical manifests and deployment guides are stale and multi-authoritative	DEPLOYMENT_MANIFEST.json; MANIFEST.json; PATCH_MANIFEST.json; DEPLOYMENT_GUIDE_FA.md
F-12		Dependency contract and host preflight are incomplete	Repository root; api/src; read_mt5_times.py; ScreenshotExtractController.php; velora-smart-import.js
F-13		Migration v0.2 is not compatible with MySQL 8 grammar	api/database/migrations/v0.2_metaapi_bridge.sql; deployment guide
F-14		TRUSTED_PROXY_CIDRS is used but absent from the environment template	api/config/config.php:82; api/.env.example
F-15		Nine PHP imports are unused	Six PDO repository imports; AuthMiddleware UnauthorizedException; Router ApiException; TranslationController Response
F-16		Legacy TranslationController depends on missing LocalizedResponse	TranslationController.php; LocaleMiddleware.php; absent LocalizedResponse.php
F-17		Exact and near-duplicate ownership is unresolved	Appendix C: generated aliases, logos/icons, SQL/readme copies, symbol aliases, backgrounds, email assets
F-18		Legacy Next.js/RSC artifacts are inactive and incomplete	_next/ (40 files); nine route-level index.txt files
F-19		Large asset sets are likely unused but dynamic paths prevent automatic deletion	asset-icons2: 54/60 candidates; symbols library: 93/147 candidates; nine backup-named files; bg-b variants
F-20		Case-fold collision exists between MANIFEST.json and manifest.json	MANIFEST.json; manifest.json

F-01 — HIGH — Secret and runtime artifacts have mode 0644

File / component	api/.env; api/storage/velora.sqlite; api/storage/mail.log; api/error_log
Verified evidence	Metadata confirms mode 0644. Secret contents were neither copied nor disclosed. HTTP rules deny access and the Production ZIP excludes the files.
Root cause	Runtime data is mixed with the source snapshot and relies on web-server denial as the final control.
Risk	Accidental export, copying outside Apache/LiteSpeed, backup errors, or another local user could expose credentials, logs, or runtime data.
Recommendation	After approval and backup, keep runtime data outside source/public_html; use 0600 files and a 0700 storage directory; preserve Production .env and data.
Verification test	Check stat output, archive listing, controlled HTTP denial, and API smoke tests.
Status	OPEN — no remediation applied; approval required.

F-02 — HIGH — Data-bearing historical SQL exports remain under the web-root snapshot

File / component	_database/database_corrected.sql; api/database/database_corrected.sql;
-------------------------	--

	api/database/db_backup.sql
Verified evidence	The two database_corrected.sql files are exact duplicates. The dumps contain masked indicators for 64–65 email literals and bcrypt hashes. No values are disclosed.
Root cause	Historical exports were retained beside clean schema and migrations.
Risk	A different server configuration or package mistake could expose personal data or password hashes and make schema ownership ambiguous.
Recommendation	Move approved dumps to encrypted storage outside the web root; retain only clean schema/migrations in source and release packages.
Verification test	Scan package listings and HTTP denial; verify clean schema/migrations contain no real records.
Status	OPEN — no remediation applied; approval required.

F-03 — HIGH — Checkout bypasses locale routing and has no independent English route

File / component	index.html:1824; .htaccess; checkout/index.html; tools/localization/routes.json
Verified evidence	The homepage links to /checkout/index.html?plan=professional. Checkout is rewrite-bypassed, absent from routes.json, and has no generated /fa/ or /en/ output.
Root cause	A standalone page remained outside the shared localization contract.
Risk	English users can enter a Persian or mixed-language conversion flow; /en/checkout/ cannot resolve to a verified localized output.
Recommendation	Keep one shared source, make checkout language-aware, and register an approved route/build contract without creating separately authored locale sources.
Verification test	Test /fa/checkout/ and /en/checkout/, query preservation, canonical/hreflang, payment flow, and responsive behavior.
Status	OPEN — no remediation applied; approval required.

F-04 — HIGH — Five English outputs contain 161 visible Persian nodes

File / component	localized/en/accounts/connect (17); privacy (85); profile (3); terms (52); trades/new (4)
Verified evidence	A visible DOM-text scan found Persian copy in generated English output. Generated files were not edited.
Root cause	Source/catalog coverage is incomplete and the build preserves Persian copy.
Risk	English usability, legal content, language parity, and user trust are affected.
Recommendation	Correct shared sources and catalogs, then rebuild generated outputs; never edit localized/{locale} manually.
Verification test	Require zero visible Persian nodes, validator success, human FA/EN review, and unchanged layout/design.
Status	OPEN — no remediation applied; approval required.

F-05 — MEDIUM — Localization release and cache-busting versions are inconsistent

File / component	public/locales/manifest.json; locale registry; catalogs; feature manifest/chunks; 87 HTML files
Verified evidence	Main manifest/registry use 2026.08.13.11 while catalogs, brand, features, and routes use 2026.08.13.7. The validator reports 3 primary, 35 feature, and 522 stale query-version findings.
Root cause	Version changes and rebuild metadata are coordinated manually.
Risk	Stale caches and incompatible runtime/catalog combinations can occur.
Recommendation	Use one release-version source, then run registry sync, localized build, and validation.
Verification test	All manifests, catalogs, chunks, and query versions must match; all 34 chunk hashes must validate.
Status	OPEN — no remediation applied; approval required.

F-06 — MEDIUM — Active locale branches remain outside the central catalog and escape validator detection

File / component	velora-dialog.js:7,14; velora-smart-import-dash.js:9; velora-smart-import.js:11–12; index.html:2395,2537
-------------------------	--

Verified evidence	Active checks use document.documentElement.lang or local t(fa,en) helpers. The validator regex does not recognize all forms.
Root cause	Bilingual copy is embedded inline and validator parsing is limited.
Risk	Text drift and incomplete QA coverage continue while the validator reports misleading results.
Recommendation	Move active copy into the catalog/VeloraLocale with the smallest approved change and extend validation to real syntax.
Verification test	Test both locales, DOM snapshots, branch scans, and false-positive/false-negative fixtures.
Status	OPEN — no remediation applied; approval required.

F-07 — MEDIUM — Active locale key errors.validation.format is missing

File / component	AccountController.php; TradeService.php; public/locales/*
Verified evidence	Eight active emissions use the same messageKey, but it is absent from both FA and EN catalogs.
Root cause	The validation contract changed without a synchronized catalog update.
Risk	Raw fallback messages or incomplete localized API responses can reach users.
Recommendation	Add approved FA and EN values to the correct catalog/feature chunk and rebuild.
Verification test	Exercise all eight validation paths in both locales and assert messageKey plus localized message.
Status	OPEN — no remediation applied; approval required.

F-08 — MEDIUM — Localization validation fails with 622 mixed real and false-positive reports

File / component	tools/localization/validate_localization.py; brand_policy.py; test-localization.html; /tmp/velora_validate.out
Verified evidence	Exit code 1 includes version drift, 522 stale versions, brand false positives for the approved support email, parser misses, diagnostic-only keys, active missing keys, Persian copy, and missed branches.
Root cause	Production, diagnostic, brand-email, and JavaScript-helper scopes are not modeled precisely.
Risk	Noise can hide real defects and prevents a reliable release gate.
Recommendation	Fix root causes, separate diagnostic scope, preserve the approved mailbox, and improve parser fixtures without suppressing real findings.
Verification test	Production validation must report only real defects and reach zero after remediation.
Status	OPEN — no remediation applied; approval required.

F-09 — MEDIUM — GER40 and DAX40 reference a missing flag target

File / component	public/assets/symbols/symbols.json:214,239 → assets/flags/de.png
Verified evidence	public/assets/flags/de.png is absent while public/assets/symbols/flags/de.png exists. The reference is data-driven and escaped direct HTML scans.
Root cause	The registry was not updated after asset organization changed.
Risk	Broken images or fallback rendering occur for two symbols.
Recommendation	After design approval, point the registry to the existing approved asset or place the approved asset at the contractual location.
Verification test	Verify registry target existence, HTTP 200, Linux case, and both symbol renders.
Status	OPEN — no remediation applied; approval required.

F-10 — MEDIUM — Sitemap, robots, locale-aware links, and canonical route contracts drift

File / component	sitemap.xml; robots.txt; localized/en/* .html; routes.json
Verified evidence	Thirteen unprefixed sitemap URLs differ from /fa/... canonicals. English pages contain negotiated internal paths. Robots rules cover only unprefixed private routes and inspected app pages lack noindex.
Root cause	SEO/navigation files are maintained separately from the route registry.
Risk	Crawlers can discover duplicate/noncanonical pages or private application shells; English crawling can depend on cookies or headers.

Recommendation	Generate sitemap, robots, and locale URLs from route registry plus public/private policy; use explicit crawlable English destinations.
Verification test	Crawl without cookies under different Accept-Language values and verify canonical, hreflang, sitemap, robots, and noindex.
Status	OPEN — no remediation applied; approval required.

F-11 — MEDIUM — Historical manifests and deployment guides are stale and multi-authoritative

File / component	DEPLOYMENT_MANIFEST.json; MANIFEST.json; PATCH_MANIFEST.json; DEPLOYMENT_GUIDE_FA.md
Verified evidence	The manifests contain 497/128/111 entries with 2/1/1 missing targets. The guide records an older validator result/version and hardcodes a cPanel account path.
Root cause	Old package manifests remain in the root and are not generated from the current archive.
Risk	Operators can upload incomplete sets, overwrite the wrong path, or trust obsolete QA results.
Recommendation	Generate a versioned manifest from each final ZIP; clearly archive historical documents; replace account-specific paths with variables.
Verification test	Manifest path/count/hash must exactly match the current 451-file package with zero missing targets.
Status	OPEN — no remediation applied; approval required.

F-12 — MEDIUM — Dependency contract and host preflight are incomplete

File / component	Repository root; api/src; read_mt5_times.py; ScreenshotExtractController.php; velora-smart-import.js
Verified evidence	No Composer, npm, or Python dependency manifest exists. Code requires PHP 8.1+, PDO, OpenSSL, cURL/mail, GD, proc_open, Tesseract, Python 3, Pillow, NumPy, and pinned CDN fallback resources.
Root cause	A cPanel-oriented dependency-light architecture relies on undocumented system packages.
Risk	API, OCR, or workers may fail on another host and dependency auditing is not reproducible.
Recommendation	Document runtime requirements and add a non-destructive preflight without introducing a framework.
Verification test	Check PHP version/extensions, executable versions, Python imports, OCR smoke tests, and local traineddata in staging.
Status	OPEN — no remediation applied; approval required.

F-13 — MEDIUM — Migration v0.2 is not compatible with MySQL 8 grammar

File / component	api/database/migrations/v0.2_metaapi_bridge.sql; deployment guide
Verified evidence	ADD COLUMN IF NOT EXISTS and ADD INDEX IF NOT EXISTS in the current ALTER form are supported by MariaDB but not by MySQL 8 grammar.
Root cause	One migration was written for MariaDB while documentation claims both engines.
Risk	MySQL 8 deployment can fail or stop mid-migration.
Recommendation	Create a dialect-aware/idempotent migration or information_schema prechecks; never run on Production without backup and staging.
Verification test	Run in disposable MySQL 8 and MariaDB, compare schemas, and prove rerun idempotency.
Status	OPEN — no remediation applied; approval required.

F-14 — MEDIUM — TRUSTED_PROXY_CIDRS is used but absent from the environment template

File / component	api/config/config.php:82; api/.env.example
Verified evidence	It is the only PHP-consumed environment key missing from the example file.
Root cause	Proxy hardening was added without synchronizing the safe template and documentation.
Risk	Client-IP and rate-limit behavior behind a reverse proxy may be incorrect.
Recommendation	Add a nonsecret documented example and describe the actual topology without disclosing Production values.
Verification test	Test direct, trusted-proxy, and untrusted-forwarded requests and verify client-IP buckets.
Status	OPEN — no remediation applied; approval required.

F-15 — LOW — Nine PHP imports are unused

File / component	Six PDO repository imports; AuthMiddleware UnauthorizedException; Router ApiException; TranslationController Response
Verified evidence	Each imported short name is unused after its declaration and was spot-checked.
Root cause	Earlier refactors left import noise.
Risk	No direct runtime impact, but maintenance and dependency interpretation are noisier.
Recommendation	Remove only in an approved cleanup patch with no adjacent refactor.
Verification test	Run PHP lint/static analysis and route smoke tests in staging.
Status	OPEN — no remediation applied; approval required.

F-16 — LOW — Legacy TranslationController depends on missing LocalizedResponse

File / component	TranslationController.php; LocaleMiddleware.php; absent LocalizedResponse.php
Verified evidence	The class is absent. The controller is not registered among the 35 active routes; LocaleMiddleware is only tied to that legacy path.
Root cause	Old translation architecture remained after replacement by content translation/cache lookup.
Risk	Registering the legacy controller would cause an autoload failure; active API routes are unaffected.
Recommendation	Do not register it blindly; approve archive/removal or restore a complete tested contract.
Verification test	Keep all active route handlers valid; require integration tests if the legacy route is revived.
Status	OPEN — no remediation applied; approval required.

F-17 — LOW — Exact and near-duplicate ownership is unresolved

File / component	Appendix C: generated aliases, logos/icons, SQL/readme copies, symbol aliases, backgrounds, email assets
Verified evidence	SHA-256 found 36 groups/91 files. Triage also found 117 normalized-text pairs and 13 perceptual-image pairs. Two byte-different pairs are pixel-identical.
Root cause	Compatibility aliases, generated outputs, backups, and libraries coexist.
Risk	Files can be edited inconsistently, but many duplicates are intentional.
Recommendation	Classify each as intentional, generated, compatibility, or redundant; prove routing/runtime ownership before deletion.
Verification test	Use hash, route/reference trace, runtime access, and visual regression; perform no automatic deletion.
Status	OPEN — no remediation applied; approval required.

F-18 — LOW — Legacy Next.js/RSC artifacts are inactive and incomplete

File / component	_next/ (40 files); nine route-level index.txt files
Verified evidence	Four build IDs, two CSS files, repeated chunks, and nine missing fonts were found. No active HTML references exist; all 49 files are excluded from the current Production ZIP.
Root cause	Several historical Next exports were copied beside the current static frontend.
Risk	They create clutter, false framework identification, and accidental packaging risk.
Recommendation	After approval and an access-log observation period, archive/remove from source while retaining release exclusion.
Verification test	Require zero references, page smoke tests, package checks, and expected 404 behavior.
Status	OPEN — no remediation applied; approval required.

F-19 — LOW — Large asset sets are likely unused but dynamic paths prevent automatic deletion

File / component	asset-icons2: 54/60 candidates; symbols library: 93/147 candidates; nine backup-named files; bg-b variants
Verified evidence	symbols.json directly uses icon-20 through icon-25 and 54 symbol-library targets. Dynamic Forex paths and fallbacks mean text-reference absence is not proof.

Root cause	Historical libraries and runtime path construction coexist.
Risk	Storage and maintenance overhead exist, but premature deletion can break dynamic symbols.
Recommendation	Use access logs, a complete symbol-picker fixture, and an authoritative asset manifest before any deletion.
Verification test	Test all 75 registry entries, dynamic inputs, fallbacks, and visual snapshots; then report incremental deletions.
Status	OPEN — no remediation applied; approval required.

F-20 — LOW — Case-fold collision exists between MANIFEST.json and manifest.json

File / component	MANIFEST.json; manifest.json
Verified evidence	This is the only case-insensitive collision among 630 files. Linux distinguishes them; Windows/macOS and some ZIP workflows may not.
Root cause	Two unrelated roles use names differing only by case.
Risk	Extraction or development on a case-insensitive filesystem can overwrite or select the wrong file.
Recommendation	After approval, rename/version the release manifest explicitly and decide whether the unreferenced PWA-like manifest is retained, registered, or removed.
Verification test	Test case-insensitive extraction, HTML links, and package manifest resolution.
Status	OPEN — no remediation applied; approval required.

Recommended Order After Approval

P0	F-01, F-02	Protect/quarantine runtime and data-bearing dumps	Backup, owner approval, staging
P0	F-03, F-04	Checkout locale path and English content	UX/content approval and rebuild
P1	F-05...F-08	Version, key, inline branches, validator	One coordinated localization release
P1	F-09, F-10	Asset path and SEO/navigation/robots	Design and SEO approval
P1	F-11...F-14	Release manifests, dependencies, DB dialect, proxy docs	Operations/DB staging
P2	F-15...F-20	Imports, legacy code, duplicates, Next, assets, case collision	Runtime trace and explicit cleanup approval

No P0, P1, or P2 change was performed. No new full export was produced because the exact full-export trigger was not given.

9. Previous vs Current Production Version

Previous	VELORA-homepage-parity-production.zip • 442 files • SHA-256 4dc741aac7fde68d3124d6d6b7b1e0b8bfefaf2d7885b679874e6ea532e1c615
Current	VELORATRADE-security-hardened-production-2026-08-14.zip • 451 files • SHA-256 2550236584a55523ebefd02465c1750c8da721a2fda9eb741f94f303614fee7a
Result	ADDED 9 • REMOVED 0 • MOVED 0 • CHANGED 36 • UNCHANGED 406
Move interpretation	No old-only path exists, so no move/rename can be proven in this comparison.

Added Files

ADDED	api/database/migrations/add_language_support.sql	Database migration requires a staged DB decision
ADDED	api/database/migrations/v0.2_metaapi_bridge.sql	Database migration requires a staged DB decision
ADDED	api/database/migrations/v0.3_trade_financial_consistency.sql	Database migration requires a staged DB decision
ADDED	api/database/password_resets.sql	Database migration requires a staged DB decision
ADDED	api/database/schema.sql	Database migration requires a staged DB decision
ADDED	api/database/schema_extensions.sql	Database migration requires a staged DB decision
ADDED	public/assets/tesseract-data/NOTICE.txt	OCR model data; verify integrity and runtime path
ADDED	public/assets/tesseract-data/eng.traineddata.gz	OCR model data; verify integrity and runtime path
ADDED	public/assets/tesseract-data/fas.traineddata.gz	OCR model data; verify integrity and runtime path

Changed Files

CHANGED	.htaccess	Routing/security — Apache/LiteSpeed regression test
CHANGED	api/.htaccess	API/security/data path — staging smoke test
CHANGED	api/config/config.php	API/security/data path — staging smoke test
CHANGED	api/index.php	API/security/data path — staging smoke test
CHANGED	api/public/index.php	API/security/data path — staging smoke test
CHANGED	api/src/Accounts/AccountController.php	API/security/data path — staging smoke test
CHANGED	api/src/Accounts/MetaApiService.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/AuthController.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/AuthService.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/EmailVerificationRepository.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/PasswordResetRepository.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/PasswordService.php	API/security/data path — staging smoke test
CHANGED	api/src/Auth/SessionRepository.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Config.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Database.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Mailer.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/RateLimiter.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Request.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Response.php	API/security/data path — staging smoke test
CHANGED	api/src/Core/Validation.php	API/security/data path — staging smoke test
CHANGED	api/src/Trades/PnlCalculator.php	API/security/data path — staging smoke test
CHANGED	api/src/Trades/ScreenshotExtractController.php	API/security/data path — staging smoke test
CHANGED	api/src/Trades/TradeExitController.php	API/security/data path — staging smoke test

CHANGED	api/src/Trades/TradeExitRepository.php	API/security/data path — staging smoke test
CHANGED	api/src/Trades/TradeRepository.php	API/security/data path — staging smoke test
CHANGED	api/src/Trades/TradeService.php	API/security/data path — staging smoke test
CHANGED	api/src/Webhooks/MetaApiWebhookController.php	API/security/data path — staging smoke test
CHANGED	localized/en/dashboard/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	localized/en/reset-password/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	localized/en/verify-email/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	localized/fa/dashboard/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	localized/fa/reset-password/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	localized/fa/verify-email/index.html	Generated output — rebuild provenance and locale visual test
CHANGED	public/assets/symbol-icons.js	Frontend behavior/asset — browser regression test
CHANGED	public/assets/velora-data.js	Frontend behavior/asset — browser regression test
CHANGED	public/assets/velora-smart-import.js	Frontend behavior/asset — browser regression test

- REMOVED: 0.
- MOVED/RENAMED: 0.
- UNCHANGED: 406; paths are not repeated individually because the checksum comparison was complete.
- Database migrations are SERVER ACTIONS, not mere uploads; Production .env and runtime data must be preserved.

Appendix A — Complete Verified Repository Tree

This tree was generated from the final audited filesystem after removal of audit-generated bytecode. It contains all 630 files and 159 subdirectories. Secret filenames are shown, but secret contents are not.

```

404_extracted/
├── 404/
│   └── index.html
├── _database/
│   └── database_corrected.sql
├── _next/
│   └── static/
│       ├── 218lBA1PgcO_ZAYgrXcP/
│       │   ├── _buildManifest.js
│       │   └── _ssgManifest.js
│       ├── chunks/
│       │   ├── app/
│       │   │   ├── _not-found/
│       │   │   │   └── page-402ff515b2c14f9f.js
│       │   │   ├── admin/
│       │   │   │   ├── page-1e9989bfd2a6baaa.js
│       │   │   │   └── page-5c38b2cabbf4d752.js
│       │   │   ├── dashboard/
│       │   │   │   ├── page-54e0b502fc4aa20c.js
│       │   │   │   └── page-d9f448fc68bf4336.js
│       │   │   ├── forgot-password/
│       │   │   │   ├── page-0a5f23bad3bd659c.js
│       │   │   │   └── page-4f1549709939907d.js
│       │   │   ├── login/
│       │   │   │   ├── page-1982df9f616796cd.js
│       │   │   │   └── page-63ee9d52b18ccfc9.js
│       │   │   ├── profile/
│       │   │   │   ├── page-83f492d16914ea09.js
│       │   │   │   └── page-f089a1aebc69e352.js
│       │   │   ├── register/
│       │   │   │   ├── page-1a356346f9466047.js
│       │   │   │   └── page-e59c08b61ecbf40.js
│       │   │   ├── reset-password/
│       │   │   │   ├── page-448e660679ca5054.js
│       │   │   │   └── page-ff7ccd03538232f4.js
│       │   │   ├── trades/
│       │   │   │   ├── new/
│       │   │   │   │   ├── page-27f7896a3c59ff4a.js
│       │   │   │   │   └── page-390d1101e58d9e5d.js
│       │   │   │   ├── page-38e15ee67f5302c6.js
│       │   │   │   └── page-e8fb3e9bd06893c7.js
│       │   │   └── verify-email/
│       │   │       ├── page-1c83a6cba9633ded.js
│       │   │       └── page-aa0aa21a43021492.js
│       │   ├── error-cdd6999f3f915eb9.js
│       │   ├── global-error-820a8860d14fee4f.js
│       │   ├── layout-4b81b4155c2d976a.js
│       │   ├── layout-dcf3934a7520ada2.js
│       │   ├── loading-03a2f68b8da55ce2.js
│       │   ├── page-27520d1ae1f72e75.js
│       │   └── page-5f5bcd2f87251aac.js
│       └── pages/
│           ├── _app-44e5d7e52411c6a5.js
│           └── _error-4a2fb0735435b993.js
│       ├── css/
│       │   ├── 35c900d50ac706ed.css
│       │   └── fdce29635a02623d.css
│       ├── FM4dgr6qVkuVFTtyilqO/
│       │   ├── _buildManifest.js
│       │   └── _ssgManifest.js
│       ├── X3dim2gBYIGAf45rCn4KJ/
│       │   ├── _buildManifest.js
│       │   ├── _ssgManifest.js
│       └── z7aWr4SvvOLxF09Kc8Wha/
│           ├── _buildManifest.js
│           └── _ssgManifest.js
├── accounts/
│   └── connect/
│       └── index.html
├── admin/
│   ├── index.html
│   └── index.txt
├── api/
│   ├── assets/
│   │   ├── email/
│   │   │   ├── reset-lock.jpg
│   │   │   ├── velora-lock.jpg
│   │   │   ├── velora-logo-backup.png
│   │   │   ├── velora-logo.jpg
│   │   │   └── velora-logo.png
│   ├── config/
│   │   ├── .htaccess
│   │   └── config.php
│   ├── database/
│   │   ├── migrations/
│   │   └── add_language_support.sql

```

- ├── v0.2_metaapi_bridge.sql
- ├── v0.3_trade_financial_consistency.sql
- ├── database.sql
- ├── database_corrected.sql
- ├── database_fixed.sql
- ├── db_backup.sql
- ├── password_resets.sql
- ├── schema.sql
- ├── schema_extensions.sql
- ├── locales/
 - ├── en/
 - └── ui.php
 - ├── fa/
 - └── ui.php
- ├── public/
 - └── index.php
- ├── src/
 - ├── Accounts/
 - └── AccountController.php
 - └── AccountRepository.php
 - └── MetaApiService.php
 - └── SyncJobRepository.php
 - └── WebhookEventRepository.php
 - ├── Admin/
 - └── AdminController.php
 - ├── Auth/
 - └── AuthController.php
 - └── AuthMiddleware.php
 - └── AuthService.php
 - └── EmailVerificationRepository.php
 - └── PasswordResetRepository.php
 - └── PasswordService.php
 - └── README-#U0622#U067e#U0644#U0648#U062f.txt
 - └── README-persian-5.txt
 - └── README-persian-6.txt
 - └── SessionRepository.php
 - └── UserDeviceRepository.php
 - └── UserRepository.php
 - ├── Core/
 - ├── Exceptions/
 - └── ApiException.php
 - └── ConflictException.php
 - └── ForbiddenException.php
 - └── MethodNotAllowedException.php
 - └── NotFoundException.php
 - └── UnauthorizedException.php
 - └── ValidationException.php
 - ├── Locale/
 - └── ContentTranslationController.php
 - └── ContentTranslationRepository.php
 - └── LocaleManager.php
 - └── LocaleMiddleware.php
 - └── TranslationController.php
 - └── TranslationProviderClient.php
 - ├── Config.php
 - ├── Crypto.php
 - ├── Database.php
 - ├── EmailNotificationRepository.php
 - ├── EmailPreferenceRepository.php
 - ├── EmailTemplate.php
 - ├── Jwt.php
 - ├── Mailer.php
 - ├── NotificationService.php
 - ├── RateLimiter.php
 - ├── README-#U0622#U067e#U0644#U0648#U062f.txt
 - ├── README-persian-3.txt
 - ├── README-persian-4.txt
 - ├── Request.php
 - ├── Response.php
 - ├── Router.php
 - ├── UserAchievementRepository.php
 - ├── Validation.php
- ├── Dashboard/
 - └── DashboardController.php
 - └── MetricsService.php
- ├── Trades/
 - └── PnlCalculator.php
 - └── ScreenshotExtractController.php
 - └── TradeController.php
 - └── TradeExitController.php
 - └── TradeExitRepository.php
 - └── TradeRepository.php
 - └── TradeService.php
- ├── Webhooks/
 - └── MetaApiWebhookController.php
- ├── .htaccess
- ├── bootstrap.php
- ├── storage/
 - └── .gitkeep
 - └── mail.log
 - └── velora.sqlite
- ├── workers/

- | | | content_translation_worker.php
- | | | metaapi_sync_worker.php
- | | | preflight_v0_2.php
- | | | preflight_write_file.php
- | | | read_mt5_times.py
- | | .env
- | | .env.example
- | | .htaccess
- | | diag.php
- | | env-check.php
- | | error_log
- | | index.php
- | | init-sqlite.php
- | | install.php
- | | mail-setup.php
- | | mail-test-simple.php
- | | mail-test.php
- | | README-#U0622#U067e#U0644#U0648#U062f.txt
- | | README-persian-1.txt
- | | README-persian-2.txt
- | | test-resend-verification.php
- | | test-verify-email.php
- | | blog/
 - | | | forex-trading-journal/
 - | | | | index.html
 - | | | mt4-mt5-trading-journal/
 - | | | | index.html
 - | | | risk-management-trading/
 - | | | | index.html
 - | | | what-is-trading-journal/
 - | | | | index.html
 - | | | why-traders-need-journal/
 - | | | | index.html
 - | | | index.html
- | | checkout/
 - | | | index.html
- | | dashboard/
 - | | | index.html
 - | | | index.txt
- | | en/
 - | | | blog/
 - | | | | forex-trading-journal/
 - | | | | | index.html
 - | | | | mt4-mt5-trading-journal/
 - | | | | | index.html
 - | | | | risk-management-in-trading/
 - | | | | | index.html
 - | | | | what-is-a-trading-journal/
 - | | | | | index.html
 - | | | | why-traders-need-a-journal/
 - | | | | | index.html
 - | | | | index.html
 - | | | forgot-password/
 - | | | | index.html
 - | | | intelligence/
 - | | | | index.html
- | | localized/
 - | | | en/
 - | | | | 404/
 - | | | | | index.html
 - | | | | accounts/
 - | | | | | connect/
 - | | | | | | index.html
 - | | | | admin/
 - | | | | | index.html
 - | | | | blog/
 - | | | | | forex-trading-journal/
 - | | | | | | index.html
 - | | | | | mt4-mt5-trading-journal/
 - | | | | | | index.html
 - | | | | | risk-management-in-trading/
 - | | | | | | index.html
 - | | | | | risk-management-trading/
 - | | | | | | index.html
 - | | | | | what-is-a-trading-journal/
 - | | | | | | index.html
 - | | | | | what-is-trading-journal/
 - | | | | | | index.html
 - | | | | | why-traders-need-a-journal/
 - | | | | | | index.html
 - | | | | | why-traders-need-journal/
 - | | | | | | index.html
 - | | | | | index.html
 - | | | | dashboard/
 - | | | | | index.html
 - | | | | forgot-password/
 - | | | | | index.html
 - | | | | intelligence/
 - | | | | | index.html
 - | | | | login/
 - | | | | | index.html
 - | | | | markets/

```

├── index.html
├── news/
│   └── index.html
├── performance/
│   └── index.html
├── privacy/
│   └── index.html
├── profile/
│   └── index.html
├── register/
│   └── index.html
├── reset-password/
│   └── index.html
├── support/
│   └── index.html
├── terms/
│   └── index.html
├── trades/
│   ├── new/
│   │   └── index.html
│   └── index.html
├── verify-email/
│   └── index.html
├── wallet/
│   └── index.html
├── 404.html
├── index.html
├── fa/
│   ├── 404/
│   │   └── index.html
│   ├── accounts/
│   │   └── connect/
│   │       └── index.html
│   ├── admin/
│   │   └── index.html
│   ├── blog/
│   │   ├── forex-trading-journal/
│   │   │   └── index.html
│   │   ├── mt4-mt5-trading-journal/
│   │   │   └── index.html
│   │   ├── risk-management-trading/
│   │   │   └── index.html
│   │   ├── what-is-trading-journal/
│   │   │   └── index.html
│   │   ├── why-traders-need-journal/
│   │   │   └── index.html
│   │   └── index.html
│   ├── dashboard/
│   │   └── index.html
│   ├── forgot-password/
│   │   └── index.html
│   ├── intelligence/
│   │   └── index.html
│   ├── login/
│   │   └── index.html
│   ├── markets/
│   │   └── index.html
│   ├── news/
│   │   └── index.html
│   ├── performance/
│   │   └── index.html
│   ├── privacy/
│   │   └── index.html
│   ├── profile/
│   │   └── index.html
│   ├── register/
│   │   └── index.html
│   ├── reset-password/
│   │   └── index.html
│   ├── support/
│   │   └── index.html
│   ├── terms/
│   │   └── index.html
│   ├── trades/
│   │   ├── new/
│   │   │   └── index.html
│   │   └── index.html
│   ├── verify-email/
│   │   └── index.html
│   ├── wallet/
│   │   └── index.html
│   ├── 404.html
│   └── index.html
├── login/
│   ├── index.html
│   └── index.txt
├── markets/
│   └── index.html
├── news/
│   └── index.html
├── performance/
│   └── index.html

```


```

├── privacy/
│   └── index.html
├── profile/
│   ├── index.html
│   └── index.txt
├── public/
│   ├── assets/
│   │   ├── asset-icons2/
│   │   │   ├── icon-00.png
│   │   │   ├── icon-01.png
│   │   │   ├── icon-02.png
│   │   │   ├── icon-03.png
│   │   │   ├── icon-04.png
│   │   │   ├── icon-05.png
│   │   │   ├── icon-06.png
│   │   │   ├── icon-07.png
│   │   │   ├── icon-08.png
│   │   │   ├── icon-09.png
│   │   │   ├── icon-10.png
│   │   │   ├── icon-11.png
│   │   │   ├── icon-12.png
│   │   │   ├── icon-13.png
│   │   │   ├── icon-14.png
│   │   │   ├── icon-15.png
│   │   │   ├── icon-16.png
│   │   │   ├── icon-17.png
│   │   │   ├── icon-18.png
│   │   │   ├── icon-19.png
│   │   │   ├── icon-20.png
│   │   │   ├── icon-21.png
│   │   │   ├── icon-22.png
│   │   │   ├── icon-23.png
│   │   │   ├── icon-24.png
│   │   │   ├── icon-25.png
│   │   │   ├── icon-26.png
│   │   │   ├── icon-27.png
│   │   │   ├── icon-28.png
│   │   │   ├── icon-29.png
│   │   │   ├── icon-30.png
│   │   │   ├── icon-31.png
│   │   │   ├── icon-32.png
│   │   │   ├── icon-33.png
│   │   │   ├── icon-34.png
│   │   │   ├── icon-35.png
│   │   │   ├── icon-36.png
│   │   │   ├── icon-37.png
│   │   │   ├── icon-38.png
│   │   │   ├── icon-39.png
│   │   │   ├── icon-40.png
│   │   │   ├── icon-41.png
│   │   │   ├── icon-42.png
│   │   │   ├── icon-43.png
│   │   │   ├── icon-44.png
│   │   │   ├── icon-45.png
│   │   │   ├── icon-46.png
│   │   │   ├── icon-47.png
│   │   │   ├── icon-48.png
│   │   │   ├── icon-49.png
│   │   │   ├── icon-50.png
│   │   │   ├── icon-51.png
│   │   │   ├── icon-52.png
│   │   │   ├── icon-53.png
│   │   │   ├── icon-54.png
│   │   │   ├── icon-55.png
│   │   │   ├── icon-56.png
│   │   │   ├── icon-57.png
│   │   │   ├── icon-58.png
│   │   │   └── icon-59.png
│   │   ├── flags/
│   │   │   ├── au.png
│   │   │   ├── ca.png
│   │   │   ├── ch.png
│   │   │   ├── cn.png
│   │   │   ├── cz.png
│   │   │   ├── eu.png
│   │   │   ├── gb.png
│   │   │   ├── hk.png
│   │   │   ├── hu.png
│   │   │   ├── il.png
│   │   │   ├── jp.png
│   │   │   ├── mx.png
│   │   │   ├── no.png
│   │   │   ├── nz.png
│   │   │   ├── pl.png
│   │   │   ├── se.png
│   │   │   ├── sg.png
│   │   │   ├── tr.png
│   │   │   ├── us.png
│   │   │   └── za.png
│   │   ├── symbols/
│   │   │   ├── commodity/
│   │   │   │   └── BRENT.svg

```

- COPPER.svg
- GAS.svg
- NG.svg
- OIL.svg
- WTI.svg
- crypto/
 - AAVE.svg
 - ADA.svg
 - ATOM.svg
 - AVAX.svg
 - BCH.svg
 - BNB.svg
 - BTC.svg
 - DOGE.svg
 - DOT.svg
 - ETH.svg
 - ICP.svg
 - LINK.svg
 - LTC.svg
 - MATIC.svg
 - NEAR.png
 - PEPE.png
 - SOL.svg
 - TRX.svg
 - UNI.svg
 - USDT.svg
 - XLM.svg
 - XRP.svg
- fallback/
 - AAPL.svg
 - AAVE.svg
 - ADA.svg
 - ATOM.svg
 - AUDCAD.svg
 - AUDJPY.svg
 - AUDNZD.svg
 - AUDUSD.svg
 - AVAX.svg
 - BCH.svg
 - BNB.svg
 - BRENT.svg
 - BTC.svg
 - COPPER.svg
 - DAX40.svg
 - DOGE.svg
 - DOT.svg
 - ETH.svg
 - EURAUD.svg
 - EURCAD.svg
 - EURCHF.svg
 - EURGBP.svg
 - EURJPY.svg
 - EURNZD.svg
 - EURUSD.svg
 - FTSE100.svg
 - GAS.svg
 - GBPCHF.svg
 - GBPJPY.svg
 - GBPUUSD.svg
 - GER40.svg
 - HSI.svg
 - ICP.svg
 - JP225.svg
 - LINK.svg
 - LTC.svg
 - MATIC.svg
 - N225.svg
 - NAS100.svg
 - NEAR.svg
 - NG.svg
 - NZDUSD.svg
 - OIL.svg
 - SOL.svg
 - SPX500.svg
 - TRX.svg
 - UK100.svg
 - UNI.svg
 - US30.svg
 - USDCAD.svg
 - USDFCHF.svg
 - USDJPY.svg
 - USDT.svg
 - VIX.svg
 - WTI.svg
 - XAGUSD.svg
 - XAUUSD.svg
 - XLM.svg
 - XRP.svg
- flags/
 - au.svg
 - ca.svg

- ch.svg
- de.png
- de.svg
- eu.svg
- gb.svg
- hk.svg
- jp.svg
- nz.svg
- us.svg
- forex/
 - AUDCAD.png
 - AUDCHF.png
 - AUDJPY.png
 - AUDNZD.png
 - AUDUSD.png
 - CADCHF.png
 - CADJPY.png
 - CHFJPY.png
 - EURAUD.png
 - EURCAD.png
 - EURCHF.png
 - EURGBP.png
 - EURJPY.png
 - EURNZD.png
 - EURUSD.png
 - GBPAUD.png
 - GBPCAD.png
 - GBPCHE.png
 - GBPJPY.png
 - GBPNZD.png
 - GBPUSD.png
 - NZDCAD.png
 - NZDCHF.png
 - NZDJPY.png
 - NZDUSD.png
 - USDCAD.png
 - USDCHF.png
 - USDJPY.png
- index/
 - DAX40.svg
 - FTSE100.svg
 - GER40.svg
 - HSI.svg
 - JP225.svg
 - N225.svg
 - NAS100.svg
 - SP500.svg
 - SPX500.svg
 - UK100.svg
 - US30.svg
 - VIX.svg
- metal/
 - XAG.png
 - XAGUSD.png
 - XAU.png
 - XAUUSD.png
 - XPD.png
 - XPDUSD.png
 - XPT.png
 - XPTUSD.png
- symbols.json
- tesseract-data/
 - eng.traineddata.gz
 - fas.traineddata.gz
 - NOTICE.txt
- apple-icon-backup.png
- apple-icon.png
- bg-b-clean.png
- bg-b-exact.png
- bg-b.png
- email-reset-lock.png
- emotion-icons.js
- favicon-16-backup.png
- favicon-16.png
- favicon-32-backup.png
- favicon-32.png
- gold-lock-transparent.png
- gold-lock.png
- icon-192-backup.png
- icon-192.png
- icon-512-backup.png
- icon-512.png
- logo-icon-512-purple-backup2.png
- logo-icon-512.png
- logo-original-1024-purple-backup.png
- logo-original-1024.png
- symbol-icons.js
- velora-ai-briefing.css
- velora-ai-free-ask.css
- velora-data.js
- velora-desk-pro.css
- velora-dialog.js



- | manual-english-to-persian.json
- | manual-translations.json
- | migrate_static.py
- | normalize_brand.py
- | routes.json
- | sync_registry.py
- | test_backend_localization.php
- | test_brand_policy.py
- | test_catalog_preload.js
- | test_dynamic_content.js
- | test_http_localization.py
- | test_http_routes.py
- | test_locale_resolution.js
- | test_server_locale.php
- | test_switcher_mount.js
- | validate_localization.py
- trades/
 - | new/
 - | index.html
 - | index.txt
 - | index.html
 - | index.txt
- verify-email/
 - | index.html
 - | index.txt
- wallet/
 - | index.html
- .gitignore
- .htaccess
- 00-INSTALL-FA.txt
- 404.html
- ALL_INCLUDED_CHANGES_FA.txt
- apple-icon.png
- CHANGELOG_FA.txt
- DEPLOYMENT_GUIDE_FA.md
- DEPLOYMENT_MANIFEST.json
- DEPLOYMENT_README.txt
- extract-persian.py
- favicon-16.png
- favicon-32.png
- favicon-48.png
- favicon.ico
- googleacbef8d6416f1474.html
- icon-192.png
- icon-512.png
- index.html
- locale-router.php
- LOCALIZATION_ARCHITECTURE.md
- LOCALIZATION_IMPLEMENTATION_REPORT.md
- MANIFEST.json
- manifest.json
- PATCH_INSTRUCTIONS_FA.txt
- PATCH_MANIFEST.json
- README.txt
- robots.txt
- router.php
- sitemap.xml
- test-localization.html
- tools_align.py
- velora-logo.svg

Appendix B — Complete Frontend Route Registry

All 28 templates and all 59 expected generated outputs exist. Three additional English outputs are legacy slug aliases and are byte-identical to their preferred English-slug outputs.

index.html	localized/fa/index.html	localized/en/index.html	—
404.html	localized/fa/404.html	localized/en/404.html	—
404/index.html	localized/fa/404/index.html	localized/en/404/index.html	—
accounts/connect/index.html	localized/fa/accounts/connect/index.html	localized/en/accounts/connect/index.html	—
admin/index.html	localized/fa/admin/index.html	localized/en/admin/index.html	—
dashboard/index.html	localized/fa/dashboard/index.html	localized/en/dashboard/index.html	—
forgot-password/index.html	localized/fa/forgot-password/index.html	localized/en/forgot-password/index.html	—
intelligence/index.html	localized/fa/intelligence/index.html	localized/en/intelligence/index.html	—
login/index.html	localized/fa/login/index.html	localized/en/login/index.html	—
markets/index.html	localized/fa/markets/index.html	localized/en/markets/index.html	—
news/index.html	localized/fa/news/index.html	localized/en/news/index.html	—
performance/index.html	localized/fa/performance/index.html	localized/en/performance/index.html	—
privacy/index.html	localized/fa/privacy/index.html	localized/en/privacy/index.html	—
profile/index.html	localized/fa/profile/index.html	localized/en/profile/index.html	—
register/index.html	localized/fa/register/index.html	localized/en/register/index.html	—
reset-password/index.html	localized/fa/reset-password/index.html	localized/en/reset-password/index.html	—
support/index.html	localized/fa/support/index.html	localized/en/support/index.html	—
terms/index.html	localized/fa/terms/index.html	localized/en/terms/index.html	—
trades/index.html	localized/fa/trades/index.html	localized/en/trades/index.html	—
trades/new/index.html	localized/fa/trades/new/index.html	localized/en/trades/new/index.html	—
verify-email/index.html	localized/fa/verify-email/index.html	localized/en/verify-email/index.html	—
wallet/index.html	localized/fa/wallet/index.html	localized/en/wallet/index.html	—
blog/index.html	localized/fa/blog/index.html	localized/en/blog/index.html	—
blog/what-is-trading-journal/index.html	localized/fa/blog/what-is-trading-journal/index.html	localized/en/blog/what-is-a-trading-journal/index.html	English legacy alias: localized/en/blog/what-is-trading-journal/index.html
blog/forex-trading-journal/index.html	localized/fa/blog/forex-trading-journal/index.html	localized/en/blog/forex-trading-journal/index.html	—
blog/why-traders-need-journal/index.html	localized/fa/blog/why-traders-need-journal/index.html	localized/en/blog/why-traders-need-a-journal/index.html	English legacy alias: localized/en/blog/why-traders-need-journal/index.html
blog/risk-management-trading/index.html	localized/fa/blog/risk-management-trading/index.html	localized/en/blog/risk-management-in-trading/index.html	English legacy alias: localized/en/blog/risk-management-trading/index.html
blog/mt4-mt5-trading-journal/index.html	localized/fa/blog/mt4-mt5-trading-journal/index.html	localized/en/blog/mt4-mt5-trading-journal/index.html	—

Appendix C — Exact and Near-Duplicate Inventory

C.1 All Exact SHA-256 Duplicate Groups

1	7	public/assets/symbols/fallback/EURAUD.svg public/assets/symbols/fallback/EURCAD.svg public/assets/symbols/fallback/EURCHF.svg public/assets/symbols/fallback/EURGBP.svg public/assets/symbols/fallback/EURJPY.svg public/assets/symbols/fallback/EURNZD.svg public/assets/symbols/fallback/EURUSD.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
2	5	public/assets/symbols/fallback/US30.svg public/assets/symbols/fallback/USDCAD.svg public/assets/symbols/fallback/USDCHEF.svg public/assets/symbols/fallback/USDJPY.svg public/assets/symbols/fallback/USDT.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
3	4	_next/static/218IBAI1Pgco_ZAYgrXcP/_ssgManifest.js _next/static/FM4dgr6qVkuvEFTyilqO/_ssgManifest.js _next/static/X3dim2gBYIGA45rCn4KJ/_ssgManifest.js _next/static/z7aWr4SvVOLxFO9Kc8Wha/_ssgManifest.js	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
4	4	public/assets/symbols/fallback/AUDCAD.svg public/assets/symbols/fallback/AUDJPY.svg public/assets/symbols/fallback/AUDNZD.svg public/assets/symbols/fallback/AUDUSD.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
5	3	_next/static/218IBAI1Pgco_ZAYgrXcP/_buildManifest.js _next/static/X3dim2gBYIGA45rCn4KJ/_buildManifest.js _next/static/z7aWr4SvVOLxFO9Kc8Wha/_buildManifest.js	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
6	3	api/README-#U0622#U067e#U0644#U0648#U062f.txt api/README-persian-1.txt api/README-persian-2.txt	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
7	3	api/src/Auth/README-#U0622#U067e#U0644#U0648#U062f.txt api/src/Auth/README-persian-5.txt api/src/Auth/README-persian-6.txt	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
8	3	api/src/Core/README-#U0622#U067e#U0644#U0648#U062f.txt api/src/Core/README-persian-3.txt api/src/Core/README-persian-4.txt	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
9	3	public/assets/symbols/commodity/BRENT.svg public/assets/symbols/commodity/OIL.svg public/assets/symbols/commodity/WTI.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
10	3	public/assets/symbols/fallback/GBPCHF.svg public/assets/symbols/fallback/GBPJPY.svg public/assets/symbols/fallback/GBPUSD.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
11	3	public/assets/velora-logo.svg public/velora-logo.svg velora-logo.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
12	2	00-INSTALL-FA.txt CHANGELOG_FA.txt	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
13	2	404.html 404/index.html	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
14	2	_database/database_corrected.sql api/database/database_corrected.sql	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
15	2	_next/static/chunks/app/login/page-1982df9f616796cd.js _next/static/chunks/app/login/page-63ee9d52b18ccfc9.js	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
16	2	apple-icon.png public/assets/apple-icon.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
17	2	favicon-16.png public/assets/favicon-16.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
18	2	favicon-32.png public/assets/favicon-32.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
19	2	icon-192.png public/assets/icon-192.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
20	2	icon-512.png public/assets/icon-512.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
21	2	localized/en/blog/risk-management-in-trading/index.html localized/en/blog/risk-management-trading/index.html	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
22	2	localized/en/blog/what-is-a-trading-journal/index.html localized/en/blog/what-is-trading-journal/index.html	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
23	2	localized/en/blog/why-traders-need-a-journal/index.html localized/en/blog/why-traders-need-journal/index.html	Classify as generated, alias, compatibility, library, backup, or redundant before deletion

24	2	public/assets/asset-icons2/icon-20.png public/assets/symbols/metal/XPT.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
25	2	public/assets/asset-icons2/icon-21.png public/assets/symbols/metal/XPD.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
26	2	public/assets/symbols/commodity/GAS.svg public/assets/symbols/commodity/NG.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
27	2	public/assets/symbols/fallback/AAPL.svg public/assets/symbols/fallback/AAVE.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
28	2	public/assets/symbols/fallback/DOGE.svg public/assets/symbols/fallback/DOT.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
29	2	public/assets/symbols/fallback/SP500.svg public/assets/symbols/fallback/SPX500.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
30	2	public/assets/symbols/fallback/XAGUSD.svg public/assets/symbols/fallback/XAUUSD.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
31	2	public/assets/symbols/index/DAX40.svg public/assets/symbols/index/GER40.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
32	2	public/assets/symbols/index/FTSE100.svg public/assets/symbols/index/UK100.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
33	2	public/assets/symbols/index/JP225.svg public/assets/symbols/index/N225.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
34	2	public/assets/symbols/index/SP500.svg public/assets/symbols/index/SPX500.svg	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
35	2	public/assets/symbols/metal/XAG.png public/assets/symbols/metal/XAGUSD.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion
36	2	public/assets/symbols/metal/XAU.png public/assets/symbols/metal/XAUUSD.png	Classify as generated, alias, compatibility, library, backup, or redundant before deletion

C.2 Near-Duplicate Evidence

Triage found 117 normalized-text pairs and 13 perceptual-image pairs. Most text pairs are source↔generated or shared-shell relationships. Perceptual similarity is candidate evidence only, never deletion authority.

public/assets/bg-b-clean.png ↔ bg-b.png	Pixel-identical RGB, 1254×1254; byte sizes differ	Candidate only; no active text reference
api/assets/email/velora-lock.jpg ↔ velora-logo.jpg	Pixel-identical RGB, 104×104; byte sizes differ	Semantic names differ; both release-excluded
Source template ↔ localized/fa output	High normalized-text similarity on many routes	Expected generated relationship; never edit/deduplicate manually
_next paired chunks/build manifests	Greater than 0.99 normalized similarity across old build IDs	Legacy artifacts; see F-18

Explicit rejection: GBPAUD.png and GBPNZD.png have real pixel differences and different market meanings. They are not duplicates and must not be merged.

Appendix D — Unused and Legacy Candidates (No Deletion Approval)

D.1 asset-icons2 Candidates — 54 Files

Only icon-20.png through icon-25.png are referenced by symbols.json. The following are candidates, not deletion instructions:

public/assets/asset-icons2/icon-00.png
 public/assets/asset-icons2/icon-01.png
 public/assets/asset-icons2/icon-02.png
 public/assets/asset-icons2/icon-03.png
 public/assets/asset-icons2/icon-04.png
 public/assets/asset-icons2/icon-05.png
 public/assets/asset-icons2/icon-06.png
 public/assets/asset-icons2/icon-07.png
 public/assets/asset-icons2/icon-08.png
 public/assets/asset-icons2/icon-09.png
 public/assets/asset-icons2/icon-10.png
 public/assets/asset-icons2/icon-11.png
 public/assets/asset-icons2/icon-12.png
 public/assets/asset-icons2/icon-13.png
 public/assets/asset-icons2/icon-14.png
 public/assets/asset-icons2/icon-15.png
 public/assets/asset-icons2/icon-16.png
 public/assets/asset-icons2/icon-17.png
 public/assets/asset-icons2/icon-18.png
 public/assets/asset-icons2/icon-19.png
 public/assets/asset-icons2/icon-26.png
 public/assets/asset-icons2/icon-27.png
 public/assets/asset-icons2/icon-28.png
 public/assets/asset-icons2/icon-29.png
 public/assets/asset-icons2/icon-30.png
 public/assets/asset-icons2/icon-31.png
 public/assets/asset-icons2/icon-32.png
 public/assets/asset-icons2/icon-33.png
 public/assets/asset-icons2/icon-34.png
 public/assets/asset-icons2/icon-35.png
 public/assets/asset-icons2/icon-36.png
 public/assets/asset-icons2/icon-37.png
 public/assets/asset-icons2/icon-38.png
 public/assets/asset-icons2/icon-39.png
 public/assets/asset-icons2/icon-40.png
 public/assets/asset-icons2/icon-41.png
 public/assets/asset-icons2/icon-42.png
 public/assets/asset-icons2/icon-43.png
 public/assets/asset-icons2/icon-44.png
 public/assets/asset-icons2/icon-45.png
 public/assets/asset-icons2/icon-46.png
 public/assets/asset-icons2/icon-47.png
 public/assets/asset-icons2/icon-48.png
 public/assets/asset-icons2/icon-49.png
 public/assets/asset-icons2/icon-50.png
 public/assets/asset-icons2/icon-51.png
 public/assets/asset-icons2/icon-52.png
 public/assets/asset-icons2/icon-53.png
 public/assets/asset-icons2/icon-54.png
 public/assets/asset-icons2/icon-55.png
 public/assets/asset-icons2/icon-56.png
 public/assets/asset-icons2/icon-57.png
 public/assets/asset-icons2/icon-58.png
 public/assets/asset-icons2/icon-59.png

D.2 Symbol-Library Candidates — 93 Files

symbol-icons.js constructs Forex paths dynamically, so this list requires runtime fixtures and access evidence:

public/assets/symbols/commodity/BRENT.svg
 public/assets/symbols/commodity/GAS.svg
 public/assets/symbols/commodity/NG.svg
 public/assets/symbols/commodity/OIL.svg
 public/assets/symbols/commodity/WTI.svg
 public/assets/symbols/crypto/PEPE.png
 public/assets/symbols/fallback/AAPL.svg
 public/assets/symbols/fallback/AAVE.svg
 public/assets/symbols/fallback/ADA.svg
 public/assets/symbols/fallback/ATOM.svg
 public/assets/symbols/fallback/AUDCAD.svg
 public/assets/symbols/fallback/AUDJPY.svg
 public/assets/symbols/fallback/AUDNZD.svg
 public/assets/symbols/fallback/AUDUSD.svg
 public/assets/symbols/fallback/AVAX.svg
 public/assets/symbols/fallback/BCH.svg
 public/assets/symbols/fallback/BNB.svg
 public/assets/symbols/fallback/BRENT.svg
 public/assets/symbols/fallback/BTC.svg
 public/assets/symbols/fallback/COPPER.svg

public/assets/symbols/fallback/DAX40.svg
 public/assets/symbols/fallback/DOGE.svg
 public/assets/symbols/fallback/DOT.svg
 public/assets/symbols/fallback/ETH.svg
 public/assets/symbols/fallback/EURAUD.svg
 public/assets/symbols/fallback/EURCAD.svg
 public/assets/symbols/fallback/EURCHF.svg
 public/assets/symbols/fallback/EURGBP.svg
 public/assets/symbols/fallback/EURJPY.svg
 public/assets/symbols/fallback/EURNZD.svg
 public/assets/symbols/fallback/EURUSD.svg
 public/assets/symbols/fallback/FTSE100.svg
 public/assets/symbols/fallback/GAS.svg
 public/assets/symbols/fallback/GBPCHF.svg
 public/assets/symbols/fallback/GBPJPY.svg
 public/assets/symbols/fallback/GBPUSD.svg
 public/assets/symbols/fallback/GER40.svg
 public/assets/symbols/fallback/HSI.svg
 public/assets/symbols/fallback/ICP.svg
 public/assets/symbols/fallback/JP225.svg
 public/assets/symbols/fallback/LINK.svg
 public/assets/symbols/fallback/LTC.svg
 public/assets/symbols/fallback/MATIC.svg
 public/assets/symbols/fallback/N225.svg
 public/assets/symbols/fallback/NAS100.svg
 public/assets/symbols/fallback/NEAR.svg
 public/assets/symbols/fallback/NG.svg
 public/assets/symbols/fallback/NZDUSD.svg
 public/assets/symbols/fallback/OIL.svg
 public/assets/symbols/fallback/SOL.svg
 public/assets/symbols/fallback/SP500.svg
 public/assets/symbols/fallback/SPX500.svg
 public/assets/symbols/fallback/TRX.svg
 public/assets/symbols/fallback/UK100.svg
 public/assets/symbols/fallback/UNI.svg
 public/assets/symbols/fallback/US30.svg
 public/assets/symbols/fallback/USDCAD.svg
 public/assets/symbols/fallback/USDCHE.svg
 public/assets/symbols/fallback/USDJPY.svg
 public/assets/symbols/fallback/USDT.svg
 public/assets/symbols/fallback/VIX.svg
 public/assets/symbols/fallback/WTI.svg
 public/assets/symbols/fallback/XAGUSD.svg
 public/assets/symbols/fallback/XAUUSD.svg
 public/assets/symbols/fallback/XLM.svg
 public/assets/symbols/fallback/XRP.svg
 public/assets/symbols/flags/au.svg
 public/assets/symbols/flags/ca.svg
 public/assets/symbols/flags/ch.svg
 public/assets/symbols/flags/de.png
 public/assets/symbols/flags/de.svg
 public/assets/symbols/flags/eu.svg
 public/assets/symbols/flags/gb.svg
 public/assets/symbols/flags/hk.svg
 public/assets/symbols/flags/jp.svg
 public/assets/symbols/flags/nz.svg
 public/assets/symbols/flags/us.svg
 public/assets/symbols/index/DAX40.svg
 public/assets/symbols/index/FTSE100.svg
 public/assets/symbols/index/GER40.svg
 public/assets/symbols/index/HSI.svg
 public/assets/symbols/index/JP225.svg
 public/assets/symbols/index/N225.svg
 public/assets/symbols/index/NAS100.svg
 public/assets/symbols/index/SP500.svg
 public/assets/symbols/index/SPX500.svg
 public/assets/symbols/index/UK100.svg
 public/assets/symbols/index/US30.svg
 public/assets/symbols/index/VIX.svg
 public/assets/symbols/metal/XAGUSD.png
 public/assets/symbols/metal/XAUUSD.png
 public/assets/symbols/metal/XPDUSD.png
 public/assets/symbols/metal/XPTUSD.png

D.3 Legacy Next/RSC Artifacts — 49 Files

_next/static/218IBA1Pgco_ZAYgrXcP/_buildManifest.js
 _next/static/218IBA1Pgco_ZAYgrXcP/_ssgManifest.js
 _next/static/FM4dgr6qVkuvEFTtyilqO/_buildManifest.js
 _next/static/FM4dgr6qVkuvEFTtyilqO/_ssgManifest.js
 _next/static/X3dim2gBYIGAf45rCn4KJ/_buildManifest.js
 _next/static/X3dim2gBYIGAf45rCn4KJ/_ssgManifest.js
 _next/static/chunks/app/_not-found/page-402ff515b2c14f9f.js
 _next/static/chunks/app/admin/page-1e9989bfd2a6baaa.js
 _next/static/chunks/app/admin/page-5c38b2cabbf4d752.js
 _next/static/chunks/app/dashboard/page-54e0b502fc4aa20c.js
 _next/static/chunks/app/dashboard/page-d9f448fc68bf4336.js
 _next/static/chunks/app/error-cdd6999f3f915eb9.js

_next/static/chunks/app/forgot-password/page-0a5f23bad3bd659c.js
 _next/static/chunks/app/forgot-password/page-4f1549709939907d.js
 _next/static/chunks/app/global-error-820a8860d14fee4f.js
 _next/static/chunks/app/layout-4b81b4155c2d976a.js
 _next/static/chunks/app/layout-dcf3934a7520ada2.js
 _next/static/chunks/app/loading-03a2f68b8da55ce2.js
 _next/static/chunks/app/login/page-1982df9f616796cd.js
 _next/static/chunks/app/login/page-63ee9d52b18ccfc9.js
 _next/static/chunks/app/page-27520d1ae1f72e75.js
 _next/static/chunks/app/page-5f5bcd2f87251aac.js
 _next/static/chunks/app/profile/page-83f492d16914ea09.js
 _next/static/chunks/app/profile/page-f089a1aebc69e352.js
 _next/static/chunks/app/register/page-1a356346f9466047.js
 _next/static/chunks/app/register/page-e59c08b61ecbf40.js
 _next/static/chunks/app/reset-password/page-448e660679ca5054.js
 _next/static/chunks/app/reset-password/page-ff7ccd03538232f4.js
 _next/static/chunks/app/trades/new/page-27f7896a3c59ff4a.js
 _next/static/chunks/app/trades/new/page-390d1101e58d9e5d.js
 _next/static/chunks/app/trades/page-38e15ee67f5302c6.js
 _next/static/chunks/app/trades/page-e8fb3e9bd06893c7.js
 _next/static/chunks/app/verify-email/page-1c83a6cba9633ded.js
 _next/static/chunks/app/verify-email/page-aa0aa21a43021492.js
 _next/static/chunks/pages/_app-44e5d7e52411c6a5.js
 _next/static/chunks/pages/_error-4a2fb0735435b993.js
 _next/static/css/35c900d50ac706ed.css
 _next/static/css/fdce29635a02623d.css
 _next/static/z7aWr4SvvOLxFO9Kc8Wha/_buildManifest.js
 _next/static/z7aWr4SvvOLxFO9Kc8Wha/_ssgManifest.js
 admin/index.txt
 dashboard/index.txt
 login/index.txt
 profile/index.txt
 register/index.txt
 reset-password/index.txt
 trades/index.txt
 trades/new/index.txt
 verify-email/index.txt

D.4 Backup-Named Files Without Active Code References

api/assets/email/velora-logo-backup.png
 api/database/db_backup.sql
 public/assets/apple-icon-backup.png
 public/assets/favicon-16-backup.png
 public/assets/favicon-32-backup.png
 public/assets/icon-192-backup.png
 public/assets/icon-512-backup.png
 public/assets/logo-icon-512-purple-backup2.png
 public/assets/logo-original-1024-purple-backup.png

db_backup.sql is also a HIGH data-hygiene finding under F-02; it is not merely a cleanup candidate.

Appendix E — Verification Matrix and References

Tree	Filesystem walk	630 files / 159 directories	PASS
PHP includes	Static include resolver	26 checked / 0 missing	PASS
HTML assets	96 HTML / 2,645 direct references	0 direct missing	PASS
JavaScript paths	Source path/import resolver	0 relative missing	PASS
PHP namespace	PSR-4 symbol/path graph	53 symbols; 0 mismatch/cycle	PASS
API routes	Route → class → method	35/35 plus health	PASS
Generated localization	routes.json output contract	59/59 present	PASS
Localization JSON	JSON parse	40 valid	PASS
Feature chunks	Size + SHA-256	34/34	PASS
Localization validator	validate_localization.py	622 reports; exit 1	FAIL / OPEN
Case sensitivity	Case-fold path scan	1 collision	WARN
Duplicates	SHA-256 + pixel triage	36 exact groups; 117 text / 13 image candidates	WARN
Version comparison	ZIP path + SHA-256	36 changed, 9 added, 0 removed	PASS
DB/API runtime	Live execution	Required tools unavailable in sandbox	STAGING REQUIRED
OCR host	System dependency preflight	Not proven on target host	STAGING REQUIRED

External Technical References

<https://dev.mysql.com/doc/refman/8.0/en/alter-table.html>
<https://mariadb.com/docs/server/reference/sql-statements/data-definition/alter/alter-table>
<https://github.com/naptha/tesseract.js/blob/master/docs/api.md>
<https://cdn.jsdelivr.net/npm/tesseract.js@5.1.1/package.json>

Change-Control Rule

Before any structural change: review this document → approve the finding/goal and smallest patch → back up and stage → make the incremental change → rerun the verification matrix → report CHANGED / ADDED / DELETED / UNCHANGED / SERVER ACTION → update this document. Never reset, overwrite, delete, or migrate Production .env/data without explicit instruction.

END OF VERIFIED ENGLISH AS-IS STRUCTURE BASELINE