

Story Creation Process

How to add a story, bug or task

For Operations and Project teams:

Open the [spreadsheet](#), go to the **Jira Stories** tab, and add one row per item.

A	B	C	D	E	F	G	H	I	J	K	L
Jira Stories — author Epics, Stories, Bugs and Tasks here (team format v1.1.0)											
Amber = you fill Green = app writes Team (RTO Development (RD)), the RD label, Sub Status and Assignee are applied automatically by the app — no columns needed.											
Local ID is required ONLY on Epics; on other rows fill it only when something references that row. Epics also need a Parent Link (the initiative key, e.g. PM-944). Epics are created first. Rows 5+ are EXAMPLES — replace with your own.											
Create?	Issue Type	Local ID	Summary	Description	Steps to Reproduce	Client Ticket	Epic	Epic Name	Parent Link	Complete After	Priority
	Epic	E1	2026 Q3 RTO FO Maintenance	Umbrella for Q3 RTO Front Office maintenance.				2026 Q3 RTO FO Maintenance	PM-944		Highest
Y	Story	FO1	[PJM: Front Office: Day Ahead] Update BF bid templates	Update the Day Ahead bid templates for the new PJM format.			E1				Medium
	Story	PREP1	[PJM: Back Office] Build settlement staging tables	Create staging tables needed before the reconciliation report.			E1				Medium
	Story		[PJM: Back Office] Settlement reconciliation report	Reconcile settlements against invoices.			E1			PREP1	Medium
	Story		[SPP: ISO Communication] Schedule fetch retry handling	Add retry/backoff when the schedule fetch times out.		PCI-134437	NE-11081			NE-11323	High
	Bug		[NE: DW] Duplicate rows in market load	The DW market load inserts duplicate rows on re-run.	1. Run the market load job. 2. Run it again. 3. Observe duplicate rows in the output table.	PCI-133302, PCI-134437					High
	Task		[SPP: PLA] License flag migration script	One-off script to migrate PLA license flags.							Low

Step 1 — Set Create? = Y

In the first column, pick **Y** from the dropdown.

Step 2 — Choose Issue Type

Select the type that best describes the work: **Story**, **Bug**, or **Task**.

Step 3 — Write the Summary

Start with the market, area, and screen in square brackets, then a short description of the issue.

Format

[Market: Area: Screen] Short description of the issue

e.g. [PJM: Front Office: Day Ahead] Bid template is missing new fields

e.g. [SPP: ISO Communication] Schedule fetch fails on retry

Step 4 — Fill in the details

Complete these columns.

Column	What to put there
Description	What needs to be done. Include any relevant context or background.
Steps to Reproduce	Bugs only. Numbered steps that reproduce the issue.
Client Ticket	If a client opened a ticket for this, enter the key here (e.g. PCI-134437). Comma-separate for multiple tickets.

Screenshots

 **Adding screenshots**

If you have screenshots to attach, first fill in a short **Local ID** in column C for that row (e.g. **FO1**, **BUG3**). Then create a new tab in the spreadsheet with that exact name and paste your screenshots there. The app will pick them up automatically.



Non-image files

For any non-image files (PDFs, logs, specs) email them to miquel@powercosts.com with the Local ID in the subject line.



Local ID

Only needed if you are adding screenshots. Keep it short and unique within the sheet, e.g. **FO1, BUG3, TASK5**.

How to add Xray tests

For stories that require test coverage in Xray:

Open the spreadsheet, go to the **Tests** tab, and add one block of rows per test.

Step 1 — Set Create? = Y

In the first column of the test's first row, pick **Y** from the dropdown.

Leave this blank on all step rows below it.

Step 2 — Enter the Test ID

In the **Test ID** column, enter a short unique identifier for the test.

```
{code}
Format: T-<LocalID>-<number>
e.g. T-FO1-1
e.g. T-BUG3-1
{code}
```

Keep it short and unique within the sheet. Only fill this on the first row of the test — leave it blank on step rows.

Step 3 — Write the Test Summary

In the **Test Summary** column (same first row), write a short description of what the test verifies.

```
{info}
e.g. Verify bid submission saves correctly
e.g. Verify validation error when quantity is blank
{info}
```

Step 4 — Link to the story

In the **Linked Story** column, enter the Local ID of the story this test belongs to.

```
|| Situation || What to enter ||
| Story hasn't been created yet | The Local ID from the Jira Stories tab (e.g. FO1, BUG3) |
| Story already exists in Jira | The existing Jira key (e.g. NE-11489, SP-12694) |
```

Step 5 — Add the test steps

Each step gets its own row beneath the test header row. Leave Test ID, Test Summary, and Linked Story blank on step rows.

```
|| Column || What to put there ||
| Step # | The step number (1, 2, 3...). For readability only — steps run in row order. |
| Action | What the tester should do. |
| Data | Any specific value, file, or input needed for the step. Leave blank if not applicable. |
| Expected Result | What should happen after the action. |
```

```
{code}
Example block:
```

Create?	Test ID	Test Summary	Linked Story	Step #	Action	Data	Expected Result
Y	T-FO1-1	Verify bid submission saves	FO1	1	Open Bid Formulator		Screen loads correctly
				2	Enter quantity	100 MW	Field accepts the value

				3	Click Submit		Confirmation message displayed
--	--	--	--	---	--------------	--	--------------------------------