





Changing the Logo:



```
{
  "name": "ai-extension",
  "version": "0.0.1",
  "description": "AI Code Generation Extension",
  "publisher": "Wipro",
  "icon": "assets/images/Wipro.png",
  "host_permissions": [
    "https://*/*",
    "https://*.wipro.com/*"
  ],
  "action": {
    "default_title": "Extension for AI Code Generation",
    "default_icon": {
      "16": "assets/images/Wipro.png",
      "32": "assets/images/Wipro.png",
      "48": "assets/images/Wipro.png",
      "128": "assets/images/Wipro.png"
    }
  },
  "icons": {
    "16": "assets/images/Wipro.png",
    "32": "assets/images/Wipro.png",
    "48": "assets/images/Wipro.png",
    "128": "assets/images/Wipro.png"
  },
  "side_panel": {
    "default_path": "panel.html"
  }
}
```



```
export const appConfig = {
  appName: 'AI Code Generator',
  logoPath: 'assets/images/Wipro.png',
  colors: {
    primary: '#ff6b2b',
    primaryLight: '#234067',
    accent: 'rgb(43, 116, 142)',
    success: '#920c2e',
    successDark: '#a04549',
    danger: '#ff0000',
    darkBg: '#2a2a2a',
    panelBg: '#3a3a3a',
    mutedText: '#850e1a',
    // Inspector toggle specific colors
    gradientStart: '#275fa7',
    shadowColor: 'rgba(255,107,43,0.3)',
    shadowColorHover: 'rgba(255,107,43,0.4)',
    shadowColorActive: 'rgba(255,107,43,0.1)',
    borderWhite: 'rgba(255,255,255,0.1)'
  }
};
```



LeafTaps - TestLeaf Automation

Ask Gemini

leafTaps.com/opentaps/control/main

Testleaf

Always Ahead

LeafTaps Login

Username

Password

Login

Code Generator

Settings

☒ Feature File

☐ Page Class

Provide additional information

Stop

Generate

LeafTaps - TestLeaf Automation

Ask Gemini

leafTaps.com/opentaps/control/main

Testleaf

Always Ahead

LeafTaps Login

Username

Password

Login

Code Generator

Settings

☒ Feature File

☐ Page Class

Provide additional information

Stop

Generate

LeafTaps - TestLeaf Automation x + Ask Gemini

leafTaps.com/opentaps/control/main



Testleaf

Always Ahead

LeafTaps Login

Username

Password

Code Generator

Settings

☒ Feature File ☐ Page Class

Reset Chat

Feature: Login to Application

Scenario Outline: Successful login w

Given I open the login page

When I type "<username>" into the

Then I should see the username "<u

Examples:

username
"RahulChennai"
"KumarBangalore"
"SureshHyd"
"RajKochi"
"VijayMysore"

LeafTaps - TestLeaf Automation x + Ask Gemini

leafTaps.com/opentaps/control/main



Testleaf

Always Ahead

LeafTaps Login

Username

Password

Code Generator

Settings

☐ Feature File ☒ Page Class

Reset Chat


```
package com.testleaf.pages;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.ui;
import org.openqa.selenium.support.ui;

/**
 * Page Object for Login Page
 */
public class LoginPage {

    private WebDriver driver;
```

Trying to generate csharp/cypress combination which is currently unavailable:



ASK MODE REPLY:

I'll analyze your workspace to identify all files impacted by adding C# and Cypress support similar to Selenium Java. Let me start by exploring the current implementation.

Searched for regex `selenium|java`, 20 results

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/manifest.json)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/panel.html#1-1), lines 1 to 150

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#1-1), lines 1 to 100

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#400-400), lines 400 to 650

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/prompts.js#1-1), lines 1 to 50

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/prompts.js#1-1), lines 1 to 200

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/config/appConfig.js)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/init-config.js)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/config/configUtils.js)

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/tabs.js)

Searched for regex `languageBinding|browserEngine|sendMessage` (`ai-extension` · `ai-extension/src/scripts/chat.js`), 13 results

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#200-200), lines 200 to 300

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#321-321), lines 321 to 420

Searched for regex `export|PROMPTS\[|^export const` (`ai-extension` · `ai-extension/src/scripts/prompts.js`), 4 results

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/prompts.js#150-150), lines 150 to 220

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/content/content.js#1-1), lines 1 to 100

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/bg.js#1-1), lines 1 to 50

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/popup.js#1-1), lines 1 to 50

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/api/groq-api.js#1-1), lines 1 to 50

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/api/openai-api.js)

Now I'll create a comprehensive analysis for you. Let me save this to memory first:

Created memory file [(file:///c%3A/Users/Srinivasan/AppData/Roaming/Code%20-%20Insiders/User/workspaceStorage/b8453e39e0558c39e7f3cbe5185dad0b/GitHub.copilot-chat/memory-tool/memories/repo/csharp-cypress-impact-analysis.md)

Based on my comprehensive analysis of your workspace, here are ****all the files that will be impacted**** when adding C# and Cypress support similar to Selenium Java:

****Files to Modify:****

****1. src/scripts/prompts.js**** ★ MOST CRITICAL

You'll need to add new prompt templates:

- `CYPRESS\_CSHARP\_PAGE\_ONLY` - C# Cypress page object pattern

- `CYPRESS\_CSHARP\_SPEC\_ONLY` - C# Cypress test spec file only
- `CUCUMBER\_WITH\_CYPRESS\_CSHARP\_STEPS` - Feature file + C# Cypress step definitions

Currently, only these exist:

- `SELENIUM\_JAVA\_PAGE\_ONLY`
- `CUCUMBER\_ONLY`
- `CUCUMBER\_WITH\_SELENIUM\_JAVA\_STEPS`

2. src/scripts/chat.js  CRITICAL

Changes needed in multiple sections:

****a)** Add new helper methods** (similar to existing ones at line ~580):

```
``javascript
isCSharpCypress(language, engine) {
  return language === 'csharp' && engine === 'cypress';
}
``
```

****b)** Update `getPromptKeys()` method** (line ~551-595):

- Extend the conditional logic to handle C#/Cypress combinations
- Add cases for when C#/Cypress is selected for Feature/Page combinations

****c)** Update loading message** (line ~458):

- Change from hardcoded "Selenium" check to support Cypress
- Update the loading text to display correct framework name

3. panel.html  ALREADY HAS OPTIONS

Good news: The dropdown options already include:

- Language: ``<option value="csharp">C#</option>`` (line 99)
- Engine: ``<option value="cypress">Cypress</option>`` (line 113)

****No changes needed**** - but you may want to add UI hints about which combinations are supported.

4. src/styles/chat.css

May need updates if:

- New UI elements are added for C#/Cypress options
- Styling changes for Cypress-specific code highlighting
- Likely ****minimal to no changes**** needed

5. src/styles/sidepanel.css

Similar to chat.css - may need styling adjustments for new feature checkboxes or toggles if C#/Cypress has different options than Java/Selenium.

Files with NO Changes Needed (Generic Implementation):

- ✓ ****bg.js**** - Background script is language/engine agnostic
- ✓ ****src/content/content.js**** - DOM inspection is generic
- ✓ ****src/scripts/popup.js**** - Connection logic is framework-agnostic
- ✓ ****src/scripts/api/*.js**** (groq-api.js, openai-api.js, testleaf-api.js) - API calls are generic
- ✓ ****src/config/appConfig.js**** - Configuration is theme/color based
- ✓ ****src/config/configUtils.js**** - Utilities are generic
- ✓ ****src/scripts/tabs.js**** - Tab switching is generic
- ✓ ****manifest.json**** - No language/framework references

Summary:

File	Impact Level	Changes Type
prompts.js	**CRITICAL**	Add 3 new prompt templates
chat.js	**CRITICAL**	Logic updates for C#/Cypress combinations
panel.html	**NONE**	Options already present
chat.css	**Minor**	Styling adjustments if needed
sidepanel.css	**Minor**	Styling adjustments if needed
All API files	**NONE**	Generic implementation
All config files	**NONE**	Generic implementation

The extension is well-architected! The main work is adding prompt templates and extending the language/engine combination logic in chat.js.

1. Go to prompts.js and add new prompt templates for C# Cypress
Take selenium Java as reference

Response for changing the prompts.js:

I'll read the full prompts.js file to understand the complete Selenium Java templates, then add the C# Cypress equivalents.

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/prompts.js)]

Now I'll add the three new C# Cypress prompt templates. I'll insert them after the CUCUMBER_WITH_SELENIUM_JAVA_STEPS template:

Replacing 11 lines with 210 lines in [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/prompts.js)]

...

...

Now I'll update the CODE_GENERATOR_TYPES to include the new C# Cypress types:

Replacing 5 lines with 8 lines in [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-)]

extension/src/scripts/prompts.js)

...

...

Perfect! I've successfully added the C# Cypress prompt templates to ****prompts.js****. Here's what was added:

 New Prompt Templates Added:

1. ****CYPRESS_CSHARP_PAGE_ONLY****

- Generates C# Cypress page object class (similar to SELENIUM_JAVA_PAGE_ONLY)
- Uses C# naming conventions (PascalCase)
- Includes XML documentation (C# standard)
- Uses Cypress selectors and methods (cy.get(), cy.type(), cy.click())

2. ****CYPRESS_CSHARP_SPEC_ONLY****

- Generates standalone C# Cypress test class
- Includes test setup/teardown
- Uses Xunit attributes
- Direct Cypress commands in test methods

3. ****CYPRESS_CSHARP_WITH_SPECFLOW_STEPS****

- Generates both SpecFlow (.feature) file AND C# step definitions
- Uses SpecFlow attributes ([Given], [When], [Then])
- Includes Cypress commands in step definitions
- Follows BDD pattern with South India realistic data
- Includes XML documentation for all methods

 Updated CODE_GENERATOR_TYPES

Added three new generator types:

- `CYPRESS\_CSHARP\_PAGE\_ONLY`
- `CYPRESS\_CSHARP\_SPEC\_ONLY`
- `CYPRESS\_CSHARP\_WITH\_SPECFLOW\_STEPS`

****Next steps:**** You'll need to update chat.js to handle the logic for C# + Cypress combinations (add helper methods and update `getPromptKeys()` method).

2. Go to chat.js update getPromptKeys() method to handle the logic for C# + Cypress combinations

Response for changing the logic to C# + Cypress combinations:

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#540-540), lines 540 to 640]

Read [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-extension/src/scripts/chat.js#440-440), lines 440 to 480]

Now I'll update the chat.js file to handle C# + Cypress combinations. I'll make several changes:

Replacing 78 lines with 100 lines in [(file:///c%3A/Users/Srinivasan/Downloads/ai-extension/ai-

extension/src/scripts/chat.js)

...

...

Perfect! I've successfully updated **chat.js** to handle C# + Cypress combinations. Here's what was changed:

 Changes Made:

1. **Updated `getPromptKeys()` Method**

- Added logic to detect `isCSharpCypress()` combination in all three branches:
 - **No selection (defaults)**: Uses `CYPRESS\_CSHARP\_PAGE\_ONLY`
 - **Feature + Page**: Uses `CYPRESS\_CSHARP\_WITH\_SPECFLOW\_STEPS` (new combined template)
 - **Page only**: Uses `CYPRESS\_CSHARP\_PAGE\_ONLY`
 - **Feature only**: Uses `CUCUMBER\_ONLY` (shared across frameworks)

2. **Enhanced `isCSharpCypress()` Helper**

- Now properly checks for C# + Cypress combination: `language === 'csharp' && engine === 'cypress'`

3. **Improved Loading Message Generator**

- Updated to detect and display correct framework:
 - "Generating Cypress Code" for Cypress
 - "Generating Playwright Code" for Playwright
 - "Generating Selenium Code" for Selenium
 - Generic "Generating Code" as fallback

4. **Updated Unsupported Message**

- Now shows: ``⚠ {language}/{engine} combination is not yet supported. Currently supported: Java/Selenium and C#/Cypress.``

 Prompt Key Mappings:

Selection	Java + Selenium	C# + Cypress
----- ----- -----		
Page Only	`SELENIUM_JAVA_PAGE_ONLY`	`CYPRESS_CSHARP_PAGE_ONLY`
Feature + Page	`CUCUMBER_WITH_SELENIUM_JAVA_STEPS`	
	`CYPRESS_CSHARP_WITH_SPECFLOW_STEPS`	
Feature Only	`CUCUMBER_ONLY`	`CUCUMBER_ONLY`

The implementation is now complete and ready to test!

Made changes.

Testing the C# and Cypress combination



```
using Cypress;
```

```
/// <summary>
/// Page Object for Login Page
/// </summary>
public class LoginPage
{
    /// <summary>
    /// Enters the username in the username input field.
    /// </summary>
    /// <param name="username">The username to be entered.</param>
    public void EnterUsername(string username)
    {
        cy.get("#username").type(username);
    }

    /// <summary>
    /// Clears the username input field.
    /// </summary>
    public void ClearUsername()
    {
        cy.get("#username").clear();
    }

    /// <summary>
    /// Gets the value of the username input field.
```

```
/// </summary>
/// <returns>The value of the username input field.</returns>
public string GetUsername()
{
    return cy.get("#username").invoke("val").then(result =>
result.ToString());
}
}
```