

getWorkspace - Get one workspace by ID:

localhost:5173

Testleaf

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

Jira

studio

Connected (6 tools)

Disconnect

MongoDB

studio

Connected (3 tools)

Disconnect

Prompt

get the collections from fb35747b-7808-4d4d-8347-7967e852d61f

Sand

Response

Here are the collections that belong to the workspace **fb35747b-7808-4d4d-8347-7967e852d61f**:
Collection ID | Name | Owner | Created At | Updated At |
6c47d17e-639f-45bae9-e26b8cd47ab4 | AI-SHIELD Phase 3 - Detector Services Copy | 54468079 | 2026-07-08 08:26:07 UTC | 2026-07-08 08:26:09 UTC |
b066e89f-3d92-4c69-a736-1112236bb8e2 | AI-Shield Moderation API | 54468079 | 2026-07-07 06:52:37 UTC | 2026-07-07 07:08:02 UTC |
519c7727-de57-4237-bc5b-0b1e3fc44b81 | AI-Shield Moderation API - Phase 10 | 54468079 | 2026-07-07 07:27:30 UTC | 2026-07-07 07:27:48 UTC |
2085b1fd-836d-49f1-9e0d-436836e88a2d | AI-Shield Moderation API - Phase 11 | 54468079 | 2026-07-07 07:39:08 UTC | 2026-07-07 07:39:25 UTC |
f71e0983-29b2-4be8-9665-18cc1e65b1cb | AI-Shield Moderation API - Phase 8 | 54468079 | 2026-07-07 15:53 UTC | 2026-07-07 15:51 UTC |
a3ea7334-ac9d-44a8-8be3-e47ca199fa8d | AI-Shield Moderation API - Phase 9 | 54468079 |

getCollections – List collections by name:

localhost:5173

Testleaf

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

Jira

studio

Disconnected

Connect (local)

MongoDB

studio

Disconnected

Connect (local)

Postman

http

Connected (6 tools)

Disconnect

Local vs Remote MCP

Prompt

get only 5 collection list alone from srinivasan workspace fb35747b-7808-4d4d-8347-7967e852d61f

Sand

Response

Here are the first five collections in the **srinivasan** workspace (ID: fb35747b-7808-4d4d-8347-7967e852d61f):
Collection ID | Name | Owner | Created At | Updated At |
016179b5-ea53-4104-84d3-64f1b3f92fd0 | JiraCollection | 05592ac0-3305-41a0-b868-e3b04da03d4d | RAG MongoDB – Data Ingestion | 0dc6673a-6b89-4c17-b7ed-78f3016b055f | Testleaf LLM Evaluation Framework – Full API Collection | 193d81f7-9fee-42c9-aeb6-5a4a16756d92 | RAG MongoDB – Complete Ingestion & Retrieval | 2085b1fd-836d-49f1-9e0d-436836e88a2d | AI-Shield Moderation API - Phase 11 | These are the first 5 entries returned (the workspace contains 36 collections in total).

Tool Trace Timeline

1 round - 1 call - 1921ms total - Model finished without needing more tools
1 getCollections postman - official/http
✓ success - 677ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.
(Fail a tool that isn't annotated) Run expansion

getCollection requires **collectionId** in the form **<OWNER_ID>.<UUID>**

Model Provider

☒ Groq
 ☐ OpenAI

Jira MCP

☒ Local STUDIO
 ☐ Remote HTTP

MongoDB MCP

☒ Local STUDIO

Postman MCP

☐ Local STUDIO
 ☐ Remote HTTP

☒ Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

☒ Jira

studio

Disconnected

Connect (local)

☒ MongoDB

studio

Disconnected

Connect (local)

☒ Postman

http

Connected (6 tools)

Disconnect

Prompt

get the list from the id 54468079-6c47d17e-639f-45ba-bae9-e26b8cd47ab4

Send

Response

Here's a human-friendly rundown of the collection you referenced (ID '54468079-6c47d17e-639f-45ba-bae9-e26b8cd47ab4'): # | Folder | Sub-tests (names & IDs) | |-----| |-----| | **1.** |
 PII Detector Tests | • 1.1 Detect SSN
 ('54468079-e625b4f8-3e7d-471a-9a89-b583e4c0b0e6')
•
 1.2 Detect Credit Card
 ('54468079-c62dad42-f8e0-4696-8008-4e6ce5c8c869')
•
 1.3 Detect Email Address
 ('54468079-aca59bef-88e0-424f-8b54-bd6ce6ff7f1b')
•
 1.4 Detect Phone Number
 ('54468079-296c0629-bafb-41d3-881c-94ff4100d19d')
• 1.5 No
 PII – Clean Text
 ('54468079-6136fe32-6a0a-4174-a885-e18736908ba2') | | **2.** | **CII
 Detector Tests** | • 2.1 Detect Financial Information
 ('54468079-e5ff948e-c54e-458c-8bbf-d6fc8515e31')
•
 2.2 Detect Strategic/Confidential Info
 ('54468079-a1fc562f-da12-49cc-8067-b5c83d62d5d0')
•
 2.3 Detect Personnel/Salary Info
 ('54468079-d484232-48c2-4bef-a43b-5fe44ec4b510')
•
 2.4 Public Business Content
 ('54468079-85a771b7-5c72-4cd0-9296-ed0d1cc22522') | | **3.** |

localhost:5173

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

☒ Groq
 ☐ OpenAI

Jira MCP

☒ Local STDIO
 ☐ Remote HTTP

MongoDB MCP

☒ Local STDIO

Postman MCP

☐ Local STDIO
 ☐ Remote HTTP
 ☒ Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Disconnected

Connect (local)

MongoDB

stdio

Disconnected

Connect (local)

Postman

http

Connected (6 tools)

Disconnect

Prompt

```
get environments from the postman id fb35747b-7808-4d4d-8347-7967e852d61f
```

Send

Response

Here are the environments that belong to the workspace `**fb35747b-7808-4d4d-8347-7967e852d61f**`: | Environment ID | Name | Created At (UTC) | Updated At (UTC) | Owner ID | Public | |-----|-----|-----|-----|-----|-----|

```

**16766aa8-4509-499a-8612-5463c03ef206** | VRT Local |
2026-07-13 11:32:40 | 2026-07-13 18:28:29 | 54468079 | No ||
**dc7388c9-32bf-4511-83a6-3f018d15cefe** | AI-Shield-Local |
2026-07-08 08:33:52 | 2026-07-08 08:35:02 | 54468079 | No | - Both
environments are **private** (not public). - The owner for each
environment is user '54468079'. Let me know if you need anything
else, such as the full configuration of a specific environment or help
working with these in Postman.

```


Tool Trace Timeline

1 round - 1 call - 2377ms total - Model finished without needing more tools


1 `getEnvironments` postman - official/http
✓ success - 800ms

Error Simulation

Changing the ALLOW_WRITE_TOOLS=true to add or update anything in postman



createWorkspace:



New Workspace Created:

Workspace

1 member

Invite

Home

Workspaces

Application Inventory

API Catalog

Private API Network

Public API Network

Integrations

Reports

Workspaces

AllProject WorkspacesExternal

Search workspaces

	Name	Creator	Contribut...	Last activity	Access	Your role
☐	Tes Internal	You	1	3 months ago	Everyone in your team	Admin
☐	sriini vasan's Workspace Internal	You	1	3 months ago	Everyone in your team	Admin
☐	Srinivasan Internal	You	1	5 days ago	Only you and invited ...	Admin
☐	NEW WORKSPACE MCP TESTING Internal	You	1	4 minutes ago	Only you and invited ...	Admin

localhost:5173

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

GroqOpenAI

Jira MCP

Local STDIORemote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIORemote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Not started

Connect (local)

MongoDB

stdio

Not started

Connect (local)

Postman

http

Connected (10 tools)

Disconnect

Local vs Remote MCP

Prompt

create a new collection called "TESTLEAF AI AGENTS" under the workspace "NEW WORKSPACE MCP TESTING"

Send

Response

I'm happy to help you create a new Postman collection, but the current Postman tool set doesn't let us specify a workspace directly when creating a collection. The "createCollection" function will automatically create the collection in your "oldest personal workspace" unless you supply a workspace query parameter, which the tool signature doesn't expose. Here's what I can do for you: 1. "Create the collection" in the default personal workspace. 2. "Return the collection ID" so you can later move it or add it to the desired workspace manually in Postman. If you'd like to first identify the workspace ID for "NEW WORKSPACE MCP TESTING", let me know and I can list your workspaces so you can retrieve its ID. Once you have that ID, you can manually move or copy the collection in Postman. Would you like me to create the collection in the default workspace now?

Tool Trace Timeline

No tool calls yet. Connect a system and send a prompt that needs one.

Error Simulation

chat

data: {

response: "I'm happy to help you create a new Postm

modelProvider: "groq",

model: "openai/gpt-oss-28b",

toolTrace: [],

toolRounds: 0,

stopReason: "no_tool_calls",

durationMs: 1317

}

meta: {}

createCollectionComment - Comment on a collection:

localhost:5173

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

GroqOpenAI

Jira MCP

Local STDIORemote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIORemote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Not started

Connect (local)

MongoDB

stdio

Not started

Connect (local)

Postman

http

Connected (10 tools)

Disconnect

Local vs Remote MCP

Prompt

create a comment on the collection GenAI-May in the id "54468079-a8711bdb-6c41-49e1-af01-1ddd6a710ce6" as "Postman verification completed"

Send

Response

Your comment "Postman verification completed" has been successfully added to the collection "GenAI-May" (ID "54468079-a8711bdb-6c41-49e1-af01-1ddd6a710ce6"). The comment ID is "2511962" and it was created at "2026-08-05T17:29:13.000Z".

Tool Trace Timeline

1 round - 1 call - 2390ms total - Model finished without needing more tools

1 createCollectionComment postman - official/http

✓ success - 634ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approvedRun scenario

chat

modelProvider: "groq",

model: "openai/gpt-oss-120b",

toolTrace: [

{

system: "postman",

connectionNode: "official",

transport: "http",

tool: "createCollectionComment",

input: {

body: "Postman verification completed",

collectionId: "54468079-a8711bdb-6c41-4

}

status: "success",

durationMs: 634

}

toolRounds: 1,

stopReason: "no_tool_calls",

durationMs: 2390

meta: {}

executeCollection:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

Jira

studio

Not started

Connect (local)

MongoDB

studio

Not started

Connect (local)

Postman

studio

Connected (4 tools)

Disconnect

Local vs Remote MCP

	Local STUDIO	Remote HTTP
--	--------------	-------------

Prompt

Execute the Postman collection 54468079-d31694b3-6de4-4000-acee-7e63f67b894b with a timeout of 600000 ms

Send

Response

The Postman collection **54468079-d31694b3-6de4-4000-acee-7e63f67b894b** ran successfully. **Run Summary** | Item | Details | |-----|-----| | **Iterations** | 1 (all passed) | | **Total Requests** | 6 (all passed) | | **Total Assertions** | 9 (all passed) | | **Overall Status** |

✓ All requests and tests succeeded

 | **Individual Request Results** | # | Request Name | Method | URL | Response Code | Response Time (ms) | Assertion Failures | |-----|-----|-----|-----|-----|-----| | 1 | Backend Health Check | GET | 'http://localhost:3002/health' | 200 | 5 | - | 2 | Backend Status & Feature Flags | GET | 'http://localhost:3002/api/status' | 200 | 2 | - | 3 | Enabled Metrics Config (single-turn + multi-turn) | GET | 'http://localhost:3002/api/config/metrics' | 200 | 7 | - | 4 | DeepEval Sidecar Health (direct, port 8000) | GET | 'http://localhost:8000/health' | 200 | 4 | - | 5 | Single Eval Report - HTML | POST | 'http://localhost:3002/api/eval-report' | 200 | 3 | - | 6 | Single Eval Report - Excel | POST | 'http://localhost:3002/api/eval-report' | 200 | 17 | - | All requests returned **200 OK** and no assertion failures were recorded. The collection completed well within the default timeout (and the requested 600000ms limit), so no timeout occurred.

Tool Trace Timeline

1 round · 1 call · 4068ms total · Model finished without needing more tools

1 postman_execute_collection postman · local/studio

Remote Postman MCP:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

Jira

studio

Connected (6 tools)

Disconnect

MongoDB

studio

Disconnected

Connect (local)

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Prompt

get the workspace list

Send

Response

Here are the Post Man workspaces that are currently available: | Workspace ID | Name | Type | Visibility | |-----|-----|-----|-----| | bc48cfbb-dc7e-4750-8ee9-54afdc1b5fe0 | srini vasan's Workspace | team | team | | 360aa70e-939b-4495-864e-4762e8563e16 | Tes | team | team | | fb35747b-7808-4d4d-8347-7967e852d61f | Srinivasan | team | team | | a77af597-fff3-422d-9a22-f04ef6bf1a96 | NEW WORKSPACE MCP TESTING | team | personal | Let me know if you'd like to explore collections within any of these workspaces or run a specific collection.

Tool Trace Timeline

1 round · 1 call · 5978ms total · Model finished without needing more tools

1 postman_get_workspaces postman · remote/http

✓ success · 1741ms

vectorSearch:
Do a mongo vector search in database velusri25_Gen_AI, collection Gen_AI_Testing, index vector_index_test_cases, for query "generate test cases for login functionality", limit 5

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Disconnected

Connect (local)

MongoDB

stdio

Connected (3 tools)

Disconnect

Postman

stdio

Disconnected

Connect (local)

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Prompt

Do a mongo vector search in database velusri25_Gen_AI, collection Gen_AI_Testing, index vector_index_test_cases, for query "generate test cases for login functionality", limit 5

Send

Response

Here are the five most relevant test-case documents that the vector search returned for the query "generate test cases for login functionality." | # | Test-Case ID | Module | Title | Brief Description / Goal | Key Steps (excerpt) | Automation | Priority | |-----| | 1 | **TC042** | Registration | **Registration counter-shift Login** | Verify a user can assign a duty roster on the "Shift Counter" after logging in. | 1. Launch the app
2. Log in with valid credentials
3. Navigate → Patient Service → Registration
4. Functions → Others → Counter shift login
5. Start Shift | Automated | P1 | 2 | **TC231** | Laboratory | **Test slot master – Weekly test** | Verify a user can set up a weekly test slot. (Includes a login step at the start.) | 1. Launch the app
2. Log in with valid credentials
3. Select Laboratory tab ... (follow-up steps) | Manual | P2 | 3 | **TC239** | Laboratory | **Check List Master → Check List Mapping** | Verify a user can map a test to a selected checklist (login is the first step). | 1. Launch the app
2. Log in with valid credentials
3. Navigate to Laboratory → Checklist Mapping ... | Manual | P2 | 4 | **TC228** | Laboratory | **Test slot master – Daily test** | Verify a user can set up a daily test slot (login is the first step).

localhost:5173

MongoDB

stdio

Connected (3 tools)

Disconnect

Postman

stdio

Disconnected

Connect (local)

Local vs Remote MCP

	Local STDIO	Remote HTTP
Transport	STDIO (stdin/stdout)	Streamable HTTP
Process lifecycle	Spawned and killed by this backend	Started/stopped independently, outside this app
Where it runs	Same machine, child process	Any reachable host (here: same machine, different port)
Auth	Inherits this process's environment	Bearer token over HTTP, if configured
Typical latency	Very low (in-process pipe)	Network round trip, even on localhost
Failure mode	Process failed to start / crashed	Endpoint unreachable / timed out / unauthorized

Current selection:

Jira: Local STDIO

MongoDB: Local STDIO

Postman: Local STDIO

login step at the start.) | 1. Launch the app
2. Log in with valid credentials
3. Select Laboratory tab ... (follow-up steps) | Manual | P2 | 3 | **TC239** | Laboratory | **Check List Master → Check List Mapping** | Verify a user can map a test to a selected checklist (login is the first step). | 1. Launch the app
2. Log in with valid credentials
3. Navigate to Laboratory → Checklist Mapping ... | Manual | P2 | 4 | **TC228** | Laboratory | **Test slot master – Daily test** | Verify a user can set up a daily test slot (login is the first step). | 1. Launch the app
2. Log in with valid credentials
3. Patient Service → Registration → Reports → Registration Bill Generation ... | Automated | P1 | **What this tells us** * The highest-scoring match (TC042) is directly about a "login-related workflow" (shifting a counter after login). * The remaining four cases all start with a login step, then continue to functional actions in other modules (Laboratory, Registration). They are therefore still relevant when looking for "login functionality" test cases, though the primary focus of those cases is on the subsequent feature. If you need more details (full step-by-step instructions, expected results, or the raw document), just let me know and I can fetch the complete record for any of these test cases.

Tool Trace Timeline

1 round · 1 call · 5179ms total · Model finished without needing more tools

1 mongo_vector_search mongo · local/stdio
✓ success · 1460ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approved Run scenario

JIRA – Local:
getStories.tool:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Connected (6 tools)

Disconnect

MongoDB

stdio

Connected (3 tools)

Disconnect

Postman

http

Disconnected

Connect (remote)

Prompt

get the user story NGAS-26

Send

Response

Here's the information for the Jira issue **NGAS-26**:
Field	Value
Key | NGAS-26 |
Summary | Employee Self Review |
Issue Type | Story |
Status | To Do |
Assignee | Unassigned |
Description | (none attached) |
Comments | 1 comment (by **sriini vasan**, 2026-08-01) – contains the test-case checklist below.
Comment (Test Cases) |
1. **Submit a complete self-review** – Employee fills all required fields (ratings, comments, goals) and submits; the system saves the review and changes the status to **Submitted**.
2. **Save as draft** – Employee partially fills the review, clicks **Save Draft**, and later re-opens it with all data intact and still editable.
3. **Required field validation** – If mandatory fields are missing, the system blocks submission and shows appropriate validation errors.
4. **Edit after submission is blocked** – After a review is submitted, the employee cannot modify it (or must route to a manager for reopening) and sees a read-only view.
5. **Review deadline enforcement** – If the employee tries to access or submit after the review period deadline, the system either blocks the action or flags it as late according to business rules.
No attachments are linked to this issue. Let me know if you'd like to see other stories, update this issue, or perform any other actions.

getIssue.tool:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Connected (6 tools)

Disconnect

MongoDB

stdio

Connected (3 tools)

Disconnect

Prompt

get the issue NGAS-30

Send

Response

Here's the information for **NGAS-30**:
- **Summary**: Report Dashboard Not Working
- **Status**: To Do
- **Issue Type**: Story
- **Assignee**: Unassigned
- **Description**: The report dashboard is not working as expected. It shows an error that says **"No Data."**
- **Comments**: None yet
- **Attachments**: None
Let me know if you'd like to add a comment, change the status, or do anything else with this issue.

Tool Trace Timeline

1 round · 1 call · 2291ms total · Model finished without needing more tools

1 jira_get_issue jira · local/stdio
✓ success · 963ms

Error Simulation

addComments.tool:

localhost:5173

Testleaf

STUDIO

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

Jira

studio

Connected (6 tools)

Disconnect

MongoDB

studio

Connected (3 tools)

Disconnect

Prompt

add comment to NGAS-30 as "Fix the issue ASAP"

Send

Response

The comment was added successfully to **NGAS-30**. - **Comment ID:** 10068 - **Created:** 2026-08-06 14:07:48 (UTC+5:30) Let me know if you'd like to do anything else (e.g., view the issue, update its details, or work with MongoDB/Postman).

Tool Trace Timeline

1 round · 1 call · 5067ms total · Model finished without needing more tools

1 **jira_add_comment** jira - local/studio
✓ success · 1241ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approved Run scenario

JIRA verification:

https://velusri25.atlassian.net/browse/NGAS-30

Jira

Search

Create

Upgrade

Chat

For you

Recent

Starred

Apps

Plans

Spaces

Recent

New Gen AI Space

My Gen AI Space

More spaces

Recommended

Collect requests

Browse templates

Spaces / New Gen AI Space / NGAS-30

1

Details

None

Due date

None

Assignee

Unassigned

Assign to me

Time tracking

No time logged

Start date

None

Automation

Rule executions

Created 2 days ago

Configure

Linked work items

Add linked work item

Activity

All Comments History Work log

sv Add a comment...

Looks good! Need help? This is blocked...

Pro tip: press M to comment

sv srini vasan

2 minutes ago

Fix the issue ASAP

addStory.tool:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Connected (6 tools)

Disconnect

MongoDB

stdio

Disconnected

Connect (local)

Postman

http

Disconnected

Connect (local)

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Prompt

Add the below user story to JIRA to New Gen AI Space "Module: Patient Appointment Management"
User Story Title: Schedule Appointments via Mobile App

Send

Response

The new user story has been created in the **New Gen AI Space (NGAS)** project: - **Issue Key:** **"NGAS-31"** - **Title:** **"Schedule Appointments via Mobile App"** - **Description:** **"(as you provided, covering the module, user story, acceptance criteria, and privacy compliance). You can now view, edit, or transition this story in JIRA as needed. Let me know if you'd like to add any additional details, attach files, comment on the issue, or perform any other actions."**

Tool Trace Timeline

1 round - 1 call - 3380ms total - Model finished without needing more tools

1 **jira_add_story** jira - local/stdio
✓ success - 1568ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approved Run scenario

transistionIssue.tool:

localhost:5173

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP / Official MCP

Jira

stdio

Connected (6 tools)

Disconnect

MongoDB

stdio

Disconnected

Connect (local)

Postman

http

Disconnected

Connect (local)

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Prompt

change the status of user story NGAS-31 to In-Progress

Send

Response

The status of **"NGAS-31"** has been successfully changed to **"In Progress"**.

Tool Trace Timeline

2 rounds - 2 calls - 4184ms total - Model finished without needing more tools

1 **jira_transition_issue** jira - local/stdio
✓ success - 905ms
2 **jira_transition_issue** jira - local/stdio
✓ success - 1308ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approved Run scenario

← ↻ https://velusri25.atlassian.net/browse/NGAS-31

🔍 Search + Create Upgrade Chat

🏠 Jira

👤 For you

🕒 Recent

⭐ Starred

📱 Apps

📅 Plans

📁 Spaces

Recent

New Gen AI Space

My Gen AI Space

More spaces

Recommended

Collect requests Try

Browse templates

Unlock your AI teammate

Rovo connects your tools and knowledge so work gets done for you.

Try Rovo now

Spaces / New Gen AI Space / NGAS-31

Schedule Appointments via Mobile App

+ ...

Key details

Description

Module: Patient Appointment Management

User Story:

As a patient, I want to book, reschedule, or cancel my hospital appointments directly through the mobile app, so that I can manage my healthcare visits conveniently without needing to call the hospital.

Acceptance Criteria:

- Patients must be able to view available time slots for each doctor.
- Appointment booking should trigger a confirmation notification (SMS/email).
- Rescheduling must only allow available slots and notify the doctor.
- Cancellation must update the hospital's scheduling system immediately.
- System must log all appointment actions for audit purposes.
- Patients should be able to add notes (e.g., reason for visit).

In Progress

Details

Reporter

sv srini vasan

Priority

Medium

Labels

None

Due date

None

Assignee

Unassigned

[Assign to me](#)

UpdateStory.tool:

localhost:5173

MCP Playground

Compare Local MCP and Remote MCP across Jira, MongoDB, and Postman.

Model Provider

☒ Groq ☐ OpenAI

Jira MCP

☒ Local STUDIO ☐ Remote HTTP

MongoDB MCP

☒ Local STUDIO

Postman MCP

☒ Local STUDIO ☐ Remote HTTP ☐ Official Postman MCP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP / Official MCP

☒ Jira ☐ MongoDB ☐ Postman

studio Connected (6 tools) Disconnect

studio Disconnected Connect (local)

http Disconnected Connect (local)

Prompt

Update the user story NGAS-31, with new points 1.XXX 2.YYY 3.ZZZ

Send

Response

The description of **NGAS-31** has been updated to include the new point values: "" Points: 1. XXX 2. YYY 3. ZZZ "" All other fields remain unchanged. Let me know if you need anything else!

Tool Trace Timeline

2 rounds - 2 calls - 443ms total - Model finished without needing more tools


- 1 **jira_get_issue** jira - local/studio
✓ success - 531ms
- 2 **jira_update_story** jira - local/studio
✓ success - 706ms

Error Simulation

Fire known-bad requests at the real backend to see how each error is handled.

Call a tool that isn't approved Run scenario

Jira new Points updated:



Remote JIRA:

getStories:

