

Embeddings & Store:

cloud.langfuse.com/project/cms1qjrvw0t7uad0dutbpzj6t/traces?peek=t-job-1785244067288-ccyym...

Trace ingest-embeddings-batch: job-1785244067288-ccyym3z7

Search observations...

2026-07-28 18:37:49.632

Env: default 0 prompt — 0 completion (Σ 781)

Preview Scores **Log View** Formatted JSON

Observation	Depth	Start	Duration
ingest-embeddings-batch (t-job-17)	L0	0:00	-
Path	Value		
input	{"jobType": "testcases", "inputFile": "converted-1785243978302.json", "totalTestcases": 5}		
output	{"totalProcessed": 5, "totalTokens": 781, "totalCost": 0.0000781, "failedCount": 0}		
metadata	{}		
embed-batch-1 (2048258f)	L1	0:00	614ms
Path	Value		
input	{"batchNumber": 1, "totalBatches": 1, "batchSize": 5}		
output	{"tokens": 781, "cost": 0.0000781, "success": true, "error": null}		
metadata	{}		

Query Preprocessing & Search:

cloud.langfuse.com/project/cms1qjrvw0t7uad0dutbpzj6t/traces?peek=t-f41f1486-736f-49d9-b81a-7...

Trace search-preprocess: f41f1486-736f-49d9-b81a-76d0547f57e7

Search observations...

2026-07-28 19:00:57.352

Env: default

Preview Scores **Log View** Formatted JSON

Observation	Depth	Start	Duration
output			
{"original": "duplicate UHID creation warning message", "normalized": "duplicate uhid creation warning message", "abbreviationExpanded": "duplicate unique health id creation warning message", "synonymExpanded": ["duplicate unique health id creation warning message"], "metadata": {"testCaseIds": [], "abbreviationMappings": [{"abbreviation": "uhid", "expansion": "unique health id", "position": 10}], "abbreviationAmbiguities": [], "synonymMappings": [], "tokens": ["duplicate", "uhid", "creation", "warning", "message"], "processingTime": 12, "steps": {"normalization": true, "abbreviationExpansion": true, "synonymExpansion": true}}}			
metadata	{}		
preprocess (6c6628fa)	L1	0:00	13ms
Path	Value		
input	{"query": "duplicate UHID creation warning message", "options": {"enableAbbreviations": true, "enableSynonyms": true, "maxSynonymVariations": 5}}		
output	{"original": "duplicate UHID creation warning message", "normalized": "duplicate uhid creation warning message", "abbreviationExpanded": "duplicate unique health id creation warning message", "synonymExpanded": ["duplicate unique health id creation warning message"], "metadata": {"testCaseIds": [], "abbreviationMappings": [{"abbreviation": "uhid", "expansion": "unique health id", "position": 10}], "abbreviationAmbiguities": [], "synonymMappings": [], "tokens": ["duplicate", "uhid", "creation", "warning", "message"], "processingTime": 12, "steps": {"normalization": true, "abbreviationExpansion": true, "synonymExpansion": true}}}		
metadata	{}		

Vector Search:

cloud.langfuse.com/project/cms1qjrvw0t7uad0doutbpzj6t/traces?peek=3a4e517c-f705-4371-898f-fe0...

Trace search: 40143b1a-4a1f-443f-872a-6ab657a9a692

search 2.06s

generate-embedding 0.38s

vector-search 0.08s

vector-search

2026-07-28 19:13:07.363

Latency: 0.08s User ID: f71af725-0694-407d-ba10-f4f249f3eed3 Env: default

Preview Scores Log View

Search observations...

Observation	Depth	Start	Duration
search (t-40143b) 2 items	L0	0:00	-
generate-embedding (04f7863f)	L1	0:01	379ms
vector-search (3a4e517c)	L1	0:01	84ms

Path

Value

input

output

metadata

input

duplicate UHID creation warning message

output

["tokens":9,"cost":9.000000000000001e-7]

metadata

["{}"]

Graph

BM25 Keyword Search:

localhost:3000

RAG Pipeline

Home > BM25 Search

Keyword-based search

to JSON

id convert Excel

t Cases or User

ings & Store

d manage

iga

reprocessing

n & expand queries

earch

vector search

earch

-based search

earch

d BM25 + Vector

ision

ector fusion

ize & Dedup

arization &

ition

& Schema

BM25 Keyword Search

Fast keyword-based search using BM25 algorithm. Best for exact matches, IDs, and specific terms.

Search Query

duplicate UHID creation warning message

SHOW FILTERS

Results L

10

SEARCH

BM25 Search Results: Found 10 test cases in 56ms

Search Type: bm25

Search Results (10)

#1

TC_032

Score: 20.47

Duplicate UHID Check

Module: Registration

P1

Risk: High

Manual

Description: Verify system prevents creation of duplicate UHID for same patient

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Enter demographic details matching an existing patient (Name, DOB, Mobile No.) 5.Click on submit button

cloud.langfuse.com/project/cms1qjrvw0t7uad0dutbpz6t/traces?dateRange=1d&peek=t-98d93c03-...

Trace search-bm25: 98d93c03-955e-4bba-b853-0ef1545fac5a

search-bm25 :
2026-07-28 19:25:32.587
User ID: f71af725-0694-407d-ba10-f4f249f3eed3 Env: default

Preview Scores Log View

Search observations...

Observation	Depth	Start	Dura
search-bm25 (t-98d93c) 1 item	L0	0:00	
Path	Value		
input	{"query":"duplicate UHID creation warning message","filters":{},"fields":["id","title","description","steps","expectedResults","module"]}		
output	{"_id":{"buffer":{"0":106,"1":103,"2":127,"3":43,"4":44,"5":223,"6":2,"7":120,"8":206,"9":40,"10":169,"11":38}},"module":"Registration","id":"TC_032","title":"Duplicate UHID Check","description":"Verify system prevents creation of duplicate UHID for same patient","steps":"1.Launch the application\n2.Login to the application with valid credentials.\n3.Click on Patient Service Tab and select Registration from the drop down.\n4.Enter demographic details matching an existing patient (Name, DOB, Mobile No.)\n5.Click on submit button","expectedResults":"System should throw duplicate patient warning and suggest existing UHID instead of creating new one","automationManual":"Manual","priority":"P1","risk":"High","createdAt":{"score":20.468286514282227},"_id":{"buffer":{"0":106,"1":104,"2":169,"3":166,"4":192,"5":100,"6":152,"7":156,"8":122,"9":92,"10":49,"11":11}},"module":"Registration","id":"TC_038","title":"Merge Duplicate UHID","description":"Verify user is able to merge two duplicate UHIDs into a single patient record","steps":"1.Launch the application\n2.Login to the application with valid credentials.\n3.Click on Patient Service Tab and select Registration from the drop down.\n4.Click on Merge UHID link\n5.Enter source UHID and target UHID\n6.Review merge summary showing conflicting fields\n7.Click on confirm merge button","expectedResults":"Records should be merged into target UHID successfully and source UHID should be marked inactive with reference to target","automationManual":"Manual","priority":"P1","risk":"High","createdAt":		

Hybrid Search (BM25 + Vector)

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion re-ranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

Settings

Configure environment

RAQ Demo v1.2
Enterprise Edition

<

Home

>

Hybrid Search

Hybrid Search (BM25 + Vector)

Combines BM25 keyword matching with semantic vector search for best results. Adjust weights to control the balance.

Search Query

duplicate UHID creation warning message

Results 10

SEARCH

Search Weights

BM25 Weight: 55%

Vector Weight: 45%

0% 50% 100% 0% 50% 100%

BALANCED (50/50) KEYWORD HEAVY (70/30) SEMANTIC HEAVY (30/70)

SHOW FILTERS

Hybrid Search Results: Found 10 test cases in 765ms

Stats: 6 in both indexes 0 BM25 only 4 vector only

Timing: BM25: 95ms, Vector: 662ms

Cost: \$0.000001 (9 tokens)

Search Results (10)

#1 TC_032 Hybrid: 95.1% Found in: both

Duplicate UHID Check

Module: Registration P1 Risk: High Manual

Description: Verify system prevents creation of duplicate UHID for same patient

Steps: 1.Launch the application 2.Login to the application with valid credentials. 3.Click on Patient Service Tab and select Registration from the drop down. 4.Enter demographic details matching an existing patient (Name, DOB, Mobile No.) 5.Click on submit button

cloud.langfuse.com/project/cms1qjrvw0t7uad0dutbpzj6t/traces?peek=09e24ae1-6734-40c0-9314-7...

Personal

langfuse v4.0.0-rc.3

Trace search-hybrid: 1fdc1f9-1f8b-4ef9-at18-17ca7e33af1b

Go to...

Home

Dashboards

Observability

Tracing

Sessions

Users

Monitors

Prompt Management

Prompts

Playground

Evaluation

Scores

Evaluators

Human Annotation

Datasets

srini vasan velusri25@gmail.com

Graph

generate-embedding

2026-07-29 11:58:57.821

Latency: 0.57s User ID: f71af725-0694-407d-ba10-f4f249f3eed3 Env: default 0 prompt → 0 completion (9) mistral-embed

Preview Scores Log View

Formatted JSON

Q Search observations...

Observation	Depth	Start	Duration
2, VECTORSLOPEFORMALLED 10.691/55/001115892, hybridScore: 0.951290663091255, FOUNDIN : both}, {"_id": {"buffer": [{"0":106,"1":104,"2":169,"3":166,"4":192,"5":190,"6":152,"7":156,"8":122,"9":92,"10":49,"11":1}], "module": "Registration", "id": "TC_038", "title": "Merge Duplicate UHID", "description": "Verify user is able to merge two duplicate UHIDs into a single patient record", "steps": "1.Launch the application\n2.Login to the application with valid credentials.\n3.Click on Patient Service Tab and select Registration from the drop down.\n4.Click on Merge UHID link\n5.Enter source UHID and target UHID\n6.Review merge summary showing conflicting fields\n7.Click on confirm merge button", "expectedResults": "Records should be merged into target UHID successfully and source UHID should be marked inactive with reference to..." ...expand (7382 more characters)			
metadata			
bm25-search (20710101)	L1	0:02	89ms
Path	Value		
input	[[{"search": {"index": "testcases_bm25", "text": {"query": "duplicate UHID creation warning message", "path": {"id", "title", "description", "steps", "expectedResults", "module"}}}, {"\$addFields": {"bm25Score": {"\$meta": "searchScore"}}, {"\$project": {"_id": 1, "id": 1, "module": 1, "title": 1, "description": 1, "steps": 1, "expectedResults": 1, "priority": 1, "risk": 1, "automationManual": 1, "sourceFile": 1, "createdAt": 1, "bm25Score": 1}, {"\$limit": 30}}]]		
output	[[{"_id": {"buffer": [{"0":106,"1":103,"2":127,"3":43,"4":44,"5":123,"6":2,"7":120,"8":206,"9":40,"10":169,"11":		

Score Fusion:

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

Settings

Configure environment

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

Groq AI Reranking Search

Combines BM25 keyword search and Vector semantic search, then uses Groq AI for intelligent semantic reranking and relevance optimization.

Search Query

duplicate UHID creation warning message

Top-K Can...

50

Final Limit

10

SEARCH

FILTERS

Groq AI Reranking Results: Found 10 test cases ranked by Groq AI

Timing: Total: 4429ms

Method: BM25 + Vector -> Groq AI Semantic Reranking

AFTER RERANKING (FINAL)

BEFORE RERANKING (ORIGINAL)

COMPARISON TABLE

After Groq AI Reranking (10 results)

#1

TC_032

Rerank Score: 1.0000

Was #1

Duplicate UHID Check

Module: Registration

P1

Risk: High

Description: Verify system prevents creation of duplicate UHID for same patient

Ranking Scores:

BM25 Score: 20.4689

Groq Rerank: 1.0000

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

Summarize & Dedup

AI summarization & deduplication

Prompt & Schema

Configure prompt templates & JSON schemas

Settings

Configure environment

RAG Pipeline

Home > Score Fusion

BM25+Vecto

Groq AI Reranking Search

Combines BM25 keyword search and Vector semantic search, then uses Groq AI for intelligent semantic reranking and relevance optimization.

Search Query

duplicate UHID creation warning message

Top-K Can...

50

Final Limit

10

SEARCH

FILTERS

Groq AI Reranking Results: Found 10 test cases ranked by Groq AI

Timing: Total: 4429ms

Method: BM25 + Vector -> Groq AI Semantic Reranking

AFTER RERANKING (FINAL)

BEFORE RERANKING (ORIGINAL)

COMPARISON TABLE

Initial Candidate Ranking (Before Groq AI Reranking - 10 results from 50 candidates)

These are the top candidates from the 50-candidate pool before Groq AI semantic reranking. Notice how Groq reorders them based on actual relevance to your query!

Candidate Rank: #1

TC_032

Vector: 0.0000

Groq Score: 1.0000

Duplicate UHID Check

Module: Registration

P1

Description: Verify system prevents creation of duplicate UHID for same patient

localhost:3000

Navigation

- Convert to JSON
- Embeddings & Store
- Query Preprocessing
- Vector Search
- BM25 Search
- Hybrid Search
- Score Fusion**
- Summarize & Dedup
- Prompt & Schema
- Settings

RAG Demo v1.2
Enterprise Edition

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion reranking

Groq AI Reranking Search

Combines BM25 keyword search and Vector semantic search, then uses Groq AI for intelligent semantic reranking and relevance optimization.

Search Query: duplicate UHID creation warning message

Top-K Limit: 50 Final Limit: 10

SEARCH

FILTERS

Groq AI Reranking Results: Found 10 test cases ranked by Groq AI
Timing: Total: 442ms
Method: BM25 + Vector → Groq AI Semantic Reranking

AFTER RERANKING (FINAL) BEFORE RERANKING (ORIGINAL) COMPARISON TABLE

Before vs After Comparison

Original Rank (Candidates)	Test Case ID	Title	Vector Score	Groq Rerank Score	Final Rank
#1	TC_032	Duplicate UHID Check	0.0000	1.0000	#1
#2	TC_038	Merge Duplicate UHID	0.0000	0.9000	#2
#7	TC_027	Merge UHID	0.0000	0.8000	#3
#6	TC_028	Demerge UHID	0.0000	0.7500	#4
#29		Merge UHID	0.0000	0.7000	#5
#40	TC_005	Conversion from PRN/GRN Reg to UHID	0.0000	0.6500	#6
#6	TC_046	Reports-Print Duplicate Bills-Bills	0.0000	0.6000	#7

cloud.langfuse.com/project/cms1qjrvw0t7uad0dubpzj6t/traces?peek=t-2cbc4a23-6128-4c08-a9c1-...

Personal

Trace search-rerank: 2cbc4a23-6128-4c08-a9c1-a0742a229a61

search-rerank : 2026-07-29 12:25:42.359

Env: default 2,179 prompt → 136 completion (Σ 2,324)

Preview Scores Log View

Formatted JSON

Search observations...

Observation	Depth	Start	Duration
search-rerank (t-2cbc4a) 3 items	L0	0:00	-
generate-embedding (146c83be)	L1	0:02	343ms
candidate-retrieval (bfc19893)	L1	0:02	376ms
groq-rerank (1882ef4d)	L1	0:03	1.1s

Path Value

input "duplicate UHID creation warning message"

output "{tokens:9,\"cost\":9.000000000000001e-7}"

metadata "{}"

input "You are a relevance scoring assistant. Score each document's relevance to the query on a scale of 0-100.
Query: \"duplicate UHID creation warning message\"
Documents:
[0] TC_032: Duplicate UHID Check - Verify system prevents creation of duplicate UHID for same patient
[1] TC_038: Merge Duplicate UHID - Verify user is able to merge two duplicate UHIDs into a single patient record"

Search Summarization & Deduplication

localhost:3000

Navigation

- Convert to JSON
- Embeddings & Store
- Query Preprocessing
- Vector Search
- BM25 Search
- Hybrid Search
- Score Fusion
- Summarize & Dedup**
- Prompt & Schema
- Settings

RAG Pipeline

Home > Summarize & Dedup

Search Summarization & Deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query: duplicate UHID creation warning message

Search Type: Vector Limit: 20

Quick Examples: patient login authentication merge UHID records appointment booking password reset OTP

Dedup Threshold: 0.85 Summary Type: Concise

SEARCH DEDUPLICATED AI SUMMARY

Original Results (20)

- TC_032 Score: 0.8916 Duplicate UHID Check
- Score: 0.8916 Quick Registration
- Score: 0.8897 Event Registration
- Score: 0.8887 Campaign Registration
- Score: 0.8823 Create UHID without Payment Scenarios
- Score: 0.8797 Transactions - Dashboard - Dashboard tab - Existing UHID
- Score: 0.8782 UHID with Card Payment
- Score: 0.8753 Merge UHID

cloud.langfuse.com/project/cms1qjrvw0t7uad0dubpzj6t/traces?dateRange=6h&peek=356b5fe5-92...

langfuse v4.0.0-rc.3

Trace search-summarize: 1a11e985-3cbd-4644-96eb-b3fb665aeb9c

search-summarize 1.71s

summarize 1.71s 2,926 → 426 (3,352)

2026-07-29 12:48:58.854

Latency: 1.71s Env: default 2,926 prompt → 426 completion (3,352) openai/gpt-oss-120b

Preview Scores Log View

Formatted JSON

Input

1. TEST CASE: TC_032
MODULE: Registration
PRIORITY: P1 | RISK: High | TYPE: Integration | AUTOMATION: Manual
TITLE: Duplicate UHID Check
DESCRIPTION: Verify system prevents creation of duplicate UHID for same patient
TEST STEPS:
1. Launch the application
2. Login to the application with valid credentials.
3. Click on Patient Service Tab and select Registration from the drop down.
4. Enter demographic details matching an existing patient (Name, DOB, Mobile No.)
5. Click on submit button EXPECTED RESULTS: System should throw duplicate patient warning and suggest existing UHID instead of creating new one

2. TEST CASE: N/A
MODULE: Registration
PRIORITY: P2 | RISK: High | TYPE: Function | AUTOMATION: Automation
TITLE: Quick Registration
DESCRIPTION: Verify system prevents creation of duplicate UHID for same patient

The screenshot displays the Langfuse web application interface. On the left sidebar, navigation options include Go to..., Home, Dashboards, bservability, Tracing (selected), Sessions, Users, Monitors, omlpt Management, Prompts, Playground, valuation, Scores, Evaluators, Human Annotation, and Datasets. The main header shows the URL 'cloud.langfuse.com/project/cms1qjrvwOt7uadOdtbpzjGt/traces?dateRange=6h&traceTab=log&pee...' and user information.

The central pane shows a search for 'search-summarize' with results from 2026-07-29 12:48:58.51. A specific trace is selected, showing its path and value. The 'Log View' tab is active, displaying a detailed log of the summarization process, including system prompts, user input, and the resulting JSON output.

Path	Value
input	"{"query":"","summaryType":"concise","resultCount":15}"
output	"{"summary":"***Search Results Overview - \"test cases\" (UHID-related)** \n\n Type ID _id Title / Description Module Key Focus Relevance \n----- ----- ----- ----- ----- ----- ----- \n\n Test case (structured) **TC_032** *Duplicate UHID Check* - ensure the system blocks creation of a duplicate UHID for the same patient. Registration Duplicate prevention 89.2 % \n\n Test case (structured) **TC_038** *Merge Duplicate UHID* - verify a user can merge two duplicate UHIDs into a single patient record. Registration Merge operation 87.4 % \n\n Test case (structured) **TC_006** *OLD to New UHID conversion* - validate conversion from legacy to new UHID format. Registration Data migration 86.4 % \n\n JSON test case **6a3798944a0db45d88d42632** *UHID with Card Payment* - registration using card payment. Registration Payment flow (card) - \n\n JSON test case **6a3798944a0db45d88d42627** *UHID with Cash Payment* - registration using cash. Registration Payment flow (cash) - \n\n JSON test case **6a3798944a0db45d88d42631** *Merge UHID* - merge master and child UHIDs. Registration Merge logic - \n\n JSON test case **6a3798944a0db45d88d42632** *Demerge UHID* - split a merged UHID back into separate records. Registration Demerge logic - \n\n JSON test case **6a3798944a0db45d88d42633** *Reissue UHID* - re-issue a UHID for a valid patient. Registration Re-issuance - \n\n JSON test case **6a3798944a0db45d88d42634** *Reprint UHID Card* - print a new card for an existing UHID. Registration Card printing - \n\n JSON test case **6a3798944a0db45d88d42641** *Enterprise Search UHID Functionality*, \"tokens\": {\"prompt\": \"2926\", \"completion\": \"426\", \"total\": \"3352\", \"cost\": {\"input\":\"0.00000\", \"output\":\"0.00000\", \"total\":\"0.00000\"}}"}"

RAG Complete Pipeline:

cloud.langfuse.com/project/cms1qjrvw0t7uad0dubpzj6t/traces?dateRange=3d&peek=fe83c68f-b4...

Personal

langfuse v4.1.0

Go to... ctrl K

Home

Dashboards

Observability

Tracing

Sessions

Users

Monitors

Prompt Management

Prompts

Playground

Evaluation

Scores

Evaluators

Human Annotation

Datasets

sriini vasan velusri25@gmail.c...

Trace test-prompt: ce9dcdcc-6053-4b4c-83cd-8ea3467e7437

groq-completion

Add to datasets Annotate Playground Add comment

2026-07-29 13:59:32.569

Latency: 12.06s User ID: f71af725-0694-407d-ba10-f4f249f3eed3 Env: default 2,680 prompt — 3,032 completion (Σ 5,712)

llama-3.3-70b-versatile

Preview Scores Log View

Formatted JSON

Input

HEALTHCARE TEST CASE GENERATION

INSTRUCTION

Generate 10 high-quality test cases for the user story using retrieved test case context. Each must:

- Include 5-8 detailed, numbered test steps
- Define measurable expected results
- Cover positive, negative, and edge cases
- Reference source test cases

CONTEXT

MongoDB database with 6,000+ healthcare test cases covering Patient Registration, Laboratory, Ward Management, Billing, Prescription, Diagnostics.

Healthcare entities: UHID, PRN, ERN, OTP.

EXAMPLES

Study the retrieved test cases below for format, terminology, and step structure.

PERSONA

cloud.langfuse.com/project/cms1qjrvw0t7uad0dubpzj6t/traces?dateRange=3d&peek=fe83c68f-b4...

Personal

langfuse v4.1.0

Go to... ctrl K

Home

Dashboards

Observability

Tracing

Sessions

Users

Monitors

Prompt Management

Prompts

Playground

Evaluation

Scores

Evaluators

Human Annotation

Datasets

sriini vasan velusri25@gmail.c...

Trace test-prompt: ce9dcdcc-6053-4b4c-83cd-8ea3467e7437

groq-completion

Add to datasets Annotate Playground Add comment

2026-07-29 13:59:32.569

Latency: 12.06s User ID: f71af725-0694-407d-ba10-f4f249f3eed3 Env: default 2,680 prompt — 3,032 completion (Σ 5,712)

llama-3.3-70b-versatile

Preview Scores Log View

Formatted JSON

Search observations...

Observation	Depth	Start	Duration
> test-prompt (t-ce9dcd) 13 items	L0	0:00	-
> preprocess (edbf3b3)	L1	0:00	39ms
> bm25-search (4cbbd212)	L1	0:02	226ms
> generate-embedding (c4519ac5)	L1	0:03	399ms
> vector-search (3d595a7e)	L1	0:03	181ms
> generate-embedding (17f8ece4)	L1	0:04	350ms
> vector-search (f5b70972)	L1	0:04	85ms
> bm25-search (198caae8)	L1	0:04	41ms
> generate-embedding (a6a8581a)	L1	0:07	578ms
> candidate-retrieval (a952c999)	L1	0:07	317ms
> groq-rerank (4d0621d6)	L1	0:08	568ms
> deduplicate (c0c6f700)	L1	0:08	0ms
> summarize (5aaae9c0)	L1	0:08	2.8s
> groq-completion (fe83c68f)	L1	0:12	12.1s