Ideation Phase
Brainstorm & Idea Prioritization Template

Date	03 October 2026
Team ID	SWTID-2026-5297
Project Name	Script-Controlled ACL - Restrict Record Based on Field value
Maximum Marks	4 Marks

Brainstorm & Idea Prioritization Template: ServiceNow Script-Controlled ACL Project

Brainstorming provides a free and open environment that encourages all 5 team members—Balamurugan (BM), Velvizhi (VV), Buvanesh (BA), Deepak (DV), and Prajin (PM)—to participate in the creative thinking process for enforcing record-level security in ServiceNow. Prioritizing volume over value, out-of-the-box ideas for configuring custom roles (bb1–bb4), table schema (u_institution_details), script-controlled Read ACLs, Create ACLs, Write ACLs, and Delete ACLs are welcome and built upon. All participants collaborate to develop creative solutions for restricting record access based on field values (Branch = EEE) across list and form views.

Use this template in your own brainstorming sessions so your project team can unleash their imagination and start shaping ServiceNow security concepts even if you're not sitting in the same room.

Step-1: Team Gathering, Collaboration and Select the Problem Statement

Team Gathering & Collaboration

Our 5-member team gathered to establish a clear collaboration framework for the project. During this gathering, the team set up regular communication channels, aligned on individual strengths, and mapped out a structured task distribution based on our project requirements. This strong initial collaboration ensured that every member had a shared understanding of their specific responsibilities, dependencies, and expected project deliverables from start to finish.

Select the Problem Statement

After reviewing our assigned project requirements, the team collectively analyzed and selected the problem statement focused on security access control. The primary issue identified was the need to restrict record access dynamically rather than relying solely on global permissions. To solve this, the team agreed to implement a script-controlled Access Control List (ACL) solution that strictly controls record visibility and operations based on user roles and specific field values across the system.

Step-2: Brainstorm, Idea Listing and Grouping

During this phase, our 5-member team—Balamurugan (BM), Velvizhi (VV), Buvanesh (BA), Deepak (DV), and Prajin (PM)—held a structured brainstorming session to generate and evaluate possible technical solutions for our assigned project.

Idea Listing:

The team generated multiple approaches to fulfill the security requirements:

- **Declarative Condition-Based ACLs:** Using simple built-in UI conditions without scripts.
- **Script-Controlled ACLs:** Combining server-side JavaScript logic with role evaluation and field-level conditions.
- **Business Rules & Data Filtering:** Using Before-Query Business Rules to manage record visibility.

Idea Grouping:

After listing all ideas, the team grouped them into three clear implementation categories to organize project execution:

- **Category 1: Database & Identity Setup:** Table schema definition and user/role creation assigned to Balamurugan (BM) and Velvizhi (VV).
- **Category 2: Read Access Security:** Script-controlled Read ACL implementation assigned to Buvanesh (BA).
- **Category 3: Operation Security & Testing:** Create, Write, and Delete ACL configurations assigned to Deepak (DV), Prajin (PM), and Velvizhi (VV)

Step-3: Idea Prioritization

The team placed ideas on an Importance vs. Feasibility grid to determine priority implementation ranks for project execution.

Proposed Feature / Task	Importance	Feasibility	Priority Rank	Assigned Lead
User, Role & Schema Creation	High	High	P1 (Must Have)	Balamurugan & Velvizhi
Script-Controlled Read ACL	High	High	P1 (Must Have)	Buvanesh
Create & Write ACL Rules	Medium	High	P2 (Should Have)	Deepak & Prajin
Delete ACL & Impersonation Audit	Medium	High	P2 (Should Have)	Velvizhi

Execution Summary: All prioritized tasks have been assigned based on technical feasibility and core security impacts. High-importance items (P1) establish the database schema and record-level script filters, while P2 items enforce complete operational security across record modification and deletion