



RAJALAKSHMI ENGINEERING COLLEGE

**An AUTONOMOUS Institution
Affiliated to ANNA UNIVERSITY, Chennai**

DEPARTMENT OF COMPUTER SCIENCE & DESIGN ACADEMIC YEAR 2024-2025

EVEN SEMESTER



CS23432 SOFTWARE CONSTRUCTION LAB

LAB MANUAL

SECOND YEAR

FOURTH SEMESTER

2024- 2025

EVEN SEMESTER

RAJALAKSHMI ENGINEERING COLLEGE

An Autonomous Institution, Affiliated to Anna University,
Rajalakshmi Nagar, Thandalam - 602105



DEPARTMENT OF COMPUTERSCIENCE AND DESIGN

CS23432-SOFTWARE CONSTRUCTION
(Regulation 2023)

LAB RECORD

Name	: .. VELVIZHI P ..
Register No.	: .. 231701061 ..
Year/Branch/Section	: .. II YEAR/ CSD/ A ..
Semester	: .. IV SEMESTER ..
Academic Year	: .. 2024-2025 ..

Ex No	List of Experiments
1	Study of Azure DevOps
2	Designing Project using AGILE-SCRUM Methodology.
3	Agile Planning
4	User stories – Creation
5	Architecture Diagram Using AZURE
6	Designing Usecase and Class Diagram
7	Designing Interaction Diagrams
8	Design Interface Implementation – Design a Web Page based on Scrum Methodology
9	
10	Testing using Azure. Deployment
11	

Requirements	
Hardware	Intel i3, CPU @ 1.20GHz 1.19 GHz, 4 GB RAM, 32 Bit Operating System
Software	StarUML , Azure

LAB PLAN

CS19442-SOFTWARE ENGINEERING LAB

Ex No	Date	Topic	Page No	Sign
1		Study of Azure DevOps		
2		Writing Problem Statement		
3		Designing Project using AGILE-SCRUM Methodology by using Azure.		
4		Agile Planning		
5		User stories – Creation		
6		Architecture Diagram Using AZURE		

7		Designing Usecase Diagram using StarUML		
8		Designing Activity Diagrams using StarUML		
9		Designing Sequence Diagrams using StarUML		
10		Design Class Diagram		
10		Design User Interface		
11		Implementation – Design a Web Page based on Scrum Methodology		
12		Testing		
13		Deployment		

Course Outcomes (COs)

Course Name: Software Engineering

Course Code: CS23432

CO 1	Understand the software development process models.
CO 2	Determine the requirements to develop software

CO 3	Apply modeling and modeling languages to design software products
CO 4	Apply various testing techniques and to build a robust software products
CO 5	Manage Software Projects and to understand advanced engineering concepts

CO - PO – PSO matrices of course

PO/PSO CO	PO1	PO2	PO3	PO4	PO5	PO6	PO7	PO8	PO9	PO10	PO11	PO12	PSO1	PSO2	PSO3
CS23432.1	2	2	3	2	2	2	2	2	2	2	3	2	1	3	-
CS23432.2	2	3	1	2	2	1	-	1	1	1	2	-	1	2	-
CS23432.3	2	2	1	1	1	1	1	1	1	1	1	1	2	2	1
CS23432.4	2	2	3	2	2	2	1	0	2	2	2	1	1	2	1
CS23432.5	2	2	2	1	1	1	1	0	2	1	1	1	2	1	-
Average	2.0	2.2	2.0	1.6	1.6	1.4	1.3	1.3	1.6	1.4	1.8	1.3	1.4	2.0	1.0

Correlation levels 1, 2 or 3 are as defined below:

1: Slight (Low) 2: Moderate (Medium) 3: Substantial (High) No correlation: “-”

EX NO: 1

Study of Azure DevOps

AIM:

To study how to create an agile project in Azure DevOps environment.

STUDY:

Azure DevOps is a cloud-based platform by Microsoft that provides tools for DevOps practices, including CI/CD pipelines, version control, agile planning, testing, and monitoring. It supports teams in automating software development and deployment.

1. Understanding Azure DevOps

Azure DevOps consists of five key services:

1.1 Azure Repos (Version Control)

Supports Git repositories and Team Foundation Version Control (TFVC).

Provides features like branching, pull requests, and code reviews.

1.2 Azure Pipelines (CI/CD)

Automates build, test, and deployment processes.

Supports multi-platform builds (Windows, Linux, macOS).

Works with Docker, Kubernetes, Terraform, and cloud providers (Azure, AWS, GCP).

1.3 Azure Boards (Agile Project Management)

Manages work using Kanban boards, Scrum boards, and dashboards.

Tracks user stories, tasks, bugs, sprints, and releases.

1.4 Azure Test Plans (Testing)

Provides manual, exploratory, and automated testing.

Supports test case management and tracking.

1.5 Azure Artifacts (Package Management)

Stores and manages NuGet, npm, Maven, and Python packages.

Enables versioning and secure access to dependencies.

Getting Started with Azure DevOps

Step 1: Create an Azure DevOps Account Visit Azure DevOps.

Sign in with a Microsoft Account.

Create an Organization and a Project.

Step 2: Set Up a Repository (Azure Repos) Navigate to Repos.

Choose Git or TFVC for version control.

Clone the repository and push your code.

Step 3: Configure a CI/CD Pipeline (Azure Pipelines)

Go to Pipelines → New Pipeline.

Select a source code repository (Azure Repos, GitHub, etc.). Define the pipeline using YAML or the Classic Editor.

Run the pipeline to build and deploy the application.

Step 4: Manage Work with Azure Boards Navigate to Boards.

Create work items, user stories, and tasks.

Organize sprints and track progress.

Step 5: Implement Testing (Azure Test Plans) Go to Test Plans.

Create and run test cases

View test results and track bugs.

Result:

The study was successfully completed.

EX NO: 2

PROBLEM STATEMENT

AIM:

To prepare PROBLEM STATEMENT for given project.

Problem Statement:

E-Commerce Customer Insights App

In today's competitive digital marketplace, small and mid-sized e-commerce businesses often struggle to make informed decisions due to a lack of affordable and accessible tools for customer data analysis. While large corporations leverage advanced analytics platforms, smaller businesses face challenges such as high costs, steep learning curves, and dependency on cloud-based solutions.

There is a need for a **lightweight, user-friendly, and offline-capable application** that enables these businesses to:

- Understand customer behavior,
- Track sales performance,
- Identify trends and opportunities,
- And make data-driven decisions without requiring technical expertise or cloud infrastructure.

Result:

The problem statement was written successfully.

EX NO: 3

AGILE PLANNING

Aim:

To prepare an Agile Plan.

THEORY

Agile planning is a part of the Agile methodology, which is a project management style with an incremental, iterative approach. Instead of using an in-depth plan from the start of the project—which is typically product-related—Agile leaves room for requirement changes throughout and relies on constant feedback from end users.

With Agile planning, a project is broken down into smaller, more manageable tasks with the ultimate goal of having a defined image of a project's vision. Agile planning involves looking at different aspects of a project's tasks and how they'll be achieved, for example:

- . Roadmaps to guide a product's release ad schedule

- . Sprints to work on one specific group of tasks at a time

- . A feedback plan to allow teams to stay flexible and easily adapt to change

User stories, or the tasks in a project, capture user requirements from the end user's perspective Essentially, with Agile planning, a team would decide on a set of user stories to action at any given time, using them as a guide to implement new features or functionalities in a tool. Looking at tasks as user stories is a helpful way to imagine how a customer may use a feature and helps teams prioritize work and focus on delivering value first.

- . Steps in Agile planning process

1. Define vision
2. Set clear expectations on goals
3. Define and break down the product roadmap
4. Create tasks based on user stories
5. Populate product backlog
6. Plan iterations and estimate effort
7. Conduct daily stand-ups
8. Monitor and adapt

Result:

Thus the Agile plan was completed successfully.

EX NO: 4

CREATE USER STORIES

Aim:

To create User Stories

THEORY

A user story is an informal, general explanation of a software feature written from the perspective of the end user. Its purpose is to articulate how a software feature will provide value to the customer.

User story template

"As a [role], I [want to], [so that]."


Procedure:

1. Open your web browser and go to the Azure website:

<https://azure.microsoft.com/en-in> Sign in using your Microsoft account credentials. If you don't have an account, you'll need to create one.

2. If you don't have a Microsoft account, you can sign up for

<https://signup.live.com/?lic=1>




3. Azure home page


EX NO: 5




4. Open DevOps environment in the Azure platform by typing Azure DevOps Organizations in the search bar.



5. Click on the My Azure DevOps Organization link and create an organization and you should be taken to the Azure DevOps Organization Home page.






6. Create the First Project in Your Organization


After the organization is set up, you'll need to create your first **project**. This is where you'll begin to manage code, pipelines, work items, and more.

- i. On the organization's **Home page**, click on the **New Project** button.
- ii. Enter the project name, description, and visibility options:
 - **Name:** Choose a name for the project (e.g., **LMS**).
 - **Description:** Optionally, add a description to provide more context about the project.
 - **Visibility:** Choose whether you want the project to be **Private** (accessible only to those invited) or **Public** (accessible to anyone).
- iii. Once you've filled out the details, click **Create** to set up your first project.

7. Once logged in, ensure you are in the correct organization. If you're part of multiple organizations, you can switch between them from the top left corner (next to your user profile). Click on the Organization name, and you should be taken to the Azure DevOps Organization Home page.




8. Project dashboard



9. To manage user stories

- From the **left-hand navigation menu**, click on **Boards**. This will take you to the main **Boards** page, where you can manage work items, backlogs, and sprints.
- On the **work items** page, you'll see the option to **Add a work item** at the top. Alternatively, you can find a **+** button or **Add New Work Item** depending on the view you're in. From the **Add a work item** dropdown, select **User Story**. This will open a form to enter details for the new User Story.



10. Fill in User Story Details

The screenshot displays the Azure DevOps interface for a project named 'Expert System'. The left sidebar contains navigation links for 'Expert System', 'Overview', 'Boards', 'Work Items', 'Backlogs', 'Sprints', 'Queries', 'Delivery Plans', 'Analytics Views', 'Repos', 'Pipelines', 'Test Plans', 'Artifacts', and 'Project settings'. The main area shows a list of work items, with the first item selected: a user story titled 'Login' (ID 17) by 'Mikolaj Rutkowski'. The work item details are expanded, showing the following sections:

- Description:** As a registered user, I want to log into my account so that I can access my personal dashboard and features.
- Acceptance Criteria:**
 1. The user should be able to access the login page from the homepage or a direct URL.
 2. The login form must have fields for email/username and password.
 3. If the user submits an empty field, they should see a validation error.
 4. If the email format is invalid, an error message should be displayed.
 5. If valid credentials are provided, the user should be redirected to their dashboard.
 6. If incorrect credentials are entered, an appropriate error message should be displayed.
 7. If the user enters incorrect credentials more than 3 times, their account should be temporarily locked for 10 minutes.
 8. The password input field should be masked by default but allow users to toggle visibility.
 9. Users should have an option to reset their password via a "Forgot Password" link.
- Planning:** Story Points: 3, Priority: 2, Size: 2 - Medium.
- Classification:** Story type: Business.
- Deployment:** A section with a link to 'To track releases associated with this work item, go to [Releases](#) and turn on deployment status reporting for boards in your pipeline's Options menu. [Learn more about deployment status reporting](#)'.
- Development:** A section with a link to 'Link an Azure Repos [commit](#), [pull request](#) or [branch](#) to see the status of your development. You can also [create a branch](#) to get started.'
- Related Work:** A section for related work items.

Result:

The user story was written successfully.

EX NO: 5

SEQUENCE DIAGRAM


Aim:

To design a Sequence Diagram by using Mermaid.js **THEORY:**

A Sequence Diagram is a key component of Unified Modelling Language (UML) used to visualize the interaction between objects in a sequential order. It focuses on how objects communicate with each other over time, making it an essential tool for modelling dynamic behaviour in a system.

Procedure:

1. Open a project in Azure DevOps Organisations.
2. To design select wiki from menu



3. Write code for drawing sequence diagram and save the code. :::: mermaid
sequenceDiagram participant User participant UI participant Project participant Task

User->>UI: Select "Create Task"

UI->>UI: Display "Create Task Form"

User->>UI: Enter task details (title, description, etc.)

User->>UI: Submit form

UI->>Project: createTask(taskData)

Project->>Task: Task(taskData)

Project->>Project: addTask(task)

Project->>UI: Return success/task details

UI->>UI: Display updated task list/message

User->>UI: Navigates to Task List

UI->>Project: getTasks()

Project->>UI: Returns List<Task> UI->>UI:

Display Task List

::::


Explanation:

Task Creation Flow


- **User ->> UI: Select "Create Task"**
The user clicks a button or option in the UI to initiate the task creation process.
 - **UI ->> UI: Display "Create Task Form"**
The UI updates itself to show a form where the user can enter the new task details.
 - **User ->> UI: Enter task details (title, description, etc.)**
The user fills out the form with information like title, description, due date, etc.
 - **User ->> UI: Submit form**
The user submits the form to create the task.
 - **UI ->> Project: createTask(taskData)**
The UI sends the task data to the backend **Project** object to handle task creation.
 - **Project ->> Task: Task(taskData)**
The **Project** creates a new instance of a **Task** using the submitted data.
 - **Project ->> Project: addTask(task)**
The new task is added to the project's internal task list or database.
 - **Project ->> UI: Return success/task details**
The **Project** sends a confirmation and possibly the created task details back to the UI.
 - **UI ->> UI: Display updated task list/message**
The UI shows a success message or updates the task list view to include the new task.
-

Viewing the Task List

- **User ->> UI: Navigates to Task List**
The user goes to the task list view (e.g., by selecting a menu or tab).
- **UI ->> Project: getTasks()**
The UI requests the current list of tasks from the **Project**.
- **Project ->> UI: Returns List<Task>**
The **Project** returns the list of existing tasks (including the one just created).
- **UI ->> UI: Display Task List**
The UI displays all the tasks to the user in a list or card format.



4. click wiki menu and select the page



Result:

The sequence diagram was drawn successfully.

EX NO. 6


CLASS DIAGRAM

AIM :-

To draw a sample class diagram for your project or system.

THEORY


A UML class diagram is a visual tool that represents the structure of a system by showing its classes, attributes, methods, and the relationships between them.



Notations in class diagram

Procedure:

1. Open a project in Azure DevOps Organisations.
2. To design select wiki from menu



3. Write code for drawing class diagram and save the code ::: mermaid

```
classDiagram
    class User {
        +String userId
        +String name
        +String email
        +String password
        +String phone
        +List<Address> addresses
        +List<Order> orders
        +List<Product> wishlist
    }
    class Address {
        +String addressId
        +String street
        +String city
        +String state
        +String postalCode
        +String country
        +String phone
    }
    class Product {
        +String productId
        +String name
        +String description
        +Double price
        +String imageUrl
        +Double rating
        +List<String> categories
    }
    class Cart {
        +String cartId
        +List<CartItem> items
        +Double totalAmount
    }
    class CartItem {
        +Product product
        +Int quantity
        +Double subtotal
    }
    class Order {
        +String orderId
```

```


+LIST<CartItem> ITEMS
+STRING STATUS
+DOUBLE TOTALAMOUNT
+STRING PAYMENTMETHOD
+DATE ORDERDATE
+STRING TRACKINGINFO
}

CLASS ChatBot {
    +STRING ChatBotID
    +STRING TOPIC
    +STRING RESPONSE
    +GETRESPONSE(QUESTION)
}

%% RELATIONSHIPS
User --> Address : HAS
User --> Order : PLACES
User --> Cart : HAS
User --> Product : WISHLIST *
Cart --> CartItem : CONTAINS
CartItem --> Product : REFERENCES
Order --> CartItem : INCLUDES
Order --> Address : DELIVEREDTO

```

...



Result:

The use case diagram was designed successfully.

EX NO: 7


USECASE DIAGRAM

Aim:

Steps to draw the Use Case Diagram using draw.io

Theory:

- UCD shows the relationships among actors and use cases within a system which Provide an overview of all or part of the usage requirements for a system or organization in the form of an essential model or a business model and communicate the scope of a development project
- **Use Cases**
- **Actors**
- **Relationships**
- **System Boundary Boxes**



Procedure

Step 1: Create the Use Case Diagram in Draw.io

- Open Draw.io (diagrams.net).
- Click "Create New Diagram" and select "Blank" or "UML Use Case" template.
- Add Actors (Users, Admins, External Systems) from the UML section.
- Add Use Cases (Functionalities) using ellipses.
- Connect Actors to Use Cases with lines (solid for direct interaction, dashed for <<include>> and <<extend>>).
- Save the diagram as .drawio or export as PNG/JPG/SVG.

Step 2: Upload the Diagram to Azure DevOps


Option 1: Add to Azure DevOps Wiki

- Open Azure DevOps and go to your project.
- Navigate to Wiki (Project > Wiki).
- Click "Edit Page" or create a new page.
- Drag & Drop the exported PNG/JPG image.

- Use Markdown to embed the diagram:
- ![Use Case Diagram](attachments/use_case_diagram.png)

Option 2: Attach to Work Items in Azure Boards

- Open Azure DevOps → Navigate to Boards (Project > Boards).
- Select a User Story, Task, or Feature.
- Click "Attachments" → Upload your Use Case Diagram.
- Add comments or descriptions to explain the use case.



Result:

The use case diagram was designed successfully

EX NO. 8












ACTIVITY DIAGRAM

AIM :-

To draw a sample activity diagram for your project or system.


THEORY

Activity diagrams are an essential part of the Unified Modelling Language (UML) that help visualize workflows, processes, or activities within a system. They depict how different actions are connected and how a system moves from one state to another.

Notations	Symbol	Meaning
Start		Shows the beginning of a process
Connector		Shows the directional flow, or control flow, of the activity
Joint symbol		Combines two concurrent activities and re-introduces them to a flow where one activity occurs at a time
Decision		Represents a decision
Note		Allows the diagram creators to communicate additional messages
Send signal		Show that a signal is being sent to a receiving activity
Receive signal		Demonstrates the acceptance of an event
Flow final symbol		Represents the end of a specific process flow
Option loop		Allows the creator to model a repetitive sequence within the option loop symbol
Shallow history pseudostate		Represents a transition that invokes the last active state.
End		Marks the end state of an activity and represents the completion of all flows of a process

Procedure

1. Draw diagram in draw.io
2. Upload the diagram in Azure DevOps wiki



Result:

The activity diagram was designed successfully

EX NO. 9

Aim:

ARCHITECTURE DIAGRAM


Steps to draw the Architecture Diagram using draw.io. **Theory:**

An architectural diagram is a visual representation that maps out the physical implementation for components of a software system. It shows the general structure of the software system and the associations, limitations, and boundaries between each element.



Procedure:

1. Draw diagram in draw.io
2. Upload the diagram in Azure DevOps wiki



EX NO. 10

Aim:


Result:

The architecture diagram was designed successfully

USER INTERFACE


Design User Interface for the given project

Code:



```
1 {
2   "name": "vite-react-shadcn-ts",
3   "version": "0.0.0",
4   "lockfileVersion": 3,
5   "requires": true,
6   "packages": {
7     "": {
8       "name": "vite-react-shadcn-ts",
9       "version": "0.0.0",
10      "dependencies": {
11        "@hookform/resolvers": "^2.9.0",
12        "@radix-ui/react-accordion": "^1.2.0",
13        "@radix-ui/react-alert-dialog": "^1.1.1",
14        "@radix-ui/react-aspect-ratio": "^1.1.0",
15        "@radix-ui/react-avatar": "^1.1.0",
16        "@radix-ui/react-checkbox": "^1.1.1",
17        "@radix-ui/react-collapsible": "^1.1.0",
18        "@radix-ui/react-context-menu": "^2.2.1",
19        "@radix-ui/react-dialog": "^1.1.2",
20        "@radix-ui/react-dropdown-menu": "^2.1.1",
21        "@radix-ui/react-hover-card": "^1.1.1",
22        "@radix-ui/react-label": "^2.1.0",
23        "@radix-ui/react-menubar": "^1.1.1",
24        "@radix-ui/react-navigation-menu": "^1.2.0",
25        "@radix-ui/react-popover": "^1.1.1",
26        "@radix-ui/react-progress": "^1.1.0",
27        "@radix-ui/react-radio-group": "^1.2.0",
28        "@radix-ui/react-scroll-area": "^1.1.0",
29        "@radix-ui/react-select": "^2.1.1",
30        "@radix-ui/react-separator": "^1.1.0",
31        "@radix-ui/react-slider": "^1.2.0",
32        "@radix-ui/react-slot": "^1.1.0",
33        "@radix-ui/react-switch": "^1.1.0",
34        "@radix-ui/react-tabs": "^1.1.0",
35        "@radix-ui/react-toast": "^1.2.1",
36        "@radix-ui/react-toggle": "^1.1.0",
37        "@radix-ui/react-toggle-group": "^1.1.0",
```

Output:



EX NO. 11

Aim:

Result:

The UI was designed successfully.

IMPLEMENTATION

To implement the given project based on Agile Methodology.

Procedure:

Step 1: Set Up an Azure DevOps Project •

Log in to Azure DevOps.

- Click "New Project" → Enter project name → Click "Create".
- Inside the project, navigate to "Repos" to store the code.

Step 2: Add Your Web Application Code

- Navigate to Repos → Click "Clone" to get the Git URL.
- Open Visual Studio Code / Terminal and run: `git clone <repo_url> cd <repo_folder>`

- Add web application code (HTML, CSS, JavaScript, React, Angular, or backend like Node.js, .NET, Python, etc.).
- Commit & push: `git add .`
`git commit -m "Initial commit" git push origin main`

Step 3: Set Up Build Pipeline (CI/CD - Continuous Integration) •

Navigate to Pipelines → Click "New Pipeline".

- Select Git Repository (Azure Repos, GitHub, or Bitbucket).
- Choose Starter Pipeline or a pre-configured template for your framework.
- Modify the `azure-pipelines.yml` file (Example for a Node.js app):

```
trigger: -
main
```

```
pool:
vmImage: 'ubuntu-latest'
```

```
steps:
- task: UseNode@1 inputs: version:
'16.x'

- script: npm install displayName:
'Install dependencies'
```

EX NO. 12

Aim:

- script: npm run build displayName: 'Build application'
- task: PublishBuildArtifacts@1 inputs: pathToPublish: 'dist' artifactName: 'drop'

Click "Save and Run" → The pipeline will start building app.

- Step 4: Set Up Release Pipeline (CD - Continuous Deployment) • Go to Releases → Click "New Release Pipeline".
- Select Azure App Service or Virtual Machines (VMs) for deployment.
 - Add an artifact (from the build pipeline).
 - Configure deployment stages (Dev, QA, Production).
 - Click "Deploy" to push your web app to Azure.

Result

Thus the application was successfully implemented.