

Skill_02:-

To Create Main Loop, Display Prompt, Read User Input, Handle Exit Conditions, Design Control Flow Diagram, Test Interactive Loop To Capture Keyboard Input, Handle Backspace, Process Enter Key, Manage Input Buffer, Support Multi-Character Commands, Test User Interaction.

OUTPUT:

```
v_santosh@DESKTOP-E34M7RI:~$ nano Skill_02.c
v_santosh@DESKTOP-E34M7RI:~$ gcc Skill_02.c -o Skill_02
v_santosh@DESKTOP-E34M7RI:~$ ./Skill_02
myshell> hello
You entered: hello
myshell> help
Commands: start stop help exit
myshell> start
Starting...
myshell> stop
Stopping...
myshell> exit
Exiting...
```

GNU nano 8.7.1

```
#include <stdio.h>
#include <string.h>

int main()
{
    char input[100];
    int i;

    while (1)
    {
        printf("myshell> ");
        fgets(input, sizeof(input), stdin);

        input[strcspn(input, "\n")] = '\0';

        /* Handle Backspace */
        for (i = 0; input[i] != '\0'; i++)
        {
            if (input[i] == 127 || input[i] == '\b')
            {
                if (i > 0)
                {
                    input[i - 1] = '\0';
                    i--;
                }
            }
        }

        /* Commands */
        if (strcmp(input, "exit") == 0)
        {
            printf("Exiting...\n");
            break;
        }
        else if (strcmp(input, "help") == 0)
        {

```

```
    else if (strcmp(input, "help") == 0)
    {
        printf("Commands: start stop help exit\n");
    }
    else if (strcmp(input, "start") == 0)
    {
        printf("Starting...\n");
    }
    else if (strcmp(input, "stop") == 0)
    {
        printf("Stopping...\n");
    }
    else if (strlen(input) > 0)
    {
        printf("You entered: %s\n", input);
    }
}

return 0;
}
```