```
In [1]: import numpy as np
        import pandas as pd
        import seaborn as sns
        import matplotlib.pyplot as plt
        from sklearn import preprocessing,svm
        from sklearn.model selection import train test split
        from sklearn.linear model import LinearRegression
In [2]: df=pd.read_csv(r"C:\Users\LENOVO\Desktop\bottle.csv")
        C:\Users\LENOVO\AppData\Local\Temp\ipykernel_8420\496985732.py:1: DtypeWarn
        ing: Columns (47,73) have mixed types. Specify dtype option on import or se
        t low memory=False.
           df=pd.read csv(r"C:\Users\LENOVO\Desktop\bottle.csv")
Out[2]:
                Cst_Cnt Btl_Cnt Sta_ID
                                       Depth_ID Depthm T_degC
                                                                 Sainty O2ml_L
                                                                                 STheta O
                                            19-
                                        4903CR-
                                 054.0
                                         HY-060-
              0
                      1
                                                         10.500 33.4400
                                                                          NaN 25.64900
                                 056.0
                                          0930-
                                       05400560-
                                        0000A-3
                                            19-
                                        4903CR-
                                 054.0
                                         HY-060-
                                                                          NaN 25.65600
                                                         10.460 33.4400
                                 056.0
                                          0930-
                                       05400560-
In [3]: | df.shape
Out[3]: (864863, 74)
In [4]: | df=df[['Salnty','T_degC']]
        df.columns=['Sal','Temp']
```


In [5]: df.head(10)

0	ut	۲5	1:
		L -	4

	Sal	Temp
0	33.440	10.50
1	33.440	10.46
2	33.437	10.46
3	33.420	10.45
4	33.421	10.45
5	33.431	10.45
6	33.440	10.45
7	33.424	10.24
8	33.420	10.06
9	33.494	9.86

In [6]: sns.lmplot(x="Sal",y="Temp",data=df,order=2,ci=None)

Out[6]: <seaborn.axisgrid.FacetGrid at 0x2bcc7668610>



```
In [7]: df.describe()
```

Out[7]:

	Sal	Temp
count	817509.000000	853900.000000
mean	33.840350	10.799677
std	0.461843	4.243825
min	28.431000	1.440000
25%	33.488000	7.680000
50%	33.863000	10.060000
75%	34.196900	13.880000
max	37.034000	31.140000

```
In [8]: | df.fillna(method='ffill',inplace=True)
```

C:\Users\LENOVO\AppData\Local\Temp\ipykernel_8420\4116506308.py:1: SettingWit
hCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)

df.fillna(method='ffill',inplace=True)

```
In [9]: x=np.array(df['Sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
```

In [10]: | df.dropna(inplace=True)

C:\Users\LENOVO\AppData\Local\Temp\ipykernel_8420\1379821321.py:1: SettingWit
hCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)

df.dropna(inplace=True)


```
In [16]: x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
```

```
In [17]: regr=LinearRegression()
```

```
In [18]: regr.fit(x_train,y_train)
print(regr.score(x_test,y_test))
```


0.20499305717069405

```
In [21]: y_pred=regr.predict(x_test)
    plt.scatter(x_test,y_test,color='b')
    plt.plot(x_test,y_pred,color='k')
    plt.show()
```




```
In [23]: df500=df[:][:5000]
sns.lmplot(x="Sal",y="Temp",data=df500,order=1,ci=None)
```

Out[23]: <seaborn.axisgrid.FacetGrid at 0x2bcd89be5d0>



```
In [26]: df500.fillna(method="ffill",inplace=True)
    x=np.array(df500["Sal"]).reshape(-1,1)
    y=np.array(df500["Temp"]).reshape(-1,1)
    df500.dropna(inplace=True)
    x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
    a=LinearRegression()
    a.fit(x_train,y_train)
    print(a.score(x_test,y_test))
    y_pred=a.predict(x_test)
    plt.scatter(x_test,y_test,color="b")
    plt.plot(x_test,y_pred,color="b")
    plt.show()
```

0.4033987216832552



```
In [34]: from sklearn.linear_model import LinearRegression
    from sklearn.metrics import r2_score
    model = LinearRegression()
    model.fit(x_train,y_train)
```

Out[34]: LinearRegression()

In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.

On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.