

time		act	action		reward		busy_for		location	
Min.	: 1	l wait	: 2523	Min.	:-8.000	Min.	:1.000	2	: 193	
1st Qu	.:12500	drive	:18655	1st Qu.	:-2.000	1st Qu.	:1.000	1	: 179	
Median	:25000	offer	:16815	Median	:-1.000	Median	:1.000	4	:1514	
Mean	:25000	NA's	:12006	Mean	: 0.542	Mean	:1.316	3	: 353	
3rd Qu	.:37500)		3rd Qu.	:-1.000	3rd Qu.	:1.000	5	:1199	
Max.	:49999	9		Max.	:76.000	Max.	:4.000	6	: 358	
				NA's	:12006	NA's	:12006	NA'	s:120(
destin	destination passenger		nger	fare						
4 :	1088	accepted	: 2677	Min.	: 5.00					
2 :	1741	declined	: 6027	1st Qu.	: 41.00					
1 :	1555	NA's	:41295	Median	: 68.00					
5 :	1191			Mean	: 92.74					

3rd Qu.:154.00


Max. :400.00

NA's :41295

3 : 1726

6 : 1403

NA's:41295



Analysis of Variance Table

Residuals 37991 3698903 97.363


Df Sum Sq Mean Sq F value Pr(>F)

1 50 50.379 0.5174 0.4719

Response: reward

time

Regression analysis of observed rewards over time



Benchmark

time		action	re	reward		busy_for		location	
Min.	:	1 wait: 3745	Min.	:-8.000	Min.	:1.000	2	: 487	
1st Qu	.:1250	1 drive:26459	1st Qu	.:-2.000	1st Qu.	:1.000	1	:1375	
Median	:2500	1 offer: 3073	Median	:-1.000	Median	:1.000	3	: 368	
Mean	:2500	1 NA's :16723	Mean	:-1.059	Mean	:1.503	4	: 311	
3rd Qu	.:3750	0	3rd Qu	.:-1.000	3rd Qu.	:2.000	6	: 618	
Max. :50000		Max.	:72.000	Max.	:4.000	5	: 164		
			NA's	:16723	NA's	:16723	NA	's:1672	
destination passenger		fare							
5 :	331	declined: 572	Min.	:20.00					
4 :	303	accepted: 1111	1st Qu	.:40.00					
1 :	182	NA's :48317	Median	:40.00					
3:	349		Mean	:41.84					

3rd Qu.:40.00


Max. :80.00

NA's :48317

2 : 311

6 : 207

NA's:48317



Analysis of Variance Table

Residuals 33275 1630132 48.99

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ''

Response: reward

1 455 454.83 9.2842 0.002313 **

time

Df Sum Sq Mean Sq F value Pr(>F)

Regression analysis of observed rewards over time

— Linear Regression (95% confidence)

