Welcome | add.py

add.py > ...

```python
import sys
def add_numbers(a, b):
    return a + b
if __name__ == "__main__":
    num1 = int(sys.argv[1])
    num2 = int(sys.argv[2])
    result = add_numbers(num1, num2)
    print("================================")
    print("Addition Result")
    print("================================")
    print(f"First Number : {num1}")
    print(f"Second Number: {num2}")
    print(f"Sum          : {result}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS C:\Users\batch1\Downloads\jenkins pipeline> git branch -M main
PS C:\Users\batch1\Downloads\jenkins pipeline> git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
PS C:\Users\batch1\Downloads\jenkins pipeline>
```


NAME:S.VENIKALAXMI
REG NO:24MIS0117

try sample Pipeline...

```
    }
    stages {
        stage('Checkout') {
            steps {
            }
        }
                git branch: "${params.BRANCH_NAME}",
                    url: 'https://github.com/venikalaxmisaravanan/jenkins-pipeline.git'
        stage('Addition Build') {
            steps {
                bat "python add.py ${params.NUM1} ${params.NUM2}"
            }
        }
    }
}
```

```
Commit message: "trail"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Addition Build)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\Pipeline demo>python add.py 10 20
==================================
Addition Result
==================================
First Number : 10
Second Number: 20
Sum          : 30
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```



```
pipeline {
    agent any

    stages {
        stage('Checkout Code') {
            steps {
                checkout scmGit(branches: [[name: '**']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/ve
            }
        }

        stage('Show Files') {
            steps {
                bat 'dir'
            }
        }
```

```
 > git.exe checkout -f 120e38ad75f98bd9e2702bcc80dad0fbc7883a7d # timeout=10
Commit message: "trail"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Show Files)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline task1>dir
 Volume in drive C is Windows
 Volume Serial Number is B8EF-0726

 Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline task1

27-08-2026  11:09    <DIR>          .
27-08-2026  11:09    <DIR>          ..
27-08-2026  11:09               415 add.py
               1 File(s)            415 bytes
               2 Dir(s)  238,936,276,992 bytes free
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

```
    stages {
        stage('Checkout Code') {
            steps {
                checkout scmGit(branches: [[name: '**']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/ver
            }
        }

        stage('Print Directory') {
            steps {
                bat 'cd'
            }
        }
    }
}
```

pipeline task2

Stage View

	Checkout Code	Print Directory
Average stage times: (full run time: ~2s)	1s	367ms
#1 Aug 27 11:16 No Changes	1s	367ms

```
 > git.exe checkout -f 120e38ad75f98bd9e2702bcc80dad0fbc7883a7d # timeout=10
Commit message: "trail"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Print Directory)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline task2>cd
C:\ProgramData\Jenkins\.jenkins\workspace\pipeline task2
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Definition

Pipeline script

Script ?

try sample Pipeline...

```
4    stages {
5        stage('Checkout Code') {
6            steps {
7                checkout scmGit(branches: [[name: '**']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/ver
8            }
9        }
10
11       stage('Print Message') {
12           steps {
13               echo 'Hi This is Venikalaxmi.'
14           }
15       }
16   }
17 }
```

Overview

This **Snippet Generator** will help you learn the Pipeline Script code which can be used to define various steps. Pick a step you are interested in from the list, configure it, click **Generat Script**, and you will see a Pipeline Script statement that would call the step with that configuration. You may copy and paste the whole statement into your script, or pick up just the o care about. (Most parameters are optional and can be omitted in your script, leaving them at default values.)

Steps

Sample Step

echo: Print Message

echo


Message ?

Hi This is Venikalaxmi.

Generate Pipeline Script

pipeline task 3

Stage View



Permalinks

```
 > git.exe checkout -f 120e38ad75f98bd9e2702bcc80dad0fbc7883a7d # timeout=10
Commit message: "trail"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Print Message)
[Pipeline] echo
Hi This is Venikalaxmi.
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Definition

Pipeline script

Script ?

try sample Pipeline...


```
pipeline {
    agent any

    stages {
        stage('Checkout Code') {
            steps {
                checkout scmGit(branches: [[name: '**']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/ve
            }
        }

        stage('Create File') {
            steps {
                bat 'echo This file is created by Jenkins > demo.txt'
            }
        }
```

pipeline task 4

Stage View



Permalinks

```
 > git.exe checkout -f 120e38ad75f98bd9e2702bcc80dad0fbc7883a7d # timeout=10
Commit message: "trail"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Create File)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline task 4>echo This file is created by Jenkins  1>demo.txt
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Script ?

try sample Pipeline...

```
stages {
    stage('Checkout Code') {
        steps {
            checkout scmGit(branches: [[name: '**']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/ver
        }
    }

    stage('Read File') {
        steps {
            bat 'type README.md'
        }
    }
}
}
```

✓	☁	Pipeline demo	42 min #3	45 min #2	6.7 sec	▷	N/A	☆	-
✓	☀	pipeline task 3	6 min 45 sec #1	N/A	2.3 sec	▷	N/A	☆	-
✓	☀	pipeline task 4	3 min 52 sec #1	N/A	2.8 sec	▷	N/A	☆	-
✗	⛈	pipeline task 5	N/A	31 sec #1	2.9 sec	▷	N/A	☆	-
✓	☀	pipeline task1	20 min #1	N/A	2.9 sec	▷	N/A	☆	-
✓	☀	pipeline task2	13 min #1	N/A	2.7 sec	▷	N/A	☆	-