


TASK 4

Cronjob

Task: Create a shell script which will take backup of any Text file on daily 11:30 AM and paste into the /backup folder.

1. Create *save_backup.sh* shell script: `#!/bin/bash`
2. Edit the crontab by using command : `Crontab -e`

Then add “30 11 * * * /home/venis/DevOps/backup_data/sh” at the end of the file so that file will run at 11:30 am .



```
GNU nano 6.2 /tmp/crontab.k6WRqW/crontab *
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow  command
30 11 * * * /home/venis/DevOps/backup/backup_data.sh
```