
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to OrangeHRM App	26.274 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Login to OrangeHRM App	Login with valid credentials in HRM

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login to OrangeHRM App	1	0	1	0	26.274 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to OrangeHRM App	Login with valid credentials in HRM	4	3	1	0	26.270 s

DETAILED SECTION -- 6 --

Login to OrangeHRM App

FAILED	DURATION - 26.274 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 2:37:45.387 PM // 2	2:38:11.661 PM /	Pass - 0	1	Pass - 3	Ι 🧧 Δ
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Login with valid credentials in HRM



#	Step / Hook Details	Status	Duration
1	Given User is on OrangeHRM Login page	PASSED	4.771 s
2	When User enters Correct username and password	PASSED	0.660 s
3	And User clicks login	PASSED	1.327 s
4	Then User should be able to login sucessfully	FAILED	10.077 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[text()='Dashboard']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3ef5663f217eec81e8b1f0d6fc75f6bb, findElement {using=xpath, value=//h6[text()='Dashboard']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\VMALAR~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56848}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56848/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ef5663f217eec81e8b1f0d6fc75f6bb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.commandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation.findElement(Element(ClementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source) at com.CucumberFile.HomePageActions.getVerifyText(HomePageActions.java:15) at com.CucumberFile.LoginpageDefiniton.user_should_be_able_to_login_sucessfully(LoginpageDefiniton.java:43) at ?.User should be able to login sucessfully(file:///C./Users/vmalarvannan/eclipse-workspace/CucumberFileReading/src/test/resources/ Properties/Login.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.CucumberFile.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.585 s
	Login with valid credentials in HRM	_	
	Compression of the control of the co		