

User Registration

User Name:

Password:

Full Name:

Credit Card Number:

Email:

Phone Number:

[View Registered Users](#)

Registration Successful!

User **Bob** has been registered.

[Go Back](#) | [View All Users](#)

All Registered Users

ID	Username	Password	Full Name	Credit Card	Email	Phone
3	Alice	123	Alice	34545	alice@gmail.com	9999999999
4	Bob	1223	Bob	34545	Bob@gmail.com	6895867433

[Go Back to Registration](#)

```
mysql> use userdb;
Database changed
mysql> show tables;
+-----+
| Tables_in_userdb |
+-----+
| users             |
+-----+
1 row in set (0.00 sec)

mysql> select * from users;
+----+-----+-----+-----+-----+-----+-----+
| id | username | password | fullname | creditcard | email           | phone       |
+----+-----+-----+-----+-----+-----+-----+
| 3  | Alice   | 123      | Alice   | 34545      | alice@gmail.com | 9999999999 |
| 4  | Bob     | 1223     | Bob     | 34545      | Bob@gmail.com   | 6895867433 |
+----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

index.html <!DOCTYPE

html>

<html lang="en">

<head>

 <meta charset="UTF-8">

 <title>User Registration Form</title>

</head>

<body>

 <h2>User Registration</h2>

 <form action="register.jsp" method="post">

 <label for="username">User Name:</label>

 <input type="text" id="username" name="username" required>

 <label for="password">Password:</label>

 <input type="password" id="password" name="password" required>


```

<label for="fullname">Full Name:</label>
<input type="text" id="fullname" name="fullname" required><br><br>

<label for="creditcard">Credit Card Number:</label>
<input type="text" id="creditcard" name="creditcard" required><br><br>

<label for="email">Email:</label>
<input type="email" id="email" name="email" required><br><br>

<label for="phone">Phone Number:</label>
<input type="text" id="phone" name="phone" required><br><br>

<input type="submit" value="Register">
<input type="reset" value="Reset">
</form>
<br>
<a href="displayUsers.jsp">View Registered Users</a>
</body>
</html>

```

register.jsp

```

<%@ page import="java.sql.*" %>
<%@ page contentType="text/html; charset=UTF-8" language="java" %>
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Registration Result</title>
</head>
<body>
<%
  String username = request.getParameter("username");
  String password = request.getParameter("password");
  String fullname = request.getParameter("fullname");
  String creditcard = request.getParameter("creditcard");
  String email = request.getParameter("email");
  String phone = request.getParameter("phone");

  Connection conn = null;
  PreparedStatement pstmt = null;

  try {
    // 1. Load JDBC driver
    Class.forName("com.mysql.cj.jdbc.Driver");

```

```

// 2. Establish connection (with SSL disabled to prevent GlassFish keystore issues) conn
=
DriverManager.getConnection("jdbc:mysql://localhost:3306/userdb?useSSL=false&allowPublicKeyRetrie
val=true", "root", "mysql");

// 3. Prepare SQL INSERT query for all fields
String sql = "INSERT INTO users(username, password, fullname, creditcard, email, phone) VALUES(?,
?, ?, ?, ?, ?)";
pstmt = conn.prepareStatement(sql);
pstmt.setString(1, username);
pstmt.setString(2, password);
pstmt.setString(3, fullname);
pstmt.setString(4, creditcard);
pstmt.setString(5, email);
pstmt.setString(6, phone);

int rows = pstmt.executeUpdate();
if (rows > 0) {
%>
    <h2>Registration Successful!</h2>
    <p>User <strong><%= username %></strong> has been registered.</p> <%
} else {
%>
    <h2>Registration Failed!</h2>
<%
}
} catch (Exception e) { out.println("<p style='color:red'>Error: " +
e.getMessage() + "</p>");
} finally { try { if (pstmt != null) pstmt.close(); } catch
(Exception e) {} try { if (conn != null) conn.close(); } catch
(Exception e) {}
}
%>
<br>
<a href="registration.html">Go Back</a> | <a href="displayUsers.jsp">View All Users</a> </body>
</html>

```

displayUsers.jsp

```

<%@ page import="java.sql.*" %>

```

```

<%@ page contentType="text/html; charset=UTF-8" language="java" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <title>Registered Users</title>
</head>
<body>
    <h2>All Registered Users</h2>
    <table border="1" cellpadding="5">
        <tr>
            <th>ID</th>
            <th>Username</th>
            <th>Password</th>
            <th>Full Name</th>
            <th>Credit Card</th>
            <th>Email</th>
            <th>Phone</th>
        </tr>
    <%
        Connection conn = null;
        Statement stmt = null;
        ResultSet rs = null;
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            conn =
DriverManager.getConnection("jdbc:mysql://localhost:3306/userdb?useSSL=false&allowPublicKeyRetrieval=true", "root", "mysql"); stmt = conn.createStatement();
            rs = stmt.executeQuery("SELECT * FROM users");

            while (rs.next()) {
    %>
        <tr>
            <td><%= rs.getInt("id") %></td>
            <td><%= rs.getString("username") %></td>
            <td><%= rs.getString("password") %></td>
            <td><%= rs.getString("fullname") %></td>
            <td><%= rs.getString("creditcard") %></td>
            <td><%= rs.getString("email") %></td>
            <td><%= rs.getString("phone") %></td> </tr>
    <%
        }
    } catch (Exception e) { out.println("<tr><td colspan='7' style='color:red'>" +
        e.getMessage() + "</td></tr>");
    }
    }
    }

```

```
    } finally { try { if (rs != null) rs.close(); } catch (Exception e)
    {} try { if (stmt != null) stmt.close(); } catch (Exception e)
    {} try { if (conn != null) conn.close(); } catch (Exception e)
    {}
  }
%>
</table>
<br>
<a href="registration.html">Go Back to Registration</a>
</body>
</html>
```

GITHUB: <https://github.com/venkat843893/ip-lab>