

INDIAN INSTITUTE OF INFORMATION TECHNOLOGY SONEPAT

भारतीयसूचनाप्रौद्योगिकीसंस्थानसोनीपत

(An Autonomous Institute of National Importance under Act of Parliament)

Phone: +91 1302987902, Email: sonapatiit@gmail.com, website: www.iiitsonepat.ac.in

WEB DESIGNING

(Course Code: ITC-210)



Submitted By:

Name: AKALI VENKATA ATCHUTARAO

Roll No: 12212003

Branch: IT

Submitted to:

Ms. Sunita Sharma

INDEX

S.No	Name of Practical	Pg.No
1.	Basic HTML5 document	1-1
2.	Character formatting using HTML tags	2-3
3.	Use of list tags in HTML	4-7
4.	Create college time table using table tag	8-11
5.	Create a form having personal details	12-14
6.	Create a table having three columns and set background image	15-17
7.	Webpage having frameset, iframe, using other tags like audio tag and video tag	18-20
8.	Make a navigation bar (horizontal) using CSS properties	21-22
9.	Make a page layout: First section contain navigation bar, second section divided into two vertical parts and third part as a footer of any educational website.	23-25
10.	Make a webpage using CSS box model properties	26-28
11.	Make a webpage using any 15 properties of CSS	29-39
12.	Write a java script using variables, operators and JS statements	40-42
13.	Find the square from 1 to 50 numbers by invoking a function	43-44
14.	Develop a program that simulates 30 rolls of a six-sided die and display value for each roll.	45-46
15.	Write a program using Java Script closure.	47-48
16.	Write a program in Js using exception handling (try, catch, finally)	49-51
17.	Write a code using DOM manipulation (ID and tag)	52-52
18.	Write a program for form validation in js (pattern matching and regular expression)	53-54
19.	Write a code using Add event listener method in Js	55-58

PRACTICAL-1

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>welcome to web application lab IIIT SONEPAT</title>
```

```
  </head>
```

```
  <body>
```

```
    <h2>welcome to the world of internet programming</h2>
```

```
    <hr>
```

```
    <h4> we have provided coverage for many internet related  
topics</h4>
```

```
  </body>
```

```
</html>
```

OUTPUT:



PRACTICAL -2

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>web development lab practical 2</title>
```

```
</head>
```

```
<body>
```

```
    <h1 style="text-align: center;"><b>character formatting</b></h1>
```

```
    <hr>
```

```
    <b> akali atchuth</b><br>
```

```
    <i>akali Atchuth</i><br>
```

```
    <mark>akali atchuth </mark><br>
```

```
    <del>akali atchuth</del><br>
```

```
    <u>akali atchuth</u><br>2<sup>3=8</sup><br>
```

```
    <b style="font-size:30px;">AKALI ATCHUTH </b><br>
```

```
    <q>build a future where people live in harmony with nature</q>
```

```
    <h3>the <abbr title="combine defence services">CDS</abbr></h3>
```

```
    <h1><b>my adress:</b></h1>
```

```
    <address A.atchuth rao<br>house no:2-62<br> vakapalli(vill)<br>
```

```
        andhra pradesh<br>
```


```
    pin code:531075
```

```
    </address>
```

```
</body>
```

</html>

out put:



PRACTICAL –3

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <title>lists</title>
```

```
</head>
```

```
<body>
```

the following list is an unordered lists.
MY 2ND SEMESTER
SUBJECTS

```
<UL type="square">
```

```
  <LI>web designing</LI>
```

```
  <LI>engineering mathematics</LI>
```

```
  <LI>digital electronics</LI>
```

```
  <LI>information security</LI>
```

```
  <LI>communication skills</LI>
```

```
  <LI>data structures</LI>
```

```
</UL>
```

the following is an odered list

```
<OL>
```

```
  <LI>web designing</LI>
```

```
  <LI>engineering mathematics</LI>
```

```
  <LI>digital electronics</LI>
```

```
  <LI>information security</LI>
```

```
  <LI>communication skills</LI>
```

```
<LI>data structures</LI>
</OL>
```

the following list is an ordered list with upper case roman letter sequence

```
<ol type="I">
  <LI>web designing</LI>
  <LI>engineering mathematics</LI>
  <LI>digital electronics</LI>
  <LI>information security</LI>
  <LI>communication skills</LI>
  <LI>data structures</LI>
</ol>
```

following is an ordered list with lower case roman letter sequence

```
<ol type='i'>
  <LI>web designing</LI>
  <LI>engineering mathematics</LI>
  <LI>digital electronics</LI>
  <LI>information security</LI>
  <LI>communication skills</LI>
  <LI>data structures</LI>
</ol>
```

the following list is an ordered list in upper case sequence

```
<ol type="A">
  <LI>web designing</LI>
  <LI>engineering mathematics</LI>
```

digital electronics

information security

communication skills

data structures

the following is description list

<dl>

<dt>refractive index</dt>


<dd>ratio of speed of light in vaccum to the speed of light in
medium</dd>

</dl>

</body>

</html>

Output:



A screenshot of a web browser window. The address bar shows the URL `127.0.0.1:5500/practical%20-3.html`. The page content displays a list of subjects and their ordered versions.

the following list is an unordered lists.

MY 2ND SEMESTER SUBJECTS

- web designing
- engineering mathematics
- digital electronics
- information security
- communication skills
- data structures

the following is an odered list

1. web designing
2. engineering mathematics
3. digital electronics
4. information security
5. communication skills
6. data structures

the following list is an ordered list with upper case roman letter sequence

- I. web designing
- II. engineering mathematics
- III. digital electronics
- IV. information security
- V. communication skills
- VI. data structures

following is an ordered list with lower case roman letter sequence

- i. web designing
- ii. engineering mathematics
- iii. digital electronics
- iv. information security
- v. communication skills
- vi. data structures

the following list is an ordered list in upper case sequence

- A. web designing
- B. engineering mathematics
- C. digital electronics
- D. information security
- E. communication skills
- F. data structures

the following is description list

refractive index

ratio of speed of light in vaccum to the speed of light in medium

PRACTICAL – 4

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>time table</title>
</head>
<h3 style="text-align: center;">IT SECOND SEM TIME TABLE</h3>
<body>
  <table align="center" border="2" cellspacing="0" cellpadding="5">
    <tr >
      align="center">
        <th>day</th>
        <th>9:00am-<br>10:00am</th>
        <th>10:00-11:00</th>
        <th>11:00-12:00am</th>
        <th>12:00-1:00pm</th>
        <td
          rowspan="7"><br>L<br><br>U<br><br>N<br><br>C<br><br>H
        </td>
        <th>1:45-2:45pm</th>
        <th>2:45-3:45pm</th>
        <th>3:45-4:45pm</th>
      </tr>
      <tr align="center">
        <th>monday</th>
        <td>MATHS</td>
        <td>MATHS(T)G2<br>WD(T)G1</td>
        <td>DE</td>
        <td>WD</td>
```

```

<TD>CS</TD>
<TD>---</TD>
<TD>--</TD>
</tr>
<TR align="center">
  <TH>TUESDAY</TH>
  <td>DE</td>
  <td>IS</TD>
  <TD>MATHS</TD>
  <TD>DS</TD>
  <TD>--</TD>
  <TD>CS</TD>
  <TD>---</TD>
</TR>
<TR align="center">
  <TH>WEDNESDAY</TH>
  <TD colspan="2">DS LAB,LAB_2</TD>
  <TD>IS</TD>
  <TD>WD</TD>
  <TD>CS</TD>
  <TD>DE</TD>
  <TD>DS</TD>
</TR>
<TR align="center">
  <TH>THURSDAY</TH>
  <TD colspan="2"> DE LAB,LAB_2</TD>
  <TD>DE</TD>
  <TD>DS</TD>
  <TD colspan="2">CSLAB,LAB-2</TD>


```

```

        <TD>WD(T)G2</TD>
    </TR>
    <TR align="center">
        <TH>FRIDAY</TH>
        <TD>MATHS</TD>
        <Td>IS</Td>
        <TD>MATHS(T)G1</TD>
        <TD>DS</TD>
        <TD>--</TD>
        <TD>--</TD>
        <TD>--</TD>
    </TR>
    <TR align="center">
        <TH>SATURDAY</TH>
        <TD>MATHS</TD>
        <TD>IS</TD>
        <Td colspan="2">ISLAB,LAB-1</Td>
        <TD>WD</TD>
        <TD colspan="2">WD LAB,LAB-1</TD>
    </TR>
</table>
</body>
</html>

```

OUT PUT:



IT SECOND SEM TIME TABLE

day	9:00am-10:00am	10:00-11:00	11:00-12:00am	12:00-1:00pm		1:45-2:45pm	2:45-3:45pm	3:45-4:45pm
monday	MATHS	MATHS(T)G2 WD(T)G1	DE	WD	L	CS	---	--
TUESDAY	DE	IS	MATHS	DS	U	--	CS	---
WEDNESDAY	DS LAB,LAB_2		IS	WD	N	CS	DE	DS
THURSDAY	DE LAB,LAB_2		DE	DS	C	CSLAB,LAB-2		WD(T)G2
FRIDAY	MATHS	IS	MATHS(T)G1	DS	H	--	--	--
SATURDAY	MATHS	IS	ISLAB,LAB-1			WD	WD LAB,LAB-1	

PRACTICAL-5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>form</title>
</head>
<form align="center">
<body bgcolor="yellow" > name:<input type="text"><BR><Br>
  password: <input type="password"><br><br> e-mail:<input for="e-mail"><br><br>
  gender:<input type="radio">male <input type="radio">female<BR><bR>
  D.O.B:<INPUT TYPE="DATE"><BR><br>
  AM I ELIGIBLE<INPUT TYPE="CHECKBOX"><br><BR>
  COLOR:<select>
    <option>RED</option>
    <option>green</option>
    <option>blue</option>
    <option>pink</option>
    <option>orange</option>
    <option>violet</option>
    <option>brown</option>
    <option>yellow</option>
    <option>grey</option>
    <option>white</option>
```

</select>

time:<input type="time">

date:<input type="date">

month:<select>

<option>jan</option>

<option>feb</option>

<option>mar</option>

<option>apr</option>

<option>may</option>

<option>june</option>

<option>july</option>

<option>august</option>

<option>sep</option>

<option>oct</option>

<option>nov</option>

<option>dec</option>

</select>

week:<select>

<option>mon</option>

<option>tue</option>

<option>wed</option>

<option>thurs</option>

<option>fri</option>

<option>sat</option>

<option>sun</option>

</select>

text area:<textarea placeholder="free tex space"></textarea>

upload ur

file:<input type="file">

<input type="reset">


<input type="submit">

</form>







</body>

</html>

Output:



The screenshot shows a web browser window with a single tab titled 'form'. The address bar displays the URL '127.0.0.1:5500/New%20folder/c%20programing/forms.html'. The page content is a form on a yellow background. The form includes the following elements:


- name:
- password:
- e-mail:
- gender: ☐ male ☐ female
- D.O.B: 
- AM I ELIGIBLE ☐
- COLOR: 
- time: 
- date: 
- month: 
- week: 
- text area:
- upload ur file: No file chosen
-
-

PRACTICAL – 6

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body style="background-image: url('istockphoto-844226534-612x612.jpg');
background-size: cover; height: 100vh;">
  <table align="center" BORDER="1"cellpadding="1"cellpadding="30">
    <tr align="center">
      <th bgcolor="green">roll no</th>
      <th bgcolor="red">name</th>
      <th bgcolor="yellow">branch</th>
    </tr>
    <td bgcolor="pink">12212003</td>
    <td bgcolor="orange">atchuth</td>
    <td bgcolor="blue">IT</td>
  <TR>
    <TD bgcolor="green">12212015</TD>
    <TD bgcolor="red">LOHITH</TD>
    <TD bgcolor="yellow">IT</TD>
  </TR>
```

```
<TR>
  <TD bgcolor="blue">UDAY</TD>
  <TD bgcolor="orange">12212037</TD>
  <TD bgcolor="pink">IT</TD>
</TR>
</table>
</body>
</html>
```

OUTPUT:



roll no	name	branch
12212003	atchuth	IT
12212015	LOHITH	IT
12212037	IT	

Practical-7

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <article>
    <h1>My Article</h1>
    <p>This is my article.</p>
  </article>
  <audio controls autoplay>
    <source src="iPhone-Song-(Ramabanam)(PagalWorld1).mp3"
    type="audio/mpeg"/>
  </audio>
  <br>
  <style>
    .myDiv {
      border: 5px outset red; background-color: lightblue;text-align: center;
    }
  </style>
</head>
<body>

  <div class="myDiv">
    <h2>akali venkata atchutarao</h2>
```

<p>prev semester result:7.5000</p>

</div>

anchor
tag

<iframe src="https://www.javatpoint.com/java-tutorial" title="W3Schools Free
Online Web Tutorials"></iframe>

<video controls>

<source src="https://www.youtube.com/watch?v=dx3GICHn_dU.mp4"
type="video/mp4">Your browser does not support the video tag.

</video>

</body>

</html>

OutPut:



My Article

This is my article.



akali venkata atchutarao

prev semester result:7.5000



anchor tag

java point

🔍

Home

Java

Programs

0:00

🔊

🔍

⋮

PRACTICAL-8

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>navigation tag</title>
  <style>ul{
    background-color: rgb(17, 128, 162);list-style-type: none;
    margin:0;
    font-size: larger; overflow: hidden;padding: 0%;
  }
  {
    float:left;
  }
  li a{
    text-decoration: none;padding:20px; display: inline-block;
    color: crimson;
  }
  li a:hover
  {
    background-color: rgb(88, 136, 40);
  }
</style>
</head>
```

```
<body>
  <ul>
    <li><a href="link.html">home</a></li>
    <li><a href="link2.html">contact us</a></li>
    <li><a href="link3.html">gallery</a></li>
    <li><a href="link4.html">e mail</a></li>
  </ul>
</body>
</html>
```

Output:



PRACTICAL-9

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
</head>
```

```
<style>ul{
```

```
    color: white;
```

```
    background-color: black;list-style-type:none; margin:();
```

```
    font-size: large;overflow: hidden;padding: 0%;
```

```
}
```

```
li{
```

```
    float: left;}
```

```
li a{
```

```
    text-decoration:none;padding: 20px; display:inline-block; color: crimson;
```

```
}
```

```
li a :hover
```

```
{
```

```
    background-color:rgb(red, green, blue);
```

```
}
```

```
div{
```

```
    float: left;font: bold;
```

```
}
```

```
ul{
```

```
    align-self: auto;
```

```

    }
    ach{
        width: 50px;}
</style>
<body>

    <ul>
        <li><a href="link.html">home</a></li>
        <li><a href="link.html">gallery</a></li>
        <li><a href="link.html">faculty</a></li>
        <li><a href="link.html">life at IIITS</a></li>
        <li><a href="link.html">PLACEMENTS</a></li>
        <li><a href="link.html">CONTACT</a></li>
        <li><a href="link.html">JOBS</a></li>
        <li><a href="link.html">TENDERS</a></li>
        <li><a href="link.html">DIRECTORSMESSAGE</a></li>
    </ul>

    <iframe SRC="https://www.iiits.ac.in/" width="575px"height="600px">ABOUT
    THE iiitsonepat</iframe>

    <iframe src="https://www.iitkgp.ac.in/" width="575px"height="600px"></iframe>
    <footer style="background-color:#74b102a8;height:100px ;">

        <div>

            ACADEMICS<br>

            academic programs<br>syllabus<br> forms<br>

        </div>

        <div class="ach">

        </div>

        <div> ADMISSION<br>

```

overview
 notifications
helpline

</div>

<div style="width:10px;"></div>

<div>

LIFE@ IIITS

Events
facilities&services
hostels

</div>

<div>


</div>

</footer>

</body>

</html>

Output:



PRACTICAL-10

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>div {
width: 800px;
border: 30px solid #07010b;padding: 100px;
margin: 3px; height: 500px;
background-color: rgba(177, 147, 110, 0.838);font-size: xx-large;
font-family: 'Times New Roman', Times, serif;float: left;
}
.ab{
  color: crimson;font-style: calc();
font-family: 'Times New Roman', Times, serif;
}
.gh{
  text-align: right;
}
.lo{
  margin-left: 200px;
}
.hi{
  color: red;
```

}

</style>

</head>

<body>

<div>

<p class="ab"> DEAR dad </p>

<p>Growing up, you told me that I could do anything I put my mind to. During my moments of self-doubt, you helped me see that my qualities were not weaknesses, but strengths. You told me I was special, worthy and taught me to always put my best foot forward.

You always expressed your pride and acceptance of me — things a kid sometimes needs to hear when they grow up facing so much pressure from peers or societal expectations — and I amso thankful for those words. But what's more important is

</p>

<p class="gh">yours lovingly
Atchuth</p>

</div>

<div class="lo">

<p class="hi"> Dads reply</p>
“Your wishes have touched my heart and moved my soul.... A big thanks to you for sending me these beautiful wishes on Father’s Day.”
“You have truly made my day with your wonderful Father’s Day wishes.... Thank you so much for making me feel so special.”


“You are not only the blessed one to have me but I am also a very blessed one to have youas my child.... A big thank you for your warm wishes.”

</div>

</body>

</html>

OUT PUT:



DEAR dad

Growing up, you told me that I could do anything I put my mind to. During my moments of self-doubt, you helped me see that my qualities were not weaknesses, but strengths. You told me I was special, worthy and taught me to always put my best foot forward. You always expressed your pride and acceptance of me — things a kid sometimes needs to hear when they grow up facing so much pressure from peers or societal expectations — and I am so thankful for those words. But what's more important is

yours lovingly
Atchuth

Dads reply

“Your wishes have touched my heart and moved my soul.... A big thanks to you for sending me these beautiful wishes on Father’s Day.” “You have truly made my day with your wonderful Father’s Day wishes.... Thank you so much for making me feel so special.” “You are not only the blessed one to have me but I am also a very blessed one to have you as my child.... A big thank you for your warm wishes.”

PRACTICAL-11

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>

  input {
    accent-color: auto; display: block; width: 30px; height: 30px;
  }
  input.custom {
    accent-color: rebeccapurple;
  }
  .box {
    background-color: rgb(255 255 255 / 0.3); backdrop-filter: blur(10px);
  }
  body {
    background-image: url("https://www.istockphoto.com/photo/crystal-globe-
    putting-on-mossgm1410391090-460606186");
  }
  .showbf div {
    backface-visibility: visible;
  }
  .hidebf div {
    backface-visibility: hidden;
  }
  .container { width: 150px; height: 150px;
```

```
margin: 75px 0 0 75px;border: none;
}
.cube {
width: 100%;
height: 100%; perspective: 550px;
perspective-origin: 150% 150%;transform-style: preserve-3d;
}
.face {
display: block; position: absolute;width: 100px; height: 100px; border: none;
line-height: 100px; font-family: sans-serif;font-size: 60px;
color: white;
text-align: center;
}
.front {
background: rgba(0, 0, 0,0.3);transform: translateZ(50px);
}
.back {
background: rgba(0, 255, 0, 1);color: black;
transform: rotateY(180deg) translateZ(50px);
}
.right {
background: rgba(196, 0, 0, 0.7);
transform: rotateY(90deg) translateZ(50px);
}
.left {
background: rgba(0, 0, 196, 0.7);
transform: rotateY(-90deg) translateZ(50px);
}
```



```
.bottom {
  background: rgba(196, 0, 196, 0.7); transform: rotateX(-90deg) translateZ(50px);
}
th,
p,
td {
  background-color: #eeeeee;margin: 0px;
  padding: 6px;
  font-family: sans-serif;text-align: left;
}
.ab{
  column-count: 3;
  column-rule-style: dashed;
}
.cd{
  column-count: 3; column-rule-style: solid;column-rule-color: blue;
}
q {
  color: blue;
}
q::before {
  content: open-quote;
}
q::after {
  content: close-quote;
}
h1::before { content: "Chapter ";
}
```

```
blockquote { direction: rtl; width: 300px;
}
img:nth-of-type(2) {
  filter: grayscale(0.4) blur(5px);
}
.ef { margin: 0;
  margin-block: 20px 40px;background-color: tan;
}
.verticalExample { writing-mode: vertical-rl;
}
.light { opacity: 0.2;
}
.medium { opacity: 0.5;
}
.heavy { opacity: 0.9;
}
ruby {
  ruby-position: over;
}
.under {
  text-decoration: underline red;
}
.over {
  text-decoration: wavy overline lime;
}
.line {
  text-decoration: line-through;
}.box { float: left;
```

```
margin: 1em; width: 7em;
line-height: 7em; text-align: center;
transition: 0.5s ease-in-out;
border: 3px dotted;
}
#box1:hover
{
  scale: 1.25;
}
#box2:hover { scale: 1.25 0.75;
}
p {
  text-decoration-line: underline; text-decoration-color: cyan;
}
s {
  text-decoration-line: line-through; text-decoration-color: red;
  text-decoration-style: wavy;
}
#mozdiv1 {
  word-spacing: 15px;
}
#mozdiv2 {
  word-spacing: 5em;
}
.small { zoom: 75%;
}
.normal { zoom: normal;
}
.big {
```

```
    zoom: 2.5;
}
p:hover { zoom: unset;
}
dd {
    width: 90px;
    border: 1px solid black;hyphens: auto;
}
dd#string {
    -webkit-hyphenate-character: "=";hyphenate-character: "=";
}
.exampleText {
    writing-mode: sideways-rl;position: absolute;
    inset: 20px 40px 30px 10px;background-color: #c8c800;
}
img {
    width: 300px;height: 250px;
    border: 1px solid black; background-color: silver;margin-right: 1em; object-fit:
    none;
}
#object-position-1 { object-position: 10px;
}
#object-position-2 {
    object-position: 100% 10%;
}
</style>
</head>
<body>
```

<input type="checkbox" checked />

<input type="checkbox" class="custom" checked />

<p class="ab">

This is a bunch of text split into three columns. The `column-rule-style` property is used to change the style of the line that is drawn between columns. Don't you think that's wonderful?

</p>

<p class="cd">

This is a bunch of text split into three columns. The `column-rule-color` property is used to change the color of the line that is drawn between columns. Don't you think that's wonderful?

</p>

<h1>5</h1>

<p>

According to Sir Tim Berners-Lee,

<q cite="http://www.w3.org/People/Berners-Lee/FAQ.html#Internet">

I was lucky enough to invent the Web at the time when the Internet already existed - and had for a decade and a half.

</q>

We must understand that there is nothing fundamentally wrong with building on the contributions of others.

</p>

<h1>6</h1>

<p>

According to the Mozilla Manifesto,

<q cite="http://www.mozilla.org/en-US/about/manifesto/"> Individuals must

have the ability to shape the Internet and their own experiences on the Internet.

</q>

Therefore, we can infer that contributing to the open web can protect our own individual experiences on it.

</p>

<p class="ef">Example text</p>

<div class="verticalExample">

<p>Example text</p>

</div>

<div class="light">You can barely see this.</div>

<div class="medium">This is easier to see.</div>

<div class="heavy">This is very easy to see.</div>

<ruby>

<rb>超電磁砲</rb>

<rp> (</rp><rt>レールガン</rt><rp>) </rp>

</ruby>

<p class="under">This text has a line underneath it.</p>

<p class="over">This text has a line over it.</p>

<p class="line">This text has a line going through it.</p><div class="box" id="box1">single value</div>

<div class="box" id="box2">two values</div>

<p>

This paragraph has <s>some erroneous text</s> inside it that I want to call

attention to.

</p>

<div id="mozdiv1">Lorem ipsum dolor sit amet.</div>

<div id="mozdiv2">Lorem ipsum dolor sit amet.</div>

<p class="small">Small</p>

<p class="normal">Normal</p>

<p class="big">Big</p>

<dl>

<dt><code>hyphenate-character: "="</code></dt>

<dd id="string" lang="en">Superc­alifragilisticexpialidocious</dd>

<dt><code>hyphenate-character is not set</code></dt>

<dd lang="en">Superc­alifragilisticexpialidocious</dd>

</dl>

<div>

Example text

</div>

</body>

</html>

Output:

Document

127.0.0.1:5500/practical-11.html

VPN

WD-ASSIGNMENT

✓

✓

This is a bunch of text split into three columns. The 'column-rule-style' property is used to change the style of the line that is drawn between columns. Don't you think that's wonderful?



This is a bunch of text split into three columns. The 'column-rule-color' property is used to change the color of the line that is drawn between columns. Don't you think that's wonderful?

Chapter 5

According to Sir Tim Berners-Lee, "I was lucky enough to invent the Web at the time when the Internet already existed - and had for a decade and a half." We must understand that there is nothing fundamentally wrong with building on the contributions of others.

Chapter 6

According to the Mozilla Manifesto, "Individuals must have the ability to shape the Internet and their own experiences on the Internet." Therefore, we can infer that contributing to the open web can protect our own individual experiences on it.



Document

127.0.0.1:5500/practical-11.html

VPN



Example text

Example text

You can barely see this.

This is easier to see.

This is very easy to see.



PRACTICAL-12

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <style>
```

```
    *{
```

```
      color:rgb(0, 140, 255);
```

```
    }
```

```
  </style>
```

```
<script> document.write("<div");var x="akali";
```

```
    document.write(x); document.write("<br>"); document.write(typeof x);var
```

```
    x=34; document.write("<br>"); document.write(x);
```

```
    document.write("<br>");
```

```
var a; document.write("<br>"); document.write(typeof a);var b="achuth";
```

```
document.write("<br>"); document.write( b);
```

```
document.write( b);
```

```
document.write("<br>");
```

```
var b="akali venkata atchutarao";document.write( b);
```

```
document.write("<br>");
```

```
var y=20;
```

```
let z=("anti man"); document.write("<br>");document.write(z); const h="it 1st  
year";
```

```
document.write("achuth"); document.write("<br>"); document.write("post  
increment:");
```

```
var g=10; document.write("<br>");document.write("g=",g);
document.write("<br>");g++;
document.write("g=",g); document.write("<br>");
document.write("preincrement:");document.write("<br>");
++g;
document.write("<br>"+"g=",g);document.write("statements:"); var c=2;
document.write("<br>"); if(c>20)
{
document.write("c is greater");
}else{
document.write("x is smaller");
}
document.write("operations");const p=20;
const q=12; const r=p+q;const s=p-q;const t=p*q;const u=p/q;
document.write("<br>"+"r="+r); document.write("<br>"+"s="+s);
document.write("<br>"+"t="+t); document.write("<br>"+"u="+u);
document.write("</div>");
</script>
</head>
<body>
</body>
</html>
```

OUTPUT:



```
string
34

undefined
achuthachuth
akali venkata atchutarao

anti manachuth
post increment:
g=10
g=11
preincrement:


g=12statements:
x is smalleroperations
r=32
s=8
t=240
u=1.6666666666666667
```

PRACTICAL-13

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    *{
      color: chocolate;
    }
  </style>
  <script>
    function square(a)
    {
      return a*a;
    }
    for(i=1;i<=50;i++)
    {
      document.write("the square of "+i+"="+square(i)+"<br>");
    }
  </script>
</head>
<body>

</body>
</html>
```

OUT PUT:



the square of 33=1089
the square of 34=1156
the square of 35=1225
the square of 36=1296
the square of 37=1369
the square of 38=1444
the square of 39=1521
the square of 40=1600
the square of 41=1681
the square of 42=1764
the square of 43=1849
the square of 44=1936
the square of 45=2025
the square of 46=2116
the square of 47=2209
the square of 48=2304
the square of 49=2401
the square of 50=2500

PRACTICAL – 14

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Document</title>
```

```
  <script>var a;
```

```
    document.write("<p>All 30 rolls</p><ol>");for(var i=1;i<=30;i++)
```

```
    {
```

```
      a=Math.floor(1+Math.random()*6);
```

```
      document.write("<li>" + a + "</li>&nbsp;");
```

```
    }
```

```
    document.write("</ol>");
```

```
</script>
```

```
<style>ol{
```

```
  list-style-type: none;
```

```
}
```

```
li{
```

```
  display: inline-block;
```

```
}
```

```
*
```

```
{
```


```
  font-size: 30px;
```

```
  font-family: brush script mt;
```

```
        color: rgb(242, 0, 255); background-color: black;
    }
</style>
</head>
<body>

</body>
</html>
```

OUTPUT:



PRACTICAL-15

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <script>
```

```
var a =prompt("enter the value of a"); varb=prompt("enter the value of b"); var  
d=prompt("enter the value of d");achuth(a,b);
```

```
  function achuth(a,b){ var c=a*b;
```

```
  document.write("the value of c =" +c+"<br>");lohith();
```

```
  function lohith(){ var e=c*d;
```

```
    document.write("the value of e =" +e+"<br>");
```

```
  }
```

```
</script>
```


```
</head>
```

```
<body>
```

```
</body>
```

```
</html>
```

OUT PUT:



:5500/practical-14.html

127.0.0.1:5500 says

enter the value of b

OK

Cancel

practical-14

+

127.0.0.1:5500/practical-14.html

127.0.0.1:5500 says

enter the value of d

OK

Cancel

practical-14

+

127.0.0.1:5500/practical-14.html

the value of c =6
the value of e =36

PRACTICAL-16

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
</head>
```

```
<body>
```

Enter a number between 10 and 20:

```
<input type="text" id="gh">
```

```
<button id="st" onclick="fun()">Click</button>
```

```
<p id="qe"></p>
```

```
<script>
```

```
  function fun()
```

```
  {
```

```
    var a=document.getElementById("qe");try{
```

```
    var x=document.getElementById("gh").value;if(isNaN(x))
```

```
    {
```

```
      throw "not a number";
```

```
    }
```

```
    x=Number(x);if(x<10)
```

```
    {
```

```
      throw "low";
```



```
    }
```



```
    else if(x>20)
```

```
    {
```

```
        throw "high";
    }
    else
    {
        a.innerHTML="Input is "+x;
    }
}
catch(err)
{
    a.innerHTML="Input is "+err;
}
finally{
    console.log("Entered Successfully");
}
}
</script>
</body>
</html>
```

OUT PUT:






PRACTICAL-17

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>DOM manipulation</title>
</head>
<body>
  <p id="ab"></p>
  <h1>achuth</h1>
  <h1>Lohi</h1>
  <h2 id="yu">Hello World!</h2>
  <script>
    document.getElementById("ab").innerHTML="akali venkata atchuta rao";
    var a = document.getElementsByTagName("h1");a[0].innerHTML="akali
venkataatchuta rao";
    a[1].innerHTML="Lohith";a[1].style.color="blue"; a[0].style.color="green";
  </script>
</body>
</html>
```

OUT PUT:



PRACTICAL-18

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Document</title>
```

```
</head>
```

```
<body>
```

```
<h2>The code format is of only numbers</h2><br>Enter code in format:
```

```
<input type="text" id="hj">
```

```
<button id="ty" onclick="validate()">Validate</button><br>
```

```
<p id="fg"></p>
```

```
<script>
```

```
function validate(){
```

```
var user=document.getElementById("hj").value;var exp=/[0-9]/;
```

```
var exp1=/[a-z]/; if(exp1.test(user)) console.log("Invalid");else if(exp.test(user))
```

```
console.log("Valid"); else console.log("Invalid");
```




```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

OUT PUT:



PRACTICAL – 19

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Document</title>
```

```
</head>
```

```
<body>
```

```
  Click on the button to see the magic!<br><br>
```

```
  <button id="gh">click</button><br><br>
```

```
  <table id="fk" border="1" cellpadding="5" cellspacing="0">
```

```
    <th>S.No</th>
```

```
    <th>Courses</th>
```

```
    <th>Lecturer</th>
```

```
    <tr id="dk">
```

```
      <td>1</td>
```

```
      <td>Engineering Mathematics</td>
```

```
      <td>Mr.Biswajit Kaushik</td>
```

```
    </tr>
```

```
    <tr id="al">
```

```
      <td>2</td>
```

```
      <td>Data Structure</td>
```

```
      <td>Dr.Vinay Pathak</td>
```

```
    </tr>
```

```
    <tr id="ty">
```

```
      <td>3</td>
```

```
      <td>Web Designing</td>
```

```

        <td>Ms.Sunita Sharma</td>
    </tr>
    <tr id="eu">
        <td>4</td>
        <td>Information Security</td>
        <td>Dr.Aarti Sharma</td>
    </tr>
    <tr id="cn">
        <td>5</td>
        <td>Digital Electronics</td>
        <td>Dr. Rajiv Verma</td>
    </tr>
    <tr id="bk">
        <td>6</td>
        <td>Communication Skills</td>
        <td>Dr. Syed Ghufra Hashmi</td>
    </tr>
</table>
<script>
    var x = document.getElementById("gh");x.addEventListener("click",one);
    function one()
    {

        document.getElementById("fk").style.backgroundColor ="#33B2FF ";
        document.getElementById("dk").style.backgroundColor ="#B233FF ";
    }
</script>

```


```

document.getElementById("al").style.backgroundColor="#FF3380 ";
document.getElementById("ty").style.backgroundColor="#33FF4F ";
document.getElementById("eu").style.backgroundColor="#B233FF ";
document.getElementById("cn").style.backgroundColor="#FFA533 ";
document.getElementById("bk").style.backgroundColor="#33FFDD ";

}
</script>
</body>
</html>

```

OUTPUT:



Click on the button to see the magic!

click

S.No	Courses	Lecturer
1	Engineering Mathematics	Mr.Biswajit Kaushik
2	Data Structure	Dr.Vinay Pathak
3	Web Designing	Ms.Sunita Sharma
4	Information Security	Dr.Aarti Sharma
5	Digital Electronics	Dr. Rajiv Verma
6	Communication Skills	Dr. Syed Ghufra Hashmi

Document

×

+

⏪ ⏩ ↺

🔖

🚫 127.0.0.1:5500/event.html

Click on the button to see the magic!

click

S.No	Courses	Lecturer
1	Engineering Mathematics	Mr.Biswajit Kaushik
2	Data Structure	Dr.Vinay Pathak
3	Web Designing	Ms.Sunita Sharma
4	Information Security	Dr.Aarti Sharma
5	Digital Electronics	Dr. Rajiv Verma
6	Communication Skills	Dr. Syed Ghufra Hashmi