Install and Build A Simple Landing Page in

React

Dr. Ashok Yemineni

Assistant Professor of CSE , FED K L H Bowrampet

Install Node.js, npm and React

1.



2.



3.


nodejs.org/en/download
Download Node.js®
Get Node.js® v24.14.1 (LTS) for Windows using Docker with npm
Info Want new features sooner? Get the latest Node.js version instead and try the latest improvements!
Docker has specific installation instructions for each operating system.
Please refer to the official documentation at https://docker.com/get-started/
Pull the Node.js Docker image:
docker pull node:24-slim
Create a Node.js container and start a Shell session:
docker run -it --rm --entrypoint sh node:24-slim
Verify the Node.js version:
node -v # Should print "v24.14.1".
Verify npm version:
npm -v # Should print "11.11.0".
PowerShell
Copy to clipboard
Docker is a containerization platform. If you encounter any issues please visit Docker's website
Or get a prebuilt Node.js® for Windows running a x64 architecture.
Windows Installer (.msi)
Standalone Binary (.zip)

4.


This PC > OS (C:) > Ashok > Term Insurence
New
Sort
View
Home
Gallery
Kavitha - Personal
Desktop
Downloads
Pictures
Documents
Music
Videos
Sec6
MArks
Sec2
Term Insurence
This PC
OS (C:)
Network
Name
Date modified
Type
Size
node-v24.14.1-x64
08-04-2026 04:54
Windows Installer ...
31,628 KB

5.


This PC
OS (C:)
Ashok
Term Insurence
New
Sort
View
Home
Gallery
Kavitha - Personal
Desktop
Downloads
Pictures
Documents
Music
Videos
Sec6
MArks
Sec2
Term Insurence
This PC
OS (C:)
Network
Name
Date modified
Type
Size
node-v24.14.1-x64
08-04-2026 04:54
Windows Installer ...
31,628 KB

6.


Node.js Setup
Welcome to the Node.js Setup Wizard
The Setup Wizard will install Node.js on your computer.
Back
Next
Cancel

7.


Node.js Setup
End-User License Agreement
Please read the following license agreement carefully
Node.js is licensed for use as follows:
Copyright Node.js contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
I accept the terms in the License Agreement
Print
Back
Next
Cancel

8.


Node.js Setup
Destination Folder
Choose a custom location or click Next to install.
Install Node.js to:
C:\Program Files\nodejs\
Change...
Back
Next
Cancel

9.


Node.js Setup
Custom Setup
Select the way you want features to be installed.
Click the icons in the tree below to change the way features will be installed.
Node.js runtime
corepack manager
npm package manager
Online documentation shortcuts
Add to PATH
Install the core Node.js runtime (node.exe).
This feature requires 87MB on your hard drive.
Browse...
Reset
Disk Usage
Back
Next
Cancel

10.


Node.js Setup
Tools for Native Modules
Optionally install the tools necessary to compile native modules.
Some npm modules need to be compiled from C/C++ when installing. If you want to be able to install such modules, some tools (Python and Visual Studio Build Tools) need to be installed.
Automatically install the necessary tools. Note that this will also install Chocolatey. The script will pop-up in a new window after the installation completes.
Alternatively, follow the instructions at https://github.com/nodejs/node-gyp#on-windows to install the dependencies yourself.
Back
Next
Cancel

11.


Node.js Setup
Ready to install Node.js
Click Install to begin the installation. Click Back to review or change any of your installation settings. Click Cancel to exit the wizard.
Back
Install
Cancel

12.


Node.js Setup
Installing Node.js
Please wait while the Setup Wizard installs Node.js.
Status:
Copying new files
Back
Next
Cancel

13.


Node.js Setup
Completed the Node.js Setup Wizard
Click the Finish button to exit the Setup Wizard.
Node.js has been successfully installed.
Back
Finish
Cancel

14.

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Laptop> node -v
v24.14.1
PS C:\Users\Laptop>
```

15.

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Laptop> node -v
v24.14.1
PS C:\Users\Laptop> npm -v
11.11.0
PS C:\Users\Laptop>
```

16. After npm installation is completed, install React with the following command:

npm install -g create-react-app

```
PS C:\Users\Laptop> npm install -g create-react-app
npm warn deprecated uid-number@0.0.6: This package is no longer supported.
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache i
f you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerfu
l.
npm warn deprecated fstream-ignore@1.0.5: This package is no longer supported.
npm warn deprecated rimraf@2.7.1: Rimraf versions prior to v4 are no longer supported
npm warn deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publicized security vulnerabi
lities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorb
itant rates) by contacting i@izs.me
npm warn deprecated fstream@1.0.12: This package is no longer supported.
npm warn deprecated tar@2.2.2: Old versions of tar are not supported, and contain widely publicized security vulnerabili
ties, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbit
ant rates) by contacting i@izs.me

added 64 packages in 4s

4 packages are looking for funding
  run `npm fund` for details
PS C:\Users\Laptop>
```

17. Check the React version with command

    create-react-app --version

```
Windows PowerShell    Windows PowerShell

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Laptop> create-react-app --version
5.1.0
PS C:\Users\Laptop>
```

Creating first app using React

1)



2) Open VS code IDE and select the “Open Folder ” option (e.g., File → Open folder)



3) Select the folder which you have created earlier in step 1.



4) Select the New Terminal option available in Terminal menu (Terminal → New Terminal)



5) After opening the New Terminal, type the following command in the terminal (This command will create React app in the current working directory)

npx create-react-app app-name



6) The above command will create new project folder structure as below



7)

Change the directory to app home directory with following command

cd app-name

Run the React app with the following command

npm start

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                                   node - demo-app

PS C:\react_demo\demo-app> npm start
> demo-app@0.1.0 start
> react-scripts start

(node:28932) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:28932) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares'
option.
(node:28932) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddleware
' option.
Starting the development server...
Compiled successfully!
```

The following command results in starting the development server as follows: