

BANK DATABASE SQL


The screenshot displays a SQL IDE interface. The left sidebar shows a 'SCHEMAS' tree with various databases like 'bankdb', 'bookflow_db', and 'db1'. The main query editor, titled 'Query 1', contains the following SQL code:

```
19 );
20 • SHOW TABLES;
21 • CREATE TABLE Bank_Transaction (
22     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
23     Account_No INT,
24     Transaction_Type VARCHAR(20),
25     Amount DECIMAL(12,2),
26     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
27
28     FOREIGN KEY (Account_No)
29     REFERENCES Account(Account_No)
30 );
31 • CREATE TABLE Loan (
32     Loan_ID INT PRIMARY KEY,
33     Customer_ID INT,
34     Loan_Type VARCHAR(30),
35     Loan_Amount DECIMAL(12,2),
36     Interest_Rate DECIMAL(5,2),
37
```

The right sidebar shows a 'SQLAdditions' panel with a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

The bottom panel shows the 'Output' window with a table of execution results:

#	Time	Action	Message	Duration / Fetch
7	15:23:33	SHOW TABLES	5 row(s) returned	0.015 sec / 0.000 sec
8	15:24:25	CREATE DATABASE BankSql	1 row(s) affected	0.015 sec
9	15:24:29	USE BankSql	0 row(s) affected	0.000 sec
10	15:24:32	CREATE TABLE Customer (Customer_ID IN...	0 row(s) affected	0.047 sec
11	15:24:35	CREATE TABLE Account (Account_No IN...	0 row(s) affected	0.031 sec
12	15:24:48	CREATE TABLE Bank_Transaction (Transa...	0 row(s) affected	0.046 sec
13	15:24:56	CREATE TABLE Loan (Loan_ID INT PRIM...	0 row(s) affected	0.047 sec



The screenshot displays the SQL Developer application interface. At the top, a menu bar includes File, Edit, View, Query, Database, Tools, Scripting, and Help. Below the menu is a toolbar with various icons for file operations and database actions. The main workspace is divided into several panes:

- Navigator (Left):** Shows a tree view of the database schema. The 'SCHEMAS' tab is active, displaying a list of databases including bankdb, bookflow_db, db1, db2, db3, db4, food_delivery_db, food_delivery_test, and sys. The 'Administration' and 'Schemas' tabs are visible at the bottom of this pane.
- Query Editor (Center):** Displays a SQL query in the 'Query 1' tab. The query is:


```

      152 FROM Customer;
      153 SELECT * FROM Customer_View;
      154
      155 CREATE VIEW Account_View AS
      156 SELECT
      157     Account_No,
      158     Account_Type,
      159     Balance,
      160     Branch
      161 FROM Account;
      162 SELECT * FROM Account_View;
      163
      
```

 The 'Limit to 1000 rows' option is selected. Below the query editor, the 'Result Grid' is visible, showing a table with 5 columns: Account_No, Account_Type, Balance, and Branch. The data rows are:

Account_No	Account_Type	Balance	Branch
10001	Savings	50000.00	Hyderabad
10002	Savings	75000.00	Vijayawada
10003	Current	120000.00	Bangalore
10004	Savings	45000.00	Chennai
10005	Current	90000.00	Hyderabad
- SQLAdditions (Right):** Contains a text box with the message: "Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help." Below this, there are buttons for 'Read Only', 'Context Help', and 'Snippets'.
- Output (Bottom):** Shows the 'Action Output' pane, which displays a log of SQL execution actions. The log includes:

#	Time	Action	Message	Duration / Fetch
20	15:26:37	SELECT * FROM Bank_Transaction LIMIT 0, 1...	11 row(s) returned	0.000 sec / 0.000 sec
21	15:26:59	SELECT * FROM Loan LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
22	15:27:15	CREATE VIEW Customer_View AS SELECT * ...	0 row(s) affected	0.016 sec
23	15:27:29	SELECT * FROM Customer_View LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
24	15:27:54	CREATE VIEW Account_View AS SELECT ...	0 row(s) affected	0.015 sec
25	15:28:05	SELECT * FROM Account_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

At the bottom left, the 'Object Info' and 'Session' tabs are visible.

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- bankdb
- bookflow_db
- db1
- db2
- db3
- db4
- food_delivery_db
- food_delivery_test
- sys

Administration Schemas

Information: Schema: db2

Query 1

```
200 C.Customer_Name,
201 C.City,
202 A.Account_No,
203 A.Account_Type,
204 A.Balance,
205 A.Branch
206 FROM Customer C
207 JOIN Account A
208 ON C.Customer_ID = A.Customer_ID;
209
210 • SELECT * FROM Customer_Account_View;
211
```

Result Grid

Customer_ID	Customer_Name	City	Account_No	Account_Type
101	Ravi Kumar	Hyderabad	10001	Savings
102	Priya Sharma	Vijayawada	10002	Savings
103	Arjun Reddy	Bangalore	10003	Current
104	Sneha Rao	Chennai	10004	Savings

Customer_Account_View 13

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	15:30:03	CREATE VIEW Hyderabad_Account_View AS ...	0 row(s) affected	0.016 sec
33	15:30:10	SELECT * FROM Hyderabad_Account_View LI...	3 row(s) returned	0.015 sec / 0.000 sec
34	15:30:30	CREATE VIEW Low_Balance_View AS SELE...	0 row(s) affected	0.016 sec
35	15:30:37	SELECT * FROM Low_Balance_View LIMIT 0...	2 row(s) returned	0.000 sec / 0.000 sec
36	15:31:00	CREATE VIEW Customer_Account_View AS S...	0 row(s) affected	0.016 sec
37	15:31:07	SELECT * FROM Customer_Account_View LI...	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bankdb
- bookflow_db
- db1
- db2
- db3
- db4
- food_delivery_db
- food_delivery_test
- sys

Administration Schemas

Information

Schema: db2

Query 1

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

225 C.Customer_ID,

226 Execute the statement under the keyboard cursor

227 C.City,

228 L.Loan_ID,

229 L.Loan_Type,

230 L.Loan_Amount,

231 L.Interest_Rate

232 FROM Customer C

233 JOIN Loan L

234 ON C.Customer_ID = L.Customer_ID;

235 • SELECT * FROM Customer_Loan_View;

236

Result Grid

Filter Rows: Export: Wrap Cell Co

Customer_ID	Customer_Name	City	Loan_ID	Loan_Type
101	Ravi Kumar	Hyderabad	501	Home Loan
102	Priya Sharma	Vijayawada	502	Education Loan
103	Arjun Reddy	Bangalore	503	Car Loan
104	Sneha Rao	Chennai	504	Personal Loan

Customer_Loan_View 15

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 36	15:31:00	CREATE VIEW Customer_Account_View AS S...	0 row(s) affected	0.016 sec
✓ 37	15:31:07	SELECT * FROM Customer_Account_View LI...	10 row(s) returned	0.000 sec / 0.000 sec
✓ 38	15:31:24	CREATE VIEW Hyderabad_Customer_Accou...	0 row(s) affected	0.016 sec
✓ 39	15:31:31	SELECT * FROM Hyderabad_Customer_Accou...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 40	15:31:58	CREATE VIEW Customer_Loan_View AS SEL...	0 row(s) affected	0.016 sec
✓ 41	15:32:05	SELECT * FROM Customer_Loan_View LIMIT ...	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

bankdb

bookflow_db

db1

db2

db3

db4

food_delivery_db

food_delivery_test

sys

AdministrationSchemas

Information

Schema: db2

Query 1

Limit to 1000 rows

Jump to

244A.Account_Type,

245A.B Execute the statement under the keyboard cursor

246A.Branch,

247L.Loan_Type,

248L.Loan_Amount

249FROM Customer C

250LEFT JOIN Account A

251ON C.Customer_ID = A.Customer_ID

252LEFT JOIN Loan L

253ON C.Customer_ID = L.Customer_ID;

254SELECT * FROM Customer_Banking_View;

255

Result Grid

Filter Rows:

Export:

Wrap Cell Co

Result Grid

	Customer_ID	Customer_Name	City	Account_No	Account_Type
▶	101	Ravi Kumar	Hyderabad	10001	Savings
	102	Priya Sharma	Vijayawada	10002	Savings
	103	Arjun Reddy	Bangalore	10003	Current
	104	Sneha Rao	Chennai	10004	Savings

Customer_Banking_View 16

Read OnlyContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
38	15:31:24	CREATE VIEW Hyderabad_Customer_Accoun...	0 row(s) affected	0.016 sec
39	15:31:31	SELECT * FROM Hyderabad_Customer_Accou...	3 row(s) returned	0.000 sec / 0.000 sec
40	15:31:58	CREATE VIEW Customer_Loan_View AS SEL...	0 row(s) affected	0.016 sec
41	15:32:05	SELECT * FROM Customer_Loan_View LIMIT ...	8 row(s) returned	0.000 sec / 0.000 sec
42	15:32:21	CREATE VIEW Customer_Banking_View AS S...	0 row(s) affected	0.015 sec
43	15:32:26	SELECT * FROM Customer_Banking_View LIM...	10 row(s) returned	0.000 sec / 0.000 sec

Object InfoSession

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator:Query 1SQLAdditions

SCHEMAS

Filter objects

- bankdb
- bookflow_db
- db1
- db2
- db3
- db4
- food_delivery_db
- food_delivery_test
- sys

AdministrationSchemas

Information

Schema: db2

Object InfoSession

Query 1

Limit to 1000 rows

Jump to

```
254 • SELECT * FROM Customer_Banking_View;
255 • CREATE VIEW Total_Bank_Balance AS
256 SELECT
257     SUM(Balance) AS Total_Balance
258 FROM Account;
259 • SELECT * FROM Total_Bank_Balance;
260 • CREATE VIEW Average_Account_Balance AS
261 SELECT
262     AVG(Balance) AS Average_Balance
263 FROM Account;
264 • SELECT * FROM Average_Account_Balance;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Co

Average_Balance

82500.000000

Result Grid

Average_Account_Balance 18

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 42	15:32:21	CREATE VIEW Customer_Banking_View AS S...	0 row(s) affected	0.015 sec
✓ 43	15:32:26	SELECT * FROM Customer_Banking_View LIM...	10 row(s) returned	0.000 sec / 0.000 sec
✓ 44	15:32:45	CREATE VIEW Total_Bank_Balance AS SELE...	0 row(s) affected	0.015 sec
✓ 45	15:32:52	SELECT * FROM Total_Bank_Balance LIMIT ...	1 row(s) returned	0.000 sec / 0.000 sec
✓ 46	15:33:11	CREATE VIEW Average_Account_Balance A...	0 row(s) affected	0.015 sec
✓ 47	15:33:18	SELECT * FROM Average_Account_Balance ...	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

bankdb
bookflow_db
db1
db2
db3
db4
food_delivery_db
food_delivery_test
sys

Administration Schemas

Information

Schema: db2

Query 1

Limit to 1000 rows

264 • SELECT * FROM Average_Account_Balance;
265 • CREATE VIEW Maximum_Balance_View AS
266 SELECT
267 MAX(Balance) AS Maximum_Balance
268 FROM Account;
269 • SELECT * FROM Maximum_Balance_View;
270 • CREATE VIEW Minimum_Balance_View AS
271 SELECT
272 MIN(Balance) AS Minimum_Balance
273 FROM Account;
274 • SELECT * FROM Minimum_Balance_View;

Result Grid

Minimum_Balance
35000.00

Minimum_Balance_View 20

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
46	15:33:11	CREATE VIEW Average_Account_Balance A...	0 row(s) affected	0.015 sec
47	15:33:18	SELECT * FROM Average_Account_Balance ...	1 row(s) returned	0.000 sec / 0.000 sec
48	15:33:37	CREATE VIEW Maximum_Balance_View AS S...	0 row(s) affected	0.000 sec
49	15:33:43	SELECT * FROM Maximum_Balance_View LIM...	1 row(s) returned	0.000 sec / 0.000 sec
50	15:34:00	CREATE VIEW Minimum_Balance_View AS S...	0 row(s) affected	0.016 sec
51	15:34:08	SELECT * FROM Minimum_Balance_View LIM...	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help

Query 1 x

Limit to 1000 rows

```

325 • SELECT * FROM Rich_Branches;
326 • CREATE VIEW Deposit_Transaction_View AS
327 SELECT *
328 FROM Bank_Transaction
329 WHERE Transaction_Type = 'DEPOSIT';
330 • SELECT * FROM Deposit_Transaction_View;
331 • CREATE VIEW Withdrawal_Transaction_View AS
332 SELECT *
333 FROM Bank_Transaction
334 WHERE Transaction_Type = 'WITHDRAW';
335 • SELECT * FROM Withdrawal_Transaction_View;

```

Execute the statement under the keyboard cursor

Result Grid

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_I
2	10001	WITHDRAW	5000.00	2026-09-11 15
4	10003	WITHDRAW	20000.00	2026-09-11 15
6	10005	WITHDRAW	10000.00	2026-09-11 15
9	10008	WITHDRAW	5000.00	2026-09-11 15
11	10010	WITHDRAW	15000.00	2026-09-11 15

Withdrawal_Transaction_View 30 x Read Only

Output

Action Output

#	Time	Action	Message
68	15:37:07	SELECT * FROM Rich_Branches LIMIT 0, 1000	4 row(s) returned
69	15:37:15	CREATE VIEW Deposit_Transaction_View AS ...	0 row(s) affected
70	15:37:23	SELECT * FROM Deposit_Transaction_View LI...	6 row(s) returned
71	15:37:40	CREATE VIEW Withdrawal_Transaction_View ...	0 row(s) affected
72	15:37:47	SELECT * FROM Multiple_Account_Branches ...	2 row(s) returned
73	15:37:51	SELECT * FROM Withdrawal_Transaction_Vie...	5 row(s) returned

Query 1

Limit to 1000 rows

```

340      A.Account_Type,
341      T.Transaction_ID,
342      T.Transaction_Type,
343      T.Amount,
344      T.Transaction_Date
345  FROM Customer C
346  JOIN Account A
347  ON C.Customer_ID = A.Customer_ID
348  JOIN Bank_Transaction T
349  ON A.Account_No = T.Account_No;
350  • SELECT * FROM Customer_Transaction_View;
351

```

Result Grid
Filter Rows:
Export:
Wrap Cell Co

	Customer_Name	Account_No	Account_Type	Transaction_ID	Transactio
▶	Ravi Kumar	10001	Savings	1	DEPOSIT
	Ravi Kumar	10001	Savings	2	WITHDRAW
	Priya Sharma	10002	Savings	3	DEPOSIT
	Arjun Reddy	10003	Current	4	WITHDRAW

Customer_Transaction_View 31
Read Only

Output

Action Output

	#	Time	Action	Message
✓	70	15:37:23	SELECT * FROM Deposit_Transaction_View LI...	6 row(s) returned
✓	71	15:37:40	CREATE VIEW Withdrawal_Transaction_View ...	0 row(s) affected
✓	72	15:37:47	SELECT * FROM Multiple_Account_Branches ...	2 row(s) returned
✓	73	15:37:51	SELECT * FROM Withdrawal_Transaction_Vie...	5 row(s) returned
✓	74	15:38:07	CREATE VIEW Customer_Transaction_View A...	0 row(s) affected
✓	75	15:38:14	SELECT * FROM Customer_Transaction_View ...	11 row(s) returned

Query 1

SQLA

Limit to 1000 rows

```

345 FROM Customer C
346 JOIN Account A
347 ON C.Customer_ID = A.Customer_ID
348 JOIN Bank_Transaction T
349 ON A.Account_No = T.Account_No;
350 • SELECT * FROM Customer_Transaction_View;
351 • CREATE VIEW High_Value_Transaction_View AS
352 SELECT *
353 FROM Bank_Transaction
354 WHERE Amount > 10000;
355 • SELECT * FROM High_Value_Transaction_View;

```

Result Grid

Filter Rows:

Export:

Wrap Cell Co

Result Grid

	Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_D
▶	3	10002	DEPOSIT	15000.00	2026-09-11 15
	4	10003	WITHDRAW	20000.00	2026-09-11 15
	7	10006	DEPOSIT	12000.00	2026-09-11 15
	8	10007	DEPOSIT	25000.00	2026-09-11 15
	10	10009	DEPOSIT	20000.00	2026-09-11 15

High_Value_Transaction_View 32

Read Only

Conte

Output

Action Output

	#	Time	Action	Message
✓	72	15:37:47	SELECT * FROM Multiple_Account_Branches ...	2 row(s) returned
✓	73	15:37:51	SELECT * FROM Withdrawal_Transaction_Vie...	5 row(s) returned
✓	74	15:38:07	CREATE VIEW Customer_Transaction_View A...	0 row(s) affected
✓	75	15:38:14	SELECT * FROM Customer_Transaction_View ...	11 row(s) returned
✓	76	15:38:31	CREATE VIEW High_Value_Transaction_View...	0 row(s) affected
✓	77	15:38:39	SELECT * FROM High_Value_Transaction_Vie...	6 row(s) returned

Query 1

Limit to 1000 rows

```

354 WHERE Amount > 10000;
355 • SELECT * FROM High_Value_Transaction_View;
356 • CREATE VIEW Balance_Ranking_View AS
357 SELECT
358     Account_No,
359     Customer_ID,
360     Account_Type,
361     Balance
362 FROM Account
363 ORDER BY Balance DESC;
364 • SELECT * FROM Balance_Ranking_View;

```

Result Grid
Filter Rows:
Export:
Wrap Cell Co

	Account_No	Customer_ID	Account_Type	Balance
▶	10007	107	Current	150000.00
	10003	103	Current	120000.00
	10010	110	Current	110000.00
	10005	105	Current	90000.00
	10009	109	Savings	85000.00

Balance_Ranking_View 33
Read Only

Output

Action Output

	#	Time	Action	Message
✓	74	15:38:07	CREATE VIEW Customer_Transaction_View A...	0 row(s) affected
✓	75	15:38:14	SELECT * FROM Customer_Transaction_View ...	11 row(s) returned
✓	76	15:38:31	CREATE VIEW High_Value_Transaction_View...	0 row(s) affected
✓	77	15:38:39	SELECT * FROM High_Value_Transaction_Vie...	6 row(s) returned
✓	78	15:38:56	CREATE VIEW Balance_Ranking_View AS S...	0 row(s) affected
✓	79	15:39:04	SELECT * FROM Balance_Ranking_View LIMI...	10 row(s) returned

Query 1 x

SQLAdditions

Limit to 1000 rows

WHERE Balance > 50000;

SELECT *

FROM Customer_Basic_View

WHERE City = 'Hyderabad';

SELECT *

FROM Customer_Account_View

ORDER BY Balance DESC;

SELECT *

FROM Customer_Loan_View

WHERE Loan_Amount > 1000000;

Automatic disabled. Use manually g current care toggle au

Result Grid

Filter Rows:

Export:

Wrap Cell Co

	Customer_ID	Customer_Name	City	Loan_ID	Loan_Type	Lc
▶	101	Ravi Kumar	Hyderabad	501	Home Loan	50
	105	Kiran Kumar	Hyderabad	505	Home Loan	40
	107	Meena Reddy	Mumbai	507	Business Loan	30

Result Grid

Customer_Loan_View 41 x

Read Only

Context Help

Snip

Output

Action Output

	#	Time	Action	Message	
✓	86	15:40:29	SELECT * FROM High_Balance_View WHER...	1 row(s) returned	0
✓	87	15:40:36	SELECT * FROM Savings_Account_View WH...	3 row(s) returned	0
✓	88	15:40:43	SELECT * FROM Hyderabad_Account_View ...	2 row(s) returned	0
✗	89	15:40:50	SELECT * FROM Customer_Basic_View WHE...	Error Code: 1146. Table 'banksq1.customer_bas...	0
✓	90	15:41:02	SELECT * FROM Customer_Account_View OR...	10 row(s) returned	0
✓	91	15:41:18	SELECT * FROM Customer_Loan_View WHE...	3 row(s) returned	0

Query 1
SQLAdditions

Limit to 1000 rows

```

424      Customer_ID,
425      Account_Type,
426      Balance,
427      Branch
428  FROM Account;
429  • INSERT INTO Simple_Account_View
430  VALUES
431  (10011, 101, 'Savings', 55000, 'Hyderabad');
432  • SELECT *
433  FROM Account;
434

```

Automatic disabled. Use manually current car toggle at

Result Grid
Filter Rows:
Edit:
Exp

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad

Result Grid

Account 43
Apply
Context Help
Sni

Output

Action Output

	#	Time	Action	Message
✓	92	15:41:37	UPDATE Account_View SET Balance = 60000...	1 row(s) affected Rows matched: 1 Changed: ...
✓	93	15:41:45	SELECT * FROM Account WHERE Account_...	1 row(s) returned
✓	94	15:41:50	UPDATE Account_View SET Balance = 60000...	0 row(s) affected Rows matched: 1 Changed: ...
✓	95	15:42:01	CREATE VIEW Simple_Account_View AS SEL...	0 row(s) affected
✓	96	15:42:07	INSERT INTO Simple_Account_View VALUES...	1 row(s) affected
✓	97	15:42:17	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned

Query 1 x

Limit to 1000 rows

```

427      Branch
428  FROM Account;
429 • INSERT INTO Simple_Account_View
430  VALUES
431  (10011, 101, 'Savings', 55000, 'Hyderabad');
432 • SELECT *
433  FROM Account;
434 • DELETE FROM Simple_Account_View
435  WHERE Account_No = 10011;
436 • SELECT *
437  FROM Account;

```

Result Grid | Filter Rows: | Edit: | Exp |

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad

Result Grid

Account 44 x Apply C

Output

Action Output

	#	Time	Action	Message
✓	94	15:41:50	UPDATE Account_View SET Balance = 60000...	0 row(s) affected Rows matched
✓	95	15:42:01	CREATE VIEW Simple_Account_View AS SEL...	0 row(s) affected
✓	96	15:42:07	INSERT INTO Simple_Account_View VALUES...	1 row(s) affected
✓	97	15:42:17	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned
✓	98	15:42:44	DELETE FROM Simple_Account_View WHER...	1 row(s) affected
✓	99	15:42:50	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned

