

```
mysql> select * from course where facno='f002';
```

COURSENO	COURSEDESC	COURSETYPE	SEMNO	HALLNO	FACNO
034	MATHEMATICS	M	5	H002	F002

```
1 row in set (0.00 sec)
```

```
mysql>
```

```
mysql> select * from course where hallno='h001';
```

COURSENO	COURSEDESC	COURSETYPE	SEMNO	HALLNO	FACNO
093	COMPUTER	S	1	H001	F001

```
1 row in set (0.00 sec)
```

```
mysql> select * from student1 where name like '%sh';
```

REG_NO	NAME	GENDER	DOB	MOBILENO	CITY
19980	JERISH	M	2008-09-09	98756474	VADACERY

```
1 row in set (0.00 sec)
```

```
mysql> select * from student1 where name like '%sh%';
```

REG_NO	NAME	GENDER	DOB	MOBILENO	CITY
18972	SHINY	F	2002-03-07	987457380	CHENNAI
19980	JERISH	M	2008-09-09	98756474	VADACERY

```
2 rows in set (0.00 sec)
```

Database changed  
mysql> desc passenger;

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	auto_increment
NAME	varchar(30)	YES		NULL	
AGE	int	YES		NULL	
GENDER	varchar(5)	YES		NULL	

4 rows in set (0.05 sec)

```
mysql> SELECT REG_NO,NAME,DOB FROM STUDENT1;
```

REG_NO	NAME	DOB
17872	JOE	2006-02-05
18972	RAHUL	2002-03-07
19244	JERI	2002-03-07
19980	JERISH	2008-09-09
192524	RAM	2005-08-07

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT WHERE GENDER='F';  
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT1 WHERE GENDER='F';  
+-----+-----+-----+-----+-----+-----+  
| REG_NO | NAME  | GENDER | DOB          | MOBILENO | CITY      |  
+-----+-----+-----+-----+-----+-----+  
| 17872  | JOE   | F      | 2006-02-05   | 98923480 | REDHILLS |  
| 18972  | RAHUL | F      | 2002-03-07   | 987457380 | CHENNAI  |  
| 19244  | JERI  | F      | 2002-03-07   | 934454380 | CHENNAI  |  
+-----+-----+-----+-----+-----+-----+  
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM FACULTY WHERE DOJ<'2014-11-01';
```

FACNO	FACNAME	GENDER	DOB	DOJ	MOBILENO	DEPT	resigned	AGE
1191	RAJU	M	2004-05-02	2010-04-10	987656789	MTR	y	68

```
1 row in set (0.02 sec)
```