



scanning my vm windows

Report generated by Tenable Nessus™

Thu, 18 Jun 2026 08:45:34 IST

TABLE OF CONTENTS

Vulnerabilities by Host

• 192.168.56.103.....	4
-----------------------	---

Vulnerabilities by Host

192.168.56.103



Vulnerabilities

Total: 46

SEVERITY	CVSS V3.0	VPR SCORE	EPSS SCORE	PLUGIN	NAME
HIGH	7.5	5.1	0.4099	42873	SSL Medium Strength Cipher Suites Supported (SWEET32)
MEDIUM	6.5	-	-	51192	SSL Certificate Cannot Be Trusted
MEDIUM	6.5	-	-	57582	SSL Self-Signed Certificate
MEDIUM	6.5	-	-	104743	TLS Version 1.0 Protocol Detection
MEDIUM	6.5	-	-	157288	TLS Version 1.1 Deprecated Protocol
MEDIUM	5.3	-	-	57608	SMB Signing not required
INFO	N/A	-	-	45590	Common Platform Enumeration (CPE)
INFO	N/A	-	-	10736	DCE Services Enumeration
INFO	N/A	-	-	54615	Device Type
INFO	N/A	-	-	35716	Ethernet Card Manufacturer Detection
INFO	N/A	-	-	86420	Ethernet MAC Addresses
INFO	N/A	-	-	43111	HTTP Methods Allowed (per directory)
INFO	N/A	-	-	10107	HTTP Server Type and Version
INFO	N/A	-	-	24260	HyperText Transfer Protocol (HTTP) Information
INFO	N/A	-	-	53513	Link-Local Multicast Name Resolution (LLMNR) Detection
INFO	N/A	-	-	10785	Microsoft Windows SMB NativeLanManager Remote System Information Disclosure
INFO	N/A	-	-	11011	Microsoft Windows SMB Service Detection
INFO	N/A	-	-	100871	Microsoft Windows SMB Versions Supported (remote check)

INFO	N/A	-	-	106716	Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check)
INFO	N/A	-	-	11219	Nessus SYN scanner
INFO	N/A	-	-	19506	Nessus Scan Information
INFO	N/A	-	-	43815	NetBIOS Multiple IP Address Enumeration
INFO	N/A	-	-	209654	OS Fingerprints Detected
INFO	N/A	-	-	11936	OS Identification
INFO	N/A	-	-	117886	OS Security Patch Assessment Not Available
INFO	N/A	-	-	10940	Remote Desktop Protocol Service Detection
INFO	N/A	-	-	277650	Remote Services Not Using Post-Quantum Ciphers
INFO	N/A	-	-	70657	SSH Algorithms and Languages Supported
INFO	N/A	-	-	149334	SSH Password Authentication Accepted
INFO	N/A	-	-	10881	SSH Protocol Versions Supported
INFO	N/A	-	-	10267	SSH Server Type and Version Information
INFO	N/A	-	-	56984	SSL / TLS Versions Supported
INFO	N/A	-	-	10863	SSL Certificate Information
INFO	N/A	-	-	70544	SSL Cipher Block Chaining Cipher Suites Supported
INFO	N/A	-	-	21643	SSL Cipher Suites Supported
INFO	N/A	-	-	57041	SSL Perfect Forward Secrecy Cipher Suites Supported
INFO	N/A	-	-	156899	SSL/TLS Recommended Cipher Suites
INFO	N/A	-	-	22964	Service Detection
INFO	N/A	-	-	298387	Shor's Harvest Now Decrypt Later
INFO	N/A	-	-	277654	TLS Supported Groups
INFO	N/A	-	-	121010	TLS Version 1.1 Protocol Detection
INFO	N/A	-	-	136318	TLS Version 1.2 Protocol Detection

INFO	N/A	-	-	110723	Target Credential Status by Authentication Protocol - No Credentials Provided
INFO	N/A	-	-	64814	Terminal Services Use SSL/TLS
INFO	N/A	-	-	10287	Traceroute Information
INFO	N/A	-	-	10150	Windows NetBIOS / SMB Remote Host Information Disclosure



FileMachineViewInputDevicesHelp

1234

1

2

localhost:8834/#/scans/reports/9/hosts

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

tenableNessus Essentials PlusScansSettings

There's an error with your feed. Click here to view your license information.

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

scanning my vm windows

Back to My Scans

Hosts1Vulnerabilities4Notes1History1

FilterSearch Hosts1 Host

Host	Auth	Vulnerabilities	%
192.168.56.103	N/A	21	3%

Scan Details

Policy:Basic Network ScanStatus:RunningSeverity Base:CVSS v3.0Scanner:Local ScannerStart:Today at 8:33 AM

Vulnerabilities

Critical

High

Medium

Low

Info

8:35

EN

Right Ctrl

FileMachineViewInputDevicesHelp

1234

localhost:8834/#/scans/reports/9/vulnerabilities

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

8:35EN

sivakumar

FOLDERS

My Scans

All Scans

Trash

RESOURCES

Policies

Plugin Rules

scanning my vm windows

Back to My Scans

Configure

Hosts1Vulnerabilities8Notes1History1

FilterSearch Vulnerabilities8 Vulnerabilities

Sev	CVSS	VPR	EPSS	Name	Family	Count
MEDIUM	5.3			SMB Signing not required	Misc.	1
INFO	...	...	...	SMB (Multiple Issues)	Windows	5
INFO				DCE Services Enumeration	Windows	9
INFO				Nessus SYN scanner	Port scanners	6
INFO				Service Detection	Service detection	2
INFO				NetBIOS Multiple IP Address Enumeration	Windows	1
INFO				Remote Desktop Protocol Service Detection	Service detection	1
INFO				Terminal Services Use SSL/TLS	Misc.	1

Scan Details

Policy:Basic Network Scan

Status:Running

Severity Base:CVSS v3.0

Scanner:Local Scanner

Start:Today at 8:33 AM

Vulnerabilities

Critical

High

Medium

Low

Info

Plugin ID: 64814

Right Ctrl

FileMachineViewInputDevicesHelp

1234

EN

8:36

Restore SessionNessus Essentials / Folder

localhost:8834/#/scans/reports/9/vulnerabilities/57608

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. Click here to view your license information.

tenableNessus Essentials PlusScansSettings

2sivakumar

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

scanning my vm windows / Plugin #57608

Back to Vulnerabilities

Hosts1Vulnerabilities8Notes1History1

MEDIUMSMB Signing not required

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

See Also

<http://www.nessus.org/u?df39b8b3>
<http://technet.microsoft.com/en-us/library/cc731957.aspx>
<http://www.nessus.org/u?74b80723>
<https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html>
<http://www.nessus.org/u?a3cac4ea>

Output

No output recorded.

To see debug logs, please visit individual host

Port	Hosts
445 / tcp / cifs	192.168.56.103

Plugin Details

Severity:Medium

ID:57608

Version:1.20

Type:remote

Family:Misc.

Published:January 19, 2012

Modified:October 5, 2022

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 5.3

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

CVSS v3.0 Temporal Vector: CVSS:3.0/E:U/RL:O/RC:C

CVSS v3.0 Temporal Score: 4.6

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Temporal Score: 3.7

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N

CVSS v2.0 Temporal Vector: CVSS2#E:U/RL:OF/RC:C

Configure

Num lock on

Right Ctrl

❗ There's an error with your feed. [Click here to view your license information.](#)

Configure

[← Back to Vulnerability Group](#)

History 1

SSL Medium Strength Cipher Suites Supported (SWEET32)

The remote host supports the use of SSL ciphers that offer medium strength encryption. Nessus regards medium strength as any encryption that uses key lengths at least 64 bits and less than 112 bits, or else that uses the 3DES encryption suite.

Note that it is considerably easier to circumvent medium strength encryption if the attacker is on the same physical network.

Reconfigure the affected application if possible to avoid use of medium strength ciphers.

<http://www.nessus.org/u?df5555f5>

<https://sweet32.info>

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}
```

Severity:	High
ID:	42873
Version:	1.22
Type:	remote
Family:	General
Published:	November 23, 2009
Modified:	February 12, 2025

Risk Factor: Medium

CVSS v3.0 Base Score: 7.5

CVSS v3.0 Base Score: 7.5

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N

Vulnerability Information


Vulnerability Pub Date: August 24, 2016

In the news: true

Scan Details

Policy:	Basic Network Scan
Status:	Completed
Severity Base:	CVSS v3.0 
Scanner:	Local Scanner
Start:	Today at 8:33 AM
End:	Today at 8:45 AM
Elapsed:	12 minutes

Vulnerabilities



Right Ctrl

ENG
IN



77%

08:49

18-06-2026

FileMachineViewInputDevicesHelp

1234

Restore SessionNessus Essentials / Scans

localhost:8834/#/scans/reports/new/731a8e52-3ea6-a291-ec0a-d2ff0619c19d7bd788d6be818b65/settings/basic/general

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

8:31EN

sivakumar

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

New Scan / Basic Network Scan

Back to Scan Templates

Settings

Credentials

Plugins

BASIC

GeneralScheduleNotifications

DISCOVERY

ASSESSMENT

REPORT

ADVANCED

Name

Description

Folder

Targets

Upload Targets

REQUIRED

My Scans

Example: 192.168.1.1-192.168.1.5, 192.168.2.0/24, test.com

REQUIRED

Add File

Save

Cancel

Num lock on

FileMachineViewInputDevicesHelp

1234

Restore SessionNessus Essentials / Scans

localhost:8834/#/scans/reports/new/731a8e52-3ea6-a291-ec0a-d2ff0619c19d7bd788d6be818b65/settings/basic/general

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

8:31EN

sivakumar

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

New Scan / Basic Network Scan

Back to Scan Templates

Settings

Credentials

Plugins

BASIC

GeneralScheduleNotifications

DISCOVERYASSESSMENTREPORTADVANCED

Name

Description

Folder

Targets

Upload Targets

REQUIRED

My Scans

Example: 192.168.1.1-192.168.1.5, 192.168.2.0/24, test.com

REQUIRED

Add File

Save

Cancel

Num lock on

Plugin Rules

Configure

History

1 Host

Scan Details

Status: Running

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 8:33 AM

Vulnerabilities



FileMachineViewInputDevicesHelp

1234

localhost:8834/#/scans/reports/9/vulnerabilities

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

8:35EN

sivakumar

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

scanning my vm windows

Back to My Scans

Configure

Hosts 1Vulnerabilities 8Notes 1History 1

FilterSearch Vulnerabilities8 Vulnerabilities

Sev	CVSS	VPR	EPSS	Name	Family	Count
MEDIUM	5.3			SMB Signing not required	Misc.	1
INFO	...	...	...	SMB (Multiple Issues)	Windows	5
INFO				DCE Services Enumeration	Windows	9
INFO				Nessus SYN scanner	Port scanners	6
INFO				Service Detection	Service detection	2
INFO				NetBIOS Multiple IP Address Enumeration	Windows	1
INFO				Remote Desktop Protocol Service Detection	Service detection	1
INFO				Terminal Services Use SSL/TLS	Misc.	1

Plugin ID: 64814

Scan Details

Policy: Basic Network ScanStatus: RunningSeverity Base: CVSS v3.0Scanner: Local ScannerStart: Today at 8:33 AM

Vulnerabilities

CriticalHighMediumLowInfo

Right Ctrl

FileMachineViewInputDevicesHelp

1234

Restore Session

Nessus Essentials / Folder

localhost:8834/#/scans/reports/9/vulnerabilities/57608

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

tenableNessus Essentials PlusScansSettings

There's an error with your feed. Click here to view your license information.

28:36EN

FOLDERS

My Scans

All Scans

Trash

RESOURCES

Policies

Plugin Rules

scanning my vm windows / Plugin #57608

Back to Vulnerabilities

Configure

Hosts1Vulnerabilities8Notes1History1

MEDIUM

SMB Signing not required

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

See Also

http://www.nessus.org/u?df39b8b3

http://technet.microsoft.com/en-us/library/cc731957.aspx

http://www.nessus.org/u?74b80723

https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html

http://www.nessus.org/u?a3cac4ea

Output

No output recorded.

To see debug logs, please visit individual host

Port

Hosts

445 / tcp / cifs192.168.56.103

Plugin Details

Severity:Medium

ID:57608

Version:1.20

Type:remote

Family:Misc.

Published:January 19, 2012

Modified:October 5, 2022

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 5.3

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

CVSS v3.0 Temporal Vector: CVSS:3.0/E:U/RL:O/RC:C

CVSS v3.0 Temporal Score: 4.6

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Temporal Score: 3.7

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N

CVSS v2.0 Temporal Vector: CVSS2#E:U/RL:OF/RC:C

Num lock on

Right Ctrl

FileMachineViewInputDevicesHelp

1234

localhost:8834/#/scans/reports/9/vulnerabilities/group/42873/42873

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

Restore SessionNessus Essentials / Folder

There's an error with your feed. Click here to view your license information.

tenableNessus Essentials PlusScansSettings

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

scanning my vm windows / Plugin #42873

Back to Vulnerability Group

Hosts 1Vulnerabilities 24Notes 2History 1

HIGH

SSL Medium Strength Cipher Suites Supported (SWEET32)

Description

The remote host supports the use of SSL ciphers that offer medium strength encryption. Nessus regards medium strength as any encryption that uses key lengths at least 64 bits and less than 112 bits, or else that uses the 3DES encryption suite.

Note that it is considerably easier to circumvent medium strength encryption if the attacker is on the same physical network.

Solution

Reconfigure the affected application if possible to avoid use of medium strength ciphers.

See Also

<http://www.nessus.org/u?df5555f5>
<https://sweet32.info>

Output

Medium Strength Ciphers (> 64-bit and < 112-bit key, or 3DES)

Name	Code	KEX	Auth	Encryption	MAC
DES-CBC3-SHA	0x00, 0x0A	RSA	RSA	3DES-CBC(168)	SHA1

The fields above are :

{Tenable ciphername}
{Cipher ID code}

Plugin Details

Severity:High

ID:42873

Version:1.22

Type:remote

Family:General

Published:November 23, 2009

Modified:February 12, 2025

Risk Information

Risk Factor:Medium

CVSS v3.0 Base Score: 7.5

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N

Vulnerability Information

Vulnerability Pub Date: August 24, 2016


In the news: true

Right Ctrl

Scan Details

Policy:	Basic Network Scan
Status:	Completed
Severity Base:	CVSS v3.0 
Scanner:	Local Scanner
Start:	Today at 8:33 AM
End:	Today at 8:45 AM
Elapsed:	12 minutes

Vulnerabilities



Right Ctrl

ENG
IN



77%

08:49

18-06-2026

kumar@kali: ~/Downloads

Session Actions Edit View Help

```
$ systemctl start nsssd
```

```
(kumar@kali) - [~/Desktop]
```

```
(kumar@kali) - [~/Downloads]
```

```
$ systemctl status nsssd
```

```
● kali
```

```
State: running
```

```
Units: 330 loaded (incl. loaded aliases)
```

```
Jobs: 0 queued
```

```
Failed: 0 units
```

```
Since: Thu 2026-06-18 08:25:27 IST; 2min 9s ago
```

```
systemd: 259~rc1-1
```

```
Tainted: unmerged-bin
```

```
CGroup: /
```

```
└─init.scope
```

```
    └─1 /sbin/init splash
```

```
└─system.slice
```

```
    └─ModemManager.service
```

```
        └─754 /usr/sbin/ModemManager
```

```
    └─NetworkManager.service
```

```
        └─684 /usr/sbin/NetworkManager --no-daemon
```

```
    └─accounts-daemon.service
```

```
        └─562 /usr/libexec/accounts-daemon
```

```
    └─colord.service
```

```
        └─1572 /usr/libexec/colord
```

```
    └─cron.service
```

```
        └─707 /usr/sbin/cron -f
```

```
    └─dbus.service
```

```
        └─563 /usr/bin/dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
```

```
    └─fwupd.service
```

```
        └─896 /usr/libexec/fwupd/fwupd
```

```
    └─haveged.service
```

```
        └─552 /usr/sbin/haveged --Foreground --verbose=1
```

```
    └─lightdm.service
```

```
        └─836 /usr/sbin/lightdm
```



Num lock on





kumar@kali: ~/Downloads

Session Actions Edit View Help

\$ systemctl start nessusd

(kumar@kali) - [~/Desktop]

(kumar@kali) - [~/Downloads]

\$ systemctl status network

● kali

State: **running**

Units: 330 loaded (incl. loaded aliases)

Jobs: 0 queued

Failed: 0 units

Since: Thu 2026-06-18 08:25:27 IST; 2min 9s ago

systemd: 259~rc1-1

Tainted: **unmerged-bin**

```
CGroup: /
├─init.scope
│   └─1 /sbin/init splash
├─system.slice
│   ├─ModemManager.service
│   │   └─754 /usr/sbin/ModemManager
│   ├─NetworkManager.service
│   │   └─684 /usr/sbin/NetworkManager --no-daemon
│   ├─accounts-daemon.service
│   │   └─562 /usr/libexec/accounts-daemon
│   ├─colord.service
│   │   └─1572 /usr/libexec/colord
│   ├─cron.service
│   │   └─707 /usr/sbin/cron -f
│   ├─dbus.service
│   │   └─563 /usr/bin/dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
│   ├─fwupd.service
│   │   └─896 /usr/libexec/fwupd/fwupd
│   ├─haveged.service
│   │   └─552 /usr/sbin/haveged --Foreground --verbose=1
│   └─lightdm.service
│       └─836 /usr/sbin/lightdm
```



Num lock on

FileMachineViewInputDevicesHelp

1234

localhost:8834/#/scans/reports/new/731a8e52-3ea6-a291-ec0a-d2ff0619c19d7bd788d6be818b65/settings/basic/general

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

Restore SessionNessus Essentials / Scans

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

HelpNotification Profile siva

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

New Scan / Basic Network Scan

Back to Scan Templates

Settings

Credentials

Plugins

BASIC

GeneralScheduleNotifications

DISCOVERYASSESSMENTREPORTADVANCED

Name

Description

Folder

Targets

Upload Targets

REQUIRED

My Scans

Example: 192.168.1.1-192.168.1.5, 192.168.2.0/24, test.com

REQUIRED

Add File

Save

Cancel

Num lock on

FileMachineViewInputDevicesHelp

1234

1

2

localhost:8834/#/scans/reports/9/hosts

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

tenableNessus Essentials PlusScansSettings

There's an error with your feed. Click here to view your license information.

FOLDERS

My Scans

All Scans

Trash

RESOURCES

Policies

Plugin Rules

scanning my vm windows

Back to My Scans

Configure

Hosts1Vulnerabilities4Notes1History1

FilterSearch Hosts1 Host

Host	Auth	Vulnerabilities	%
192.168.56.103	N/A	21	3%

Scan Details

Policy:Basic Network Scan

Status:Running

Severity Base:CVSS v3.0

Scanner:Local Scanner

Start:Today at 8:33 AM

Vulnerabilities

Critical

High

Medium

Low

Info

Right Ctrl

FileMachineViewInputDevicesHelp

1234

localhost:8834/#/scans/reports/9/vulnerabilities

Import bookmarks...OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenableNessus Essentials PlusScansSettings

8:35EN

sivakumar

FOLDERS

My ScansAll ScansTrash

RESOURCES

PoliciesPlugin Rules

scanning my vm windows

Back to My Scans

Configure

Hosts 1Vulnerabilities 8Notes 1History 1

FilterSearch Vulnerabilities8 Vulnerabilities

Sev	CVSS	VPR	EPSS	Name	Family	Count
MEDIUM	5.3			SMB Signing not required	Misc.	1
INFO	...	...	...	SMB (Multiple Issues)	Windows	5
INFO				DCE Services Enumeration	Windows	9
INFO				Nessus SYN scanner	Port scanners	6
INFO				Service Detection	Service detection	2
INFO				NetBIOS Multiple IP Address Enumeration	Windows	1
INFO				Remote Desktop Protocol Service Detection	Service detection	1
INFO				Terminal Services Use SSL/TLS	Misc.	1

Plugin ID: 64814

Scan Details

Policy: Basic Network Scan

Status: Running

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 8:33 AM

Vulnerabilities

Critical

High

Medium

Low

Info

FileMachineViewInputDevicesHelp

1234

Restore Session

Nessus Essentials / Folder

localhost:8834/#/scans/reports/9/vulnerabilities/57608

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

There's an error with your feed. [Click here to view your license information.](#)

tenable

Nessus Essentials Plus

ScansSettings

2

silvakumar

FOLDERS

My Scans

All Scans

Trash

RESOURCES

Policies

Plugin Rules

scanning my vm windows / Plugin #57608

Back to Vulnerabilities

Configure

Hosts1Vulnerabilities8Notes1History1

MEDIUMSMB Signing not required

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

See Also

<http://www.nessus.org/u?df39b8b3>

<http://technet.microsoft.com/en-us/library/cc731957.aspx>

<http://www.nessus.org/u?74b80723>

<https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html>

<http://www.nessus.org/u?a3cac4ea>

Output

No output recorded.

To see debug logs, please visit individual host

Port

Hosts

445 / tcp / cifs192.168.56.103

Plugin Details

Severity:Medium

ID:57608

Version:1.20

Type:remote

Family:Misc.

Published:January 19, 2012

Modified:October 5, 2022

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 5.3

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

CVSS v3.0 Temporal Vector: CVSS:3.0/E:U/RL:O/RC:C

CVSS v3.0 Temporal Score: 4.6

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Temporal Score: 3.7

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N

CVSS v2.0 Temporal Vector: CVSS2#E:U/RL:OF/RC:C

Num lock on

Right Ctrl

❗ There's an error with your feed. [Click here to view your license information.](#)

Configure

[← Back to Vulnerability Group](#)

Hosts

Vulnerabilities 24

Notes 2

History 1

HIGH

SSL Medium Strength Cipher Suites Supported (SWEET32)

Description

The remote host supports the use of SSL ciphers that offer medium strength encryption. Nessus regards medium strength as any encryption that uses key lengths at least 64 bits and less than 112 bits, or else that uses the 3DES encryption suite.

Note that it is considerably easier to circumvent medium strength encryption if the attacker is on the same physical network.

Solution

Reconfigure the affected application if possible to avoid use of medium strength ciphers.

See Also

<http://www.nessus.org/u?df5555f5>

<https://sweet32.info>

Output

Medium Strength Ciphers (> 64-bit and < 112-bit key, or 3DES)

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}
```

Plugin Details

Severity:	High
ID:	42873
Version:	1.22
Type:	remote
Family:	General
Published:	November 23, 2009
Modified:	February 12, 2025

Risk Information

Risk Factor: Medium
CVSS v3.0 Base Score: 7.5
CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N
CVSS v2.0 Base Score: 5.0
CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:P/I:N/A:N


Vulnerability Information

Vulnerability Pub Date: August 24, 2016
In the news: true

Scan Details

Policy:	Basic Network Scan
Status:	Completed
Severity Base:	CVSS v3.0 
Scanner:	Local Scanner
Start:	Today at 8:33 AM
End:	Today at 8:45 AM
Elapsed:	12 minutes

Vulnerabilities



ENG
IN



77%

08:49

18-06-2026

kumar@kali: ~/Downloads

Session Actions Edit View Help

```
$ systemctl start nessusd
```

```
(kumar@kali) - [~/Desktop]
```

```
(kumar@kali) - [~/Downloads]
```

```
$ systemctl status network
```

```
● kali
```

```
State: running
```

```
Units: 330 loaded (incl. loaded aliases)
```

```
Jobs: 0 queued
```

```
Failed: 0 units
```

```
Since: Thu 2026-06-18 08:25:27 IST; 2min 9s ago
```

```
systemd: 259~rc1-1
```

```
Tainted: unmerged-bin
```

```
CGroup: /
├─init.scope
│ └─1 /sbin/init splash
├─system.slice
│ ├─ModemManager.service
│ │ └─754 /usr/sbin/ModemManager
│ ├─NetworkManager.service
│ │ └─684 /usr/sbin/NetworkManager --no-daemon
│ ├─accounts-daemon.service
│ │ └─562 /usr/libexec/accounts-daemon
│ ├─colord.service
│ │ └─1572 /usr/libexec/colord
│ ├─cron.service
│ │ └─707 /usr/sbin/cron -f
│ ├─dbus.service
│ │ └─563 /usr/bin/dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
│ ├─fwupd.service
│ │ └─896 /usr/libexec/fwupd/fwupd
│ ├─haveged.service
│ │ └─552 /usr/sbin/haveged --Foreground --verbose=1
│ └─lightdm.service
│   └─836 /usr/sbin/lightdm
```



Num lock on