


AWA Platform ER Diagram

Generated from SQLAlchemy model metadata. Cardinalities shown as one-to-many where foreign keys exist.



Standalone content tables: auction_categories, footer_links, footer_settings, how_it_works_steps, value_added_services.

Relationship Summary

- USERS 1 -> many REFRESH_TOKENS / PASSWORD_RESET_TOKENS / EMAIL_VERIFICATION_TOKENS
- USERS 1 -> many BIDS (bidder_id)
- USERS 1 -> many VEHICLE_LISTINGS (seller_id, sub_seller_id, created_by_id)
- VEHICLE_LISTINGS 1 -> many AUCTIONS
- AUCTIONS 1 -> many BIDS
- VEHICLE_MAKES 1 -> many VEHICLE_MODELS
- VEHICLE_MAKES / VEHICLE_MODELS / lookup tables 1 -> many VEHICLE_LISTINGS
- AUCTIONS 1 -> many FEATURED_AUCTIONS (nullable SET NULL)
- VEHICLE_LISTINGS 1 -> many FEATURED_AUCTIONS (nullable SET NULL)
- MENU_ITEMS self-references parent_id -> id
- ADMIN_NAV_ITEMS self-references parent_id -> id
- VEHICLE_PAYMENT_RECORDS is denormalized and has no foreign keys

Included tables

- AUCTIONS: PK id, FK vehicle_id, status, starting_price, reserve_price, starts_at, ends_at
- AUTH_TOKENS: refresh_tokens, password_reset_tokens, email_verification_tokens, all FK user_id
- BIDS: PK id, FK auction_id, FK bidder_id, amount, status, kafka_partition, kafka_offset
- CONTENT_ADMIN: menu_items self FK, admin_nav_items self FK, admin_dashboard_cards, vehicle_status_metrics
- FEATURED_AUCTIONS: PK id, FK auction_id, FK vehicle_listing_id, category_key, visibility
- LOOKUPS: vehicle_branches, vehicle_colors, vehicle_key_options, fuel_types, bidding_models
- USERS: PK id, email, role, is_active, is_email_verified
- VEHICLE_LISTINGS: PK id, FK seller_id, FK make_id/model_id, FK branch/color/keys/fuel, FK bidding_model_id, chassis_number, lot_number, status
- VEHICLE_MAKES: PK id, name_en, name_ar
- VEHICLE_MODELS: PK id, FK make_id, name_en, name_ar
- VEHICLE_PAYMENT_RECORDS: PK id, lot_no, chassis_number, buyer_email, seller_email, payment_status, max_bid