Name	Command
Run nginx deployment and expose it	kubectl run my-nginximage=nginxport=80expose
Set namespace preference	kubectl config set-context <context_name>namespace=<ns_name></ns_name></context_name>
List pods with nodes info	kubectl get pod -o wide
List everything	kubectl get allall-namespaces
Get all services	kubectl get serviceall-namespaces
Get all deployments	kubectl get deploymentsall-namespaces
Show nodes with labels	kubectl get nodesshow-labels
Get resources with json output	kubectl get podsall-namespaces -o json
Validate yaml file with dry run	kubectl createdry-runvalidate -f pod-dummy.yaml
Start a temporary pod for testing	kubectl runrm -i -timage=alpine test-\$RANDOM sh
kubectl run shell command	kubectl exec -it mytest ls -l /etc/hosts
Get system conf via configmap	kubectl -n kube-system get cm kubeadm-config -o yaml
Get deployment yaml	kubectl -n denny-websites get deployment mysql -o yaml
Explain resource	kubectl explain pods, kubectl explain svc
Watch pods	kubectl get pods -n wordpresswatch
Query healthcheck endpoint	curl -L http://127.0.0.1:10250/healthz
Open a bash terminal in a pod	kubectl exec -it storage sh
Check pod environment variables	kubectl exec redis-master-ft9ex env
Enable kubectl shell autocompletion	echo "source <(kubectl completion bash)" >>~/.bashrc,andreload
Use minikube dockerd in your laptop	eval \$(minikube docker-env), No need to push docker hub any more
Kubectl apply a folder of yaml files	kubectl apply -R -f .
Get services sorted by name	kubectl get services –sort-by=.metadata.name
Get pods sorted by restart count	kubectl get pods –sort-by='.status.containerStatuses[0].restartCount'
List pods and images	kubectl get pods -o='custom-columns=PODS:.metadata.name,Images:.spec.containers[*].image'
List all container images	list-all-images.sh (https://github.com/dennyzhang/cheatsheet-kubernetes-A4/blob/master/list-all-images.sh#L14-L17)
kubeconfig skip tls verification	skip-tls-verify.md (https://github.com/dennyzhang/cheatsheet-kubernetes-A4/blob/master/skip-tls-verify.md)
Ubuntu install kubectl (https://kubernetes.io/docs/tasks/tools/install-kubectl/)	"deb https://apt.kubernetes.io/ kubernetes-xenial main"
Reference	GitHub: kubernetes releases (https://github.com/kubernetes/kubernetes/tags)
Reference	minikube cheatsheet (https://cheatsheet.dennyzhang.com/cheatsheet-minikube-A4), docker cheatsheet (https://cheatsheet.dennyzhang.com/cheatsheet-docker-A4), OpenShift CheatSheet (https://cheatsheet.dennyzhang.com/cheatsheet-openshift-A4)

1.2 CHECK PERFORMANCE

Name	Command
Get node resource usage	kubectl top node
Get pod resource usage	kubectl top pod
Get resource usage for a given pod	kubectl top <podname>containers</podname>

Name Command		Command
L	ist resource utilization for all containers	kubectl top podall-namespacescontainers=true

1.3 RESOURCES DELETION

Name	Command
Delete pod	kubectl delete pod/ <pod-name> -n <my-namespace></my-namespace></pod-name>
Delete pod by force	kubectl delete pod/ <pod-name>grace-period=0force</pod-name>
Delete pods by labels	kubectl delete pod -l env=test
Delete deployments by labels	kubectl delete deployment -l app=wordpress
Delete all resources filtered by labels	kubectl delete pods,services -l name=myLabel
Delete resources under a namespace	kubectl -n my-ns delete po,svcall
Delete persist volumes by labels	kubectl delete pvc -l app=wordpress
Delete state fulset only (not pods)	kubectl delete sts/ <stateful_set_name>cascade=false</stateful_set_name>

(https://cheatsheet.dennyzhang.com)

cheatsheet.dennyzhang.com

1.4 LOG & CONF FILES

Name	Comment
Config folder	/etc/kubernetes/
Certificate files	/etc/kubernetes/pki/
Credentials to API server	/etc/kubernetes/kubelet.conf
Superuser credentials	/etc/kubernetes/admin.conf
kubectl config file	~/.kube/config
Kubernets working dir	/var/lib/kubelet/
Docker working dir	/var/lib/docker/, /var/log/containers/
Etcd working dir	/var/lib/etcd/
Network cni	/etc/cni/net.d/
Log files	/var/log/pods/
log in worker node	/var/log/kubelet.log,/var/log/kube-proxy.log
log in master node	kube-apiserver.log, kube-scheduler.log, kube-controller-manager.log
Env	/etc/systemd/system/kubelet.service.d/10-kubeadm.conf
Env	export KUBECONFIG=/etc/kubernetes/admin.conf

1.5 POD

Name	Command
List all pods	kubectl get pods
List pods for all namespace	kubectl get pods -all-namespaces
List all critical pods	kubectl get -n kube-system pods -a
List pods with more info	kubectl get pod -o wide, kubectl get pod/ <pod-name> -o yaml</pod-name>
Get pod info	kubectl describe pod/srv-mysql-server
List all pods with labels	kubectl get podsshow-labels
List all unhealthy pods (https://github.com/kubernetes/kubernetes/issues/49387)	kubectl get pods –field-selector=status.phase!=Running –all-namespaces

Name	Command
List running pods	kubectl get pods -field-selector=status.phase=Running
Get Pod initContainer status	<pre>kubectl get podtemplate '{{.status.initContainerStatuses}}' <pod- name></pod- </pre>
kubectl run command	kubectl exec -it -n "\$ns" "\$podname" - sh -c "echo \$msg >>/dev/err.log"
Watch pods	kubectl get pods -n wordpresswatch
Get pod by selector	kubectl get pods -selector="app=syslog" -o jsonpath='{.items[*].metadata.name}'
List pods and images	kubectl get pods -o='custom-columns=PODS:.metadata.name,Images:.spec.containers[*].image'
List pods and containers	-o='custom-columns=PODS:.metadata.name,CONTAINERS:.spec.containers[*].name'
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.6 LABEL & ANNONTATION

Name	Command
Filter pods by label	kubectl get pods -l owner=denny
Manually add label to a pod	kubectl label pods dummy-input owner=denny
Remove label	kubectl label pods dummy-input owner-
Manually add annonation to a pod	kubectl annotate pods dummy-input my-url=https://dennyzhang.com

1.7 DEPLOYMENT & SCALE

Name	Command
Scale out	kubectl scalereplicas=3 deployment/nginx-app
online rolling upgrade	kubectl rollout app-v1 app-v2image=img:v2
Roll backup	kubectl rollout app-v1 app-v2rollback
List rollout	kubectl get rs
Check update status	kubectl rollout status deployment/nginx-app
Check update history	kubectl rollout history deployment/nginx-app
Pause/Resume	kubectl rollout pause deployment/nginx-deployment, resume
Rollback to previous version	kubectl rollout undo deployment/nginx-deployment
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates), Link: Pausing and Resuming a Deployment (https://kubernetes.io/docs/concepts/workloads/controllers/deployment/#pausing-and-resuming-a-deployment)

(https://cheatsheet.dennyzhang.com)

cheatsheet.dennyzhang.com

1.8 QUOTA & LIMITS & RESOURCE

Name	Command
List Resource Quota	kubectl get resourcequota
List Limit Range	kubectl get limitrange
Customize resource definition	kubectl set resources deployment nginx -c=nginxlimits=cpu=200m
Customize resource definition	kubectl set resources deployment nginx -c=nginxlimits=memory=512Mi
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.9 SERVICE

Name	Command
List all services	kubectl get services
List service endpoints	kubectl get endpoints
Get service detail	kubectl get service nginx-service -o yaml
Get service cluster ip	kubectl get service nginx-service -o go-template='{{.spec.clusterIP}}'
Get service cluster port	kubectl get service nginx-service -o go-template='{{(index .spec.ports 0).port}}'
Expose deployment as Ib service	kubectl expose deployment/my-apptype=LoadBalancername=my-service
Expose service as lb service	kubectl expose service/wordpress-1-svctype=LoadBalancername=ns1
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.10 SECRETS

Name	Command
List secrets	kubectl get secretsall-namespaces
Generate secret	echo -n 'mypasswd', then redirect to base64decode
Get secret	kubectl get secret denny-cluster-kubeconfig
Get a specific field of a secret	kubectl get secret denny-cluster-kubeconfig -o jsonpath="{.data.value}"
Create secret from cfg file	kubectl create secret generic db-user-pass –from-file=./username.txt
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates), Link: Secrets (https://kubernetes.io/docs/concepts/configuration/secret/)

1.11 STATEFULSET

Name	Command
List statefulset	kubectl get sts
Delete statefulset only (not pods)	kubectl delete sts/ <stateful_set_name>cascade=false</stateful_set_name>
Scale statefulset	<pre>kubectl scale sts/<stateful_set_name>replicas=5</stateful_set_name></pre>
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.12 VOLUMES & VOLUME CLAIMS

Name	Command
List storage class	kubectl get storageclass
Check the mounted volumes	kubectl exec storage ls /data
Check persist volume	kubectl describe pv/pv0001
Copy local file to pod	kubectl cp /tmp/my <some-namespace>/<some-pod>:/tmp/server</some-pod></some-namespace>
Copy pod file to local	kubectl cp <some-namespace>/<some-pod>:/tmp/server /tmp/my</some-pod></some-namespace>
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.13 EVENTS & METRICS

Name	Command
View all events	kubectl get eventsall-namespaces
List Events sorted by timestamp	kubectl get events –sort-by=.metadata.creationTimestamp

1.14 NODE MAINTENANCE

Name	Command	

Name	Command
Mark node as unschedulable	kubectl cordon \$NDOE_NAME
Mark node as schedulable	kubectl uncordon \$NDOE_NAME
Drain node in preparation for maintenance	kubectl drain \$NODE_NAME

1.15 NAMESPACE & SECURITY

Name	Command
List authenticated contexts	kubectl config get-contexts, ~/.kube/config
Set namespace preference	kubectl config set-context <context_name>namespace=<ns_name></ns_name></context_name>
Load context from config file	kubectl get cskubeconfig kube_config.yml
Switch context	kubectl config use-context <cluster-name></cluster-name>
Delete the specified context	kubectl config delete-context <cluster-name></cluster-name>
List all namespaces defined	kubectl get namespaces
List certificates	kubectl get csr
Reference	Link: kubernetes yaml templates (https://cheatsheet.dennyzhang.com/kubernetes-yaml-templates)

1.16 NETWORK

Name	Command
Temporarily add a port-forwarding	kubectl port-forward redis-134 6379:6379
Add port-forwaring for deployment	kubectl port-forward deployment/redis-master 6379:6379
Add port-forwaring for replicaset	kubectl port-forward rs/redis-master 6379:6379
Add port-forwaring for service	kubectl port-forward svc/redis-master 6379:6379
Get network policy	kubectl get NetworkPolicy

1.17 PATCH

Name	Summary
Patch service to loadbalancer	<pre>kubectl patch svc \$svc_name -p '{"spec": {"type": "LoadBalancer"}}'</pre>

1.18 EXTENSTIONS

Name	Summary
List api group	kubectl api-versions
List all CRD	kubectl get crd
List storageclass	kubectl get storageclass
List all supported resources	kubectl api-resources

(https://cheatsheet.dennyzhang.com)

cheatsheet.dennyzhang.com

1.19 COMPONENTS & SERVICES

1.19.1 SERVICES ON MASTER NODES

Name	Summary
kube-apiserver (https://github.com/kubernetes/kubernetes/tree/master/cmd/kube-apiserver)	exposes the Kubernetes API from master nodes
etcd (https://coreos.com/etcd/)	reliable data store for all k8s cluster data
kube-scheduler (https://github.com/kubernetes/kubernetes/tree/master/cmd/kube-scheduler)	schedule pods to run on selected nodes

Name	Summary
kube-controller-manager (https://github.com/kubernetes/kubernetes/tree/master/cmd/kube-controller-manager)	node controller, replication controller, endpoints controller, and service account & token controllers

1.19.2 SERVICES ON WORKER NODES

Name	Summary
kubelet (https://github.com/kubernetes/kubernetes/tree/master/cmd/kubelet)	makes sure that containers are running in a pod
kube-proxy (https://github.com/kubernetes/kubernetes/tree/master/cmd/kube-proxy)	perform connection forwarding
Container Runtime (https://github.com/docker/engine)	Kubernetes supported runtimes: Docker, rkt, runc and any OCI runtime-spec (https://github.com/opencontainers/runtime-spec) implementation.

1.19.3 ADDONS: PODS AND SERVICES THAT IMPLEMENT CLUSTER FEATURES

Name	Summary
DNS	serves DNS records for Kubernetes services
Web UI	a general purpose, web-based UI for Kubernetes clusters
Container Resource Monitoring	collect, store and serve container metrics
Cluster-level Logging	save container logs to a central log store with search/browsing interface

1.19.4 TOOLS

Name	Summary
kubectl (https://github.com/kubernetes/kubernetes/tree/master/cmd/kubectl)	the command line util to talk to k8s cluster
kubeadm (https://github.com/kubernetes/kubernetes/tree/master/cmd/kubeadm)	the command to bootstrap the cluster
kubefed (https://kubernetes.io/docs/reference/setup-tools/kubefed/kubefed/)	the command line to control a Kubernetes Cluster Federation
Kubernetes Components	Link: Kubernetes Components (https://kubernetes.io/docs/concepts/overview/components/)

1.20 MORE RESOURCES

License: Code is licensed under MIT License (https://www.dennyzhang.com/wp-content/mit_license.txt).

 $https://kubernetes.io/docs/reference/kubectl/cheatsheet/\ (https://kubernetes.io/docs/reference/kubectl/cheatsheet/) and the properties of the properties$

https://codefresh.io/kubernetes-guides/kubernetes-cheat-sheet/ (https://codefresh.io/kubernetes-guides/kubernetes-cheat-sheet/) and the substitution of the substitu

(https://cheatsheet.dennyzhang.com) (https://cheatsheet.dennyzhang.com)

Linked in (https://www.linkedin.com/in/dennyzhang001)

GitHub (https://github.com/dennyzhang)
Slack (https://www.dennyzhang.com/slack)

cheatsheet.dennyzhang.com



Author: cheatsheetdenny (https://cheatsheet.dennyzhang.com/author/cheatsheetdenny)
Filed Under: Cloud (https://cheatsheet.dennyzhang.com/category/cloud)
Tags: kubernetes (https://cheatsheet.dennyzhang.com/tag/kubernetes)