

Q1. Using Python script as a calculator Create the variables n, r, p and assign them values 10, 5, and 100 respectively. Then evaluate the following expression in the Python console. $A = p(1 + r/100)^n$

```
n=10
```

```
r=5
```

```
p=100
```

```
A= p*(1+r/100)**n
```

```
print(A)
```

O/p: 162.8894626777442

Q2. In a given string format operation, how will you print the given string.

A = 10

B = 20

Str = "There are {} students in the class, with {} who play at least one sport."

a. `print(string.format(a,b))`

b. `print(string+a+b)`

c. `print(string.format(b,a))`

d. None of the above -> `print(Str.format(A,B))`

Q3. In a given sample string, How do you print a double quoted string in between a regular string using the escape character?

Sample output = It goes without saying, "Time is Money", and none can deny it.

a. `print("It goes without saying, \"Time is Money\", and none can deny it.")`

b. `print("It goes without saying, \Time is Money\, and none can deny it.")`

c. `print("It goes without saying" + "Time is Money" + "and none can deny it.")`

d. None of the above.

Q4. What will be the output of the following code?

```
x = lambda a,b: a//b
```

```
x(10,3)
```

a. 3.3333333333

b. 3

c. 30

d. 1000

Q5. What will be the output of the following code?

```
A = 10
```

```
B = 12
```

```
print("Smaller") if A == B else print("Greater") if A < B else print("True")
```

a. True

b. Smaller

c. Greater

d. None of the above

Q6. What will be the output of the following code?

```
import os
```

```
import numpy as np
```

```
my_list1=[2,7,3,5,4,6]
```

```
print(my_list1)
```

```
arr_1= numpy.array(my_list1, dtype = int) -> arr_1= np.array(my_list1, dtype  
= int)
```

```
print(arr_1)
```

a. [2 7 3 5 4 6]

b. TypeError

- c. NameError: name 'numpy' is not defined
- d. None of the above

Q7. Create a string called 'string' with the value as "Machine Learning". Which code(s) is/are appropriate to slice the substring "Learn"?

- a. string[slice(13,8,1)]
- b. string[slice(1,8,1)]
- c. string[8:14]
- d. string[slice(8,13,1)]

Q8. Create a sequence of numbers from 10 to 25 and increment by 4. What is the index of the value 18?

- a. 3
- b. 2
- c. 0
- d. 1

```
sequence = list(range(10, 26, 4))
print(sequence)          -> 10,14,18,24
index_of_18 = sequence.index(18)
print(index_of_18)      -> 2
```

9. Which of the following is true with respect to the below codes?

```
num1 = 5**4
```

```
num2 = pow(5,4)
```

```
print(num1,num2)
```

- a. num1 = num2
- b. num1 ≠ num2

c. num1 < num2

d. num1 > num2

Q10.A Python NameError exception is raised when: -

a. Trying to access a variable which has not been defined

b. Trying to access a key in a dictionary that does not exist

c. Accessing a column with misspelled column name

d. Accessing the function from a module that has not been imported

Q11.What type of exception will be raised for the code given below?

```
x="String"
```

```
int(x)
```

a. NameError

b. KeyError

c. ValueError

d. AttributeError

Q12.A FileNotFoundError exception is raised by operating system errors when:

a. Trying to create a file or directory which already exists

b. A file or directory is requested but does not exist in the working directory

c. Trying to run an operation without the adequate access rights

d. A directory operation, os.listdir() is requested on something which is not a directory

Q13.Consider a variable Z. The value of Z is "ID-5632". Data type of Z is: -

- a. Complex
- b. Character**
- c. Integer
- d. Boolean

Q14.Which of the following variable(s) are character data type?

- a. K= "4"
- b. J= "Welcome"
- c. L= "?"
- d. All of the above**

Q15.Choose the symbol/s that does not have the ability to convert any values to string?

- a. ()**
- b. " "
- c. {}**
- d. #**

Q16.Create a dictionary 'Country' that maps the following countries to their capitals respectively:

Country	India	China	Japan	Qatar	France
State	Delhi	Beijing	Tokyo	Doha	Marseilles

Find 2 commands to replace "Marseilles" with "Paris" is:

```
Country = {  
    "India": "Delhi",  
    "China": "Beijing",  
    "Japan": "Tokyo",  
    "Qatar": "Doha",  
    "France": "Marseilles"  
}
```

#1-Changing via directly by key

```
Country["France"] = "Paris"      # Replace "Marseilles" with "Paris"
```

#2-Using via update() method

```
Country.update({"France": "Paris"})      # Replace "Marseilles" with "Paris"
```

Q17. Create the tuples given below

```
tuple_1 = (1,5,6,7,8)
```

```
tuple_2 = (8,9,4)
```

Identify which of the following code does not work on a tuple.

a. `sum(tuple_1)`

b. `len(tuple_2)`

c. `tuple_2 + tuple_1`

d. `tuple_1[3] = 45`

Q18. How many elements in the following data structure?

S={1,2,3,4,4,4,5,6}

6

Q19. Write a function which finds all pythagorean triplets of triangles whose sides are no greater than a natural number N.

```
[3]: def find_pythagorean_triplets(N):  
    triplets = []  
    for a in range(1, N + 1):  
        for b in range(a, N + 1): # Start from 'a' to avoid duplicate pairs  
            c = (a**2 + b**2)**0.5  
            if c.is_integer() and c <= N:  
                triplets.append((a, b, int(c)))  
    return triplets  
  
N = 20  
print(find_pythagorean_triplets(N))
```

```
[(3, 4, 5), (5, 12, 13), (6, 8, 10), (8, 15, 17), (9, 12, 15), (12, 16, 20)]
```