

Mongo DB MCP for Claude

Done the mongo DB MCP set-up for claude in vscode using chatgpt

run the below command:

```
npx -y mongodb-mcp-server@latest setup
```

During setup:

Select Claude Code.

Select stdio/local transport.


Choose user scope to use MongoDB MCP across projects, or project scope for only the current project.

Enable read-only mode initially.

Provide your MongoDB connection string when prompted.

After setup, verify it:

claude mcp list



Postman MCP

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP

Jira

stdio

Not started

Connect (local)

MongoDB

stdio

Not started

Connect (local)

Postman

stdio

Connected (4 tools)

Disconnect

Local vs Remote MCP

	Local STDIO	Remote HTTP
Transport	STDIO (stdin/stdout)	Streamable HTTP
Capabilities	Local tools only	Remote tools and local tools

Prompt

run JIRA_2023_Chaining

Send

Response

The JIRA_2023_Chaining collection in Postman contains five requests: to create an issue, search for an issue by key, list all issue types, edit an issue, and delete an issue. Each request has its own parameters and settings. Here is a brief overview of each request: 1. To create an issue in JIRA: This request sends a POST request to the JIRA API with a JSON body containing the issue details. It uses the `{{baseUrl}}` variable for the base URL and sets the `Content-Type` header to `application/json`. 2. To search an issue in JIRA using Key: This request sends a GET request to the JIRA API with the issue key as a path parameter. It uses the `{{baseUrl}}` variable for the base URL and the `{{JiraID}}` variable for the issue key. 3. To List all issue types in JIRA: This request sends a GET request to the JIRA API to retrieve all issue types. It uses the `{{baseUrl}}` variable for the base URL. 4. To edit an issue in JIRA: This request sends a PUT request to the JIRA API with a JSON body containing the updated issue details. It uses the `{{baseUrl}}` variable for the base URL and the `{{JiraID}}` variable for the issue key. 5. To delete an issue in JIRA: This request sends a DELETE request to the JIRA API with the issue key as a path parameter. It uses the `{{baseUrl}}` variable for the base URL and the `{{JiraID}}` variable for the issue key. The collection also contains authentication settings for basic authentication, with the username and password stored as variables. Each request has a test script associated with it, but the scripts are empty and do not contain any test code. Overall, this collection provides a basic set of requests for interacting with the JIRA API, including creating, searching, editing, and deleting issues, as well as listing all issue types.

Postman MCP remote

Model Provider

Groq

OpenAI

Jira MCP

Local STDIO

Remote HTTP

MongoDB MCP

Local STDIO

Postman MCP

Local STDIO

Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STDIO / Remote HTTP

Jira

stdio

Not started

Connect (local)

MongoDB

stdio

Not started

Connect (local)

Postman

http

Connected (4 tools)

Disconnect

Prompt

list any two collections from My Workspace

Send

Response

Here are two collections that belong to **My Workspace**: 1. **AT&T** *Collection ID*: `641e809d-bb7d-423a-955d-d43399e0e1f8` 2. **ServiceNow** *Collection ID*: `07cde4e1-56ee-40fc-86da-59a8d93b18c6` These are just a couple of the many collections available in that workspace. Let me know if you'd like more details about any of them or want to work with a specific collection!

Tool Trace Timeline

2 rounds · 2 calls · 5452ms total · Model finished without needing more tools

1

postman_get_workspaces postman · remote/http
✓ success · 2671ms

2

postman_get_collections postman · remote/http
✓ success · 608ms

Error Simulation

Jira Remote

Model Provider

☒ Groq ☐ OpenAI

Jira MCP

☐ Local STUDIO ☒ Remote HTTP

MongoDB MCP

☒ Local STUDIO

Postman MCP

☒ Local STUDIO ☐ Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP

Jira

http

Connected (2 tools)

Disconnect

MongoDB

studio

Not started

Connect (local)

Prompt

list all the projects

Send

Response

Here are the Jira projects available to your account: | Project Key | Project Name | Project ID | |-----|-----|
|-----| | **SAM1** | (Example) Billing System Dev | 10000 | |
KAN | My First Sample JIRA Project | 10001 | These are the two projects currently visible. Let me know if you'd like more details about any of them (e.g., issues, sprints) or want to explore related data in MongoDB or Postman.

Tool Trace Timeline

1 round · 1 call · 2256ms total · Model finished without needing more tools

1 **jira_get_projects** jira · remote/http
✓ success · 831ms

Jira Local

Model Provider

☒ Groq ☐ OpenAI

Jira MCP

☒ Local STUDIO ☐ Remote HTTP

MongoDB MCP

☒ Local STUDIO

Postman MCP

☒ Local STUDIO ☐ Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP

Jira

studio

Connected (2 tools)

Disconnect

MongoDB

studio

Connected (3 tools)

Prompt

list all the projects

Send

Response

Here are the Jira projects currently available: | Key | Name | |-----|-----|
|-----| | SAM1 | (Example) Billing System Dev | |
KAN | My First Sample JIRA Project | These are the two projects returned by the system. Let me know if you'd like more details about any of them (e.g., their issues, sprints, etc.).

Tool Trace Timeline

1 round · 1 call · 2820ms total · Model finished without needing more tools

1 **jira_get_projects** jira · local/studio
✓ success · 1120ms

Model Provider

Groq

OpenAI

Jira MCP

Local STUDIO

Remote HTTP

MongoDB MCP

Local STUDIO

Postman MCP

Local STUDIO

Remote HTTP

Connection Visualization

React Frontend → Express Backend → MCP Connection Manager → Local STUDIO / Remote HTTP

Jira

studio

Not started

Connect (local)

MongoDB

studio

Connected (4 tools)

Disconnect

Postman

studio

Not started

Connect (local)

Prompt

fetch any 2 user stories from db_testcases

Send

Response

Here are two user-story records that were retrieved from the **user_stories** collection in the **db_testcases** MongoDB database:

#	Key	Summary	Description (user-story format)	Status	Priority
1	HC-257	Consultant Dashboard – My Inpatients	*As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.*	To Do	P1
2	HC-207	Wards Dashboard – Nurse Activities	*As a user, I want to wards dashboard nurse activities so that the related functionality works as expected.*	To Do	P1

Both items are currently in the **To Do** column of their workflow and have the highest priority (**P1**). They were imported from an Excel source on 2026-06-20 and belong to the **Health Care** project, under the epics "Emergency Management" (HC-257) and "Digital OP Management" (HC-207) respectively.