



Customize the fields in User stories Reviewer Agent

1. Go to the flow, click on Share and select the API access



2. Click on Input schema



3. In Input schema, select the Groq

 Input Schema ✕

Endpoint Name

An alternative name to run the endpoint

Expose API

Select which component fields to expose as inputs in this flow's API schema.

API Request

Parser

Groq

Prompt Template

Groq

Text Output

4. In Groq select what are the fields needs to be entered as inputs while calling the API through post-man.

 Input Schema ✕

Endpoint Name

An alternative name to run the endpoint

Expose API

Select which component fields to expose as inputs in this flow's API schema.

Groq

Expose Input	Field Name	Description	Current Value
	Input		Type something...
	System Message	System message to pass to the model.	Receiving input
	Stream	Stream the response from the model. Streaming works only in Chat.	☐
	Groq API Key	API key for the Groq API.	GroqAPIKey ✕

Base URL path for API requests.

5. Once done close Input schema window, Select cURL → macOS/Linux and copy the content displayed.

</> API access Input Schema (1) X

API access requires an API key. You can [create an API key](#) in settings.

Python JavaScript cURL

macOS/Linux Windows

```
1 curl --request POST \  
2   --url 'http://localhost:7860/api/v1/run/aa85d63c-4cba-49e1-92ae-df5f0338b52f?stream=false' \  
3   --header 'Content-Type: application/json' \  
4   --header "x-api-key: YOUR_API_KEY_HERE" \  
5   --data '{  
6       "output_type": "text",  
7       "input_type": "text",  
8       "input_value": "hello world!",  
9       "tweaks": {  
10        "GroqModel-qc0yv": {  
11            "api_key": "GroqAPIKey",  
12            "max_tokens": 0,  
13            "model_name": "llama-3.1-8b-instant"  
14        }  
15    }  
16 }
```

6. Go to the postman → select the import option and paste the copied content and click on import

Import cURL into a collection X

```
1 curl --request POST \  
2   --url 'http://localhost:7860/api/v1/run/  
3       aa85d63c-4cba-49e1-92ae-df5f0338b52f?stream=false' \  
4   --header 'Content-Type: application/json' \  
5   --header "x-api-key: YOUR_API_KEY_HERE" \  
6   --data '{
```

Request name

http://localhost:7860/api/v1/run/aa85d63c-4cba-49e1-92ae-df5f0338b52f?stream=false

Collection name ⓘ

GenAI-May

Import without saving Import into collection

7. Disable the Stream under Params, Add the Langflow API key in the Header (x_api_key).

8. Remove the session_id from the body, enter Groq_API key, groq model and the max_tokens

POST http://localhost:7860/api/v1/run/aa85d63c-4cba-49e1-92ae-df5f0338b52f

Docs Params Authorization Headers 10 Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schen

```
1 {
2   "output_type": "text",
3   "input_type": "text",
4   "input_value": "hello world!",
5   "tweaks": {
6     "GroqModel-qc0yv": {
7       "api_key": "GroqAPIKey",
8       "max_tokens": 0,
9       "model_name": "llama-3.1-8b-instant"
10    }
11  },
12  "session_id": "YOUR_SESSION_ID_HERE"
13 }
```

Save and run the API

Docs Params Authorization Headers 10 Body Scripts Settings Cookie

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "output_type": "text",
3   "input_type": "text",
4   "input_value": "hello world!",
5   "tweaks": {
6     "GroqModel-qc0yv": {
7       "api_key": "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",
8       "max_tokens": 0,
9       "model_name": "openai/gpt-oss-120b"
10    }
11  },
12  "session_id": "YOUR_SESSION_ID_HERE"
13 }
```

Body Cookies Headers 4 Test Results 200 OK 5.24 s 16.19 KB Save Response

{ JSON Preview Visualize

```
10 "results": {
11   "text": {
12     "text_key": "text",
13     "data": {
14       "text": "**Parameter Scores (out of 20)**\n\n| Parameter | Description | Score (out of 20) | --- | --- | --- |\n| Clarity | The story is easy to understand and unambiguous. | 12 |\n| Completeness | Are acceptance criteria and preconditions well-defined? | 8 |\n| Business Value Alignment | Does it reflect tangible healthcare value (e.g., patient safety, compliance, operational efficiency)? | 18 |\n| Testability | Can QA engineers easily derive test cases from it? | 15 |\n| Technical Feasibility | Is it practically implementable within typical healthcare system constraints? | 16 |\n\n**Overall Quality Score (out of 100)**\n\nBased on the parameter scores, the overall quality score is:
```