



Tamweel ALOULA



Admin Training Document

V1.3

Version History

Date	Version	Description	Author
30 October 2025	1.0	-User management on KeyCloak and Spotlight -PAM Overview	Muhammad Ali
06 February 2026	1.1	-Enhancements	Muhammad Adnan
18 February 2026	1.2	-Ldap integration steps	Muhammad Adnan
19 February 2026	1.3	Document formatting	Muhammad Adnan

Contents

Version History	2
User Management on Keycloak	5
User Search	5
User Onboarding Flow: Keycloak & Spotlight Integration	6
Creating New Users	6
User Attributes	8
User Credentials	9
Changing Passwords.....	10
Required Actions	10
User Role Mapping on Keycloak.....	13
Realm Roles	14
Client Roles.....	14
Queues and Roles	15
User Role Selection	15
How to Assign Roles.....	15
User Management on Spotlight	16
View User List	16
View User Profile Details.....	17
Edit User Details	18
Search for a User.....	19
Infinity Assist Login.....	19
Process management on PAM	21
Process instance management	22
Process Instance filtering.....	23
Creating a custom process instance list.....	26
Managing process instances using a default filter	27
Viewing process instance variables using basic filters.....	27
Viewing process instance variables using advanced filters.....	28
Execution error management	29
Viewing process execution error in Business Central	29

Managing execution errors.....	29
Error Filtering.....	30
Re-trigger / retry the instance	32
Keycloak – LDAP User Federation Configuration Guide.....	33
Verify realm settings	33
Add User Federation Provider	35
Configure LDAP Provider- Required Settings	35
Advanced Settings	37
Sync Settings.....	38
Provider Saved Successfully.....	38
Imported Users Verification	39


User Management on Keycloak

This section describes the administration functions for managing users.

User Search

If you need to manage a specific user, click on **Users** in the left menu bar.


Users



This menu option brings you to the user list page. In the search box you can type in a full name, last name, or email address you want to search for in the user database. The query will bring up all users that match your criteria. The **View all users** button will list every user in the system. This will search just local Keycloak database and not the federated database (ie. LDAP) because some backends like LDAP don't have a way to page through users. So if you want the users from federated backend to be synced into Keycloak database you need to either:

- Adjust search criteria. That will sync just the backend users matching the criteria into Keycloak database.


User Onboarding Flow: Keycloak & Spotlight Integration



Creating New Users


To create a user click on **Users** in the left menu bar.

Users



This menu option brings you to the user list page. On the right side of the empty user list, you should see an **Add User** button. Click that to start creating your new user.

Add User



The only required field is Username. Click save. This will bring you to the management page for your new user.


Note: Username should not contain special characters

User Attributes

Beyond basic user metadata like name and email, you can store arbitrary user attributes.

Choose a user to manage then click on the Attributes tab.

Users




Enter in the attribute name and value in the empty fields and click the **Add** button next to it to add a new field. Note that any edits you make on this page will not be stored until you hit the **Save** button.

User Credentials

When viewing a user if you go to the **Credentials** tab you can manage a user's credentials.

Credential Management



Changing Passwords

To change a user's password, type in a new one. A **Reset Password** button will show up that you click after you've typed everything in. If the **Temporary** switch is on, this new password can only be used once and the user will be asked to change their password after they have logged in. Alternatively, if you have email set up, you can send an email to the user that asks them to reset their password. Choose **Update Password** from the **Reset Actions** list box and click **Send Email**. You can optionally set the validity of the e-mail link which defaults to the one preset in **Tokens** tab in the realm settings. The sent email contains a link that will bring the user to the update password screen.

Required Actions

Required Actions are tasks that a user must finish before they are allowed to log in. A user must provide their credentials before required actions are executed. Once a required action is

completed, the user will not have to perform the action again. Here are an explanation of some of the built-in required action types:

Update Password

When set, a user must change their password.

Update Profile

This required action asks the user to update their profile information, i.e. their name, address, email, and/or phone number.

Admins can add required actions for each individual user within the user's Details tab in the Admin Console.


In the **Required User Actions** list box, select all the actions you want to add to the account. If you want to remove one, click the **x** next to the action name. Also remember to click the **Save** button after you've decided what actions to add.

Default Required Actions


You can also specify required actions that will be added to an account whenever a new user is created, i.e. through the **Add User** button the user list screen, or via the user registration link on the login page. To specify the default required actions go to the **Authentication** left menu item and click on the **Required Actions** tab.

Simply click the checkbox in the **Default Action** column of the required actions that you want to be executed when a brand new user logs in.

Users




User Details



User Role Mapping on Keycloak

The **Role Mappings** tab in the Keycloak Admin Console allows administrators to manage user roles within a realm and its associated clients.

Roles determine the level of access a user has within different parts of the system.



Realm Roles

Realm Roles apply globally across the entire realm. These roles define permissions at the realm level and can grant administrative access or other global privileges.

In this section, you can select roles from the **Available Roles** list and assign them to the user.

Once assigned, the roles will appear in the **Assigned Roles** list. The **Effective Roles** list displays both directly assigned and inherited roles, if any composite roles are involved.

In our case, the user must be assigned following roles: **admin**, **Administrators**, **kie-server**, **offline_access**, **uma_authorization**

Client Roles

Client Roles are roles specific to a particular client application.

To manage these, first select the desired client from the **Client Roles** dropdown.

In this case, the client selected is **spotlight**.

Once the client is selected, the available roles for that client are displayed. These roles are used to control access within the **Spotlight** application.

Queues and Roles

Within the **spotlight** client, the system includes several **queue-based roles** that represent workflow queues for different stages of the retail process.

These roles define which queue(s) a user can access or manage.

The available queue roles include:

- QUEUE_RETAIL_REJECTED_TASKS
- QUEUE_RETAIL_PRESALES_TASKS
- QUEUE_RETAIL_L1_TASKS
- QUEUE_RETAIL_L2_TASKS
- QUEUE_RETAIL_L3_TASKS
- QUEUE_RETAIL_L4_TASKS
- QUEUE_RETAIL_CREDIT_HEAD_TASKS
- QUEUE_RETAIL_CREDIT_ADMIN_TASKS

These roles allow users to perform and manage tasks at different queue levels depending on their function in the workflow.

User Role Selection

When assigning client roles under **spotlight**, administrators should assign the appropriate queue role(s) based on the user's position:

- **Normal Users** → Assign the role **Retail RM**
 - This role provides access to standard retail operations and queue interactions relevant to Relationship Managers.
- **Supervisors** → Assign the role **Retail Supervisor**
 - This role grants supervisory-level permissions, allowing access to applications across multiple queues and the ability to manage or reassign tasks.

How to Assign Roles

1. Select the client **spotlight** from the dropdown.
2. In the **Available Roles** list, choose the relevant queue or functional role (e.g., Retail RM, Retail Supervisor, or queue-specific roles).


3. Click **Add selected** → to assign it to the user.
4. The role will then appear under **Assigned Roles**.
5. The **Effective Roles** section displays all roles the user holds within the client, including any inherited roles.

User Management on Spotlight

View User List

The app displays the list of active and suspended users (administrators) who have access to the application. Disabled users are not listed by default but appear in the search results if they match the search criteria.

Menu path: Employee Management > Users



The screenshot shows the 'Users' management page in the Temenos Digital application. The sidebar on the left contains navigation links for Dashboard, Messages, Alerts, Reports & Logs, Logs, Reports, Customer Management, Customer Roles, Temenos Digital - Assist, Journey Analytics, Employee Management, Roles, Users, Permissions, and Configurations. The main content area is titled 'Users' and includes a search bar with the placeholder 'Search by Username, Full Name'. Below the search bar is a table with the following columns: FULL NAME, USERNAME, EMAIL, and ROLE. The table contains five rows of user data. At the bottom of the table, it says 'Showing 1 - 10 Of 100'. There are also pagination controls showing '1' and a 'Go' button.

FULL NAME	USERNAME	EMAIL	ROLE
admin adminlastna...	admin1	admin@temenos.com	Manager, Super Admin
Alex Pink	apink	alex.pink@temenos.com	
beagle sec	beagle		Supervisor, Mortgage RM
business features...	business features only	jeevan.visanagiri@temeno.i...	
business jeevan...	business jeevan	jeevan.visanagiri@temenos....	Super Admin

The user list is represented as rows with the following details: full name, username, email address, role.

The list is sorted by Name by default, but you can sort the list based on any of the columns by using the sort icon.

Pagination is available and you can navigate to any required page by choosing from the list.


You can also choose the number of records that should be displayed on a page (for example, 10, 50, or 100).

- You can do the following:
- Click Add New Users to add a user.
- Click a user record to view the user profile details.
- Click Download List to download the complete list of existing users as an excel file.
- Click the contextual menu available on each row to open and do the following. Click again to close the menu:
 - Edit the details of a user record.
 - Update the user status based on the current status.
 - Search for a user using the search option and search criteria.

View User Profile Details

Use the feature to view the details of the selected user (administrator) record.


In the Spotlight application navigate through the following path: Employee Management > Users > View User



The screenshot displays the 'View Users' interface. On the left is a dark blue sidebar with the Temenos Digital logo and a list of navigation items. The main area has a light gray header with 'View Users' and a breadcrumb 'USERS > ADMIN ADMINLASTNAME'. Below the header, there's a card for 'Personal Information' with fields for Full Name, Email Address, and Username. Another card for 'Business Information' contains fields for User Type, Line of Business, Reporting Manager, Branch Name, and Branch Address. At the bottom, a table lists roles and permissions, with a visible entry for 'Manager'.

The View User screen displays the following details:

- The below screen represents single entity.



View Users
USERS > ADMIN ADMINLASTNAME

Business Information

USER TYPE	LINE OF BUSINESS	REPORTING MANAGER
N/A	N/A	N/A
BRANCH NAME	BRANCH ADDRESS	
N/A	N/A	


ROLE PERMISSIONS

Q Search By permission name

PERMISSION NAME	DESCRIPTION
ViewDashboard	Permission to view the dashboard relevant to the user's role
ViewUser	Permission View and Search for Internal Users

Powered by temenos

- The below screen represents multi-entity.



View User
USER LIST > ALISON CLARK

Personal Information

FULL NAME	EMAIL ADDRESS	USERNAME
Alison Clark	Aclark120@bank.com	AClark120

Business Information

USER TYPE	LINE OF BUSINESS	REPORTING MANAGER
External	Retail Business, Small Business, Wealth Business	Johnson Smith
BRANCH NAME	BRANCH ADDRESS	
New York Service Center Branch	AP #B67-869, Sit Rd, Lincoln, New York, United States, 9876543	

ROLES PERMISSIONS

NAME	DESCRIPTION	LEGAL ENTITY
Business	This role is for business users who wants to view the admin console capabilities, review data but not make major changes. These users can also send messages to customers and view/update their details	Money Bank Angola Money Bank Nambia Money Bank Nigeria
Manager	This role is similar to front line staff admin but with more privileges to control what kind of informations can be updated by a front line staff	Money Bank Angola

Edit

Edit User Details

Use the feature to edit the details of the selected user (administrator) record.

In the Spotlight application navigate through the following path: Employee Management > Users > User Profile > Edit

Make required changes on the user details, and save the details.

The user can edit the following details in the Edit User screen:

- Business Information:
 - User Type: It can either be Internal, External, or Contract.
 - Line of Business: It can either be Retail Business, Wealth Business, Corporate Business, Mid Corporate Business, or Small Business.
 - **Reporting Manager: The reporting manager must be assigned for every user. The user can choose by typing 3 letters for suggestion**
 - Branch Name

NOTE: If you cancel the Edit process the changes will not be saved.

Search for a User

Use the search option to search for a particular user using search criteria and download the list of matching records as an excel file, if required.

Menu path: Employee Management > Users > Search


Enter the search keyword (username and name) in full or in part. The app displays the matching records automatically. The Search result also lists the Disabled Users which are not listed otherwise.

You can filter the list by role, status, updated date, or created date:


- Role: Pick from the list.
- Updated Date: Pick a specific date, select from a list of preset date sets (last 7 days, last 30 days), or select a custom date range (From and To).
- Created Date: Pick a specific date, select from a list of preset date sets (last 7 days, last 30 days), or select a custom date range (From and To).

Infinity Assist Login

Once user has been created and required roles have been assigned, user will navigate to Infinity Assist and enter required credentials to login.




After getting logged in user will be navigated to Request Dashboard where all the Requests can be seen in grid.



REQUEST ID	BORROWER	CREATED ON	REQUESTED AMOUNT	CURRENT STAGE	01 PRODUCTS	VIEW TASKS
R202538753680	HASAN OMAR	30/10/2025	SAR 78,888.00	CREDIT ANALYST	01 PRODUCTS	VIEW TASKS
R202538645280	PREM CHAUDHARY	30/10/2025	SAR 20,000.00	CUSTOMER OFFER	01 PRODUCTS	VIEW TASKS
R202537617881	PREM CHAUDHARY	30/10/2025	SAR 33,000.00	CUSTOMER OFFER	01 PRODUCTS	VIEW TASKS
R202535821956	alam benz	30/10/2025	SAR 10,000.00	PRE SALES	01 PRODUCTS	VIEW TASKS
R202533576064	Tabishan benz	30/10/2025	SAR 10,000.00	SUBMITTED	01 PRODUCTS	VIEW TASKS


User can navigate to Tasks tab by clicking on it and will be able to see assigned tasks in My Tasks tab.



The screenshot shows the 'My Tasks' section with a table of tasks. The 'My Queue (01)' tab is selected, showing a list of tasks assigned to the user. The table columns are: ID, STAGE, TASK DETAILS, DUE DATE, USERNAME, QARAR STATUS, PRODUCT TYPE, PRODUCT SUB TYPE, and APP STATUS. The tasks are listed with their respective IDs, stages (e.g., REVIEWER, CREDIT ANALYST), task details (e.g., Review Request), due dates, usernames, and statuses (e.g., REVIEWER, ACCEPTED, REFERRAL, REJECTED). The 'APP STATUS' column shows 'IN-PROCESS' for all tasks.

The 'Recent Activity' section on the right shows a list of recent activities, including 'Review Request' and 'Changed the Status From' (e.g., COMPLETE to IN-PROCESS).

On clicking My Queue tab, assigned queues will be visible to the user. For example in case of Reviewer one Queue will be assigned to user.



The screenshot shows the 'My Queue' section with a table of queues. The 'My Queue (01)' tab is selected, showing a list of queues assigned to the user. The table columns are: QUEUE NAME. The queues are listed with their respective names (e.g., Reviewer).


The 'Recent Activity' section on the right shows a list of recent activities, including 'Review Request' and 'Changed the Status From' (e.g., COMPLETE to IN-PROCESS).

Process management on PAM

Process instance management

You can view all process instances under **Menu > Manage > Process Instances**.

Each row in the Manage Process Instances list represents a process instance from a particular process definition. Each execution is differentiated from all the others by the internal state of the information that the process is manipulating



Business Central Menu admin1

Home > Manage Process Instances

Filters

- State
 - ☒ Active
 - ☐ Aborted
 - ☐ Completed
 - ☐ Pending
 - ☐ Suspended
- Errors
 - ☐ With errors
 - ☐ Without errors

Filter By

Id

Filter By Process Instance Id...

Apply

Manage Process Instances

Active filters: State: Active X

Save Filters | Clear All

Bulk Actions

☐	Id	Name	Description	Version	Last update	Errors	Actions
☐	59084	Retail Review Request	Retail Review Request	1.0	29-Oct-2025 18:44:47	0	
☐	59074	Retail Review Request	Retail Review Request	1.0	29-Oct-2025 18:44:29	0	
☐	59061	Retail Lending Applica...	Retail Lending Applica...	1.0	29-Oct-2025 18:44:47	0	
☐	59060	ErrorHandler	ErrorHandler	1.0	29-Oct-2025 18:44:21	0	
☐	59039	Retail Lending Applica...	Retail Lending Applica...	1.0	29-Oct-2025 18:44:29	0	
☐	59040	Call Qarar Tamweel BKP	Call Qarar Tamweel BKP	1.0	29-Oct-2025 18:44:02	0	
☐	59036	Get Approval WorkFlo...	Get Approval WorkFlo...	1.0	29-Oct-2025 18:44:02	0	

In order to view this information, you can click on any one of the process instances and view the corresponding details.


The process instance page provides several tabs with runtime information related to the process:

- The **Instance Details tab**: This gives you a quick overview about what is going on inside the process. It displays the current state of the instance and the current activity that is being executed.
- The **Process Variables tab**: This displays all of the process variables that are being manipulated by the instance, with the exception of the variables that contain documents. Additionally, you can edit the process variable value and view its history.
- The **Documents tab**: This displays process documents if the process contains a variable of the type org.jbpm.Document. This enables easy access, download, and manipulation of the attached documents.
- The **Logs tab**: This displays process instance logs for the respective end users.
- The **Diagram tab**: This tracks the progress of the process instance through the BPMN2 diagram. The node or nodes of the process flow that are in progress are highlighted in red.

Process Instance filtering

For process instances in **Menu > Manage > Process Instances**

, you can use the Filters and Advanced Filters panels to sort process instances as needed.



Filters

State

- ☐ Active
- ☐ Aborted
- ☐ Completed
- ☐ Pending
- ☐ Suspended

Errors

- ☐ With errors
- ☐ Without errors

Filter By

Id

Filter By Process Instance Id...

Apply

Name

Select

Definition Id

Select

Start Date

Start Date...

You can filter process instances by the following attributes in the **Filters** panel:

Id

Filter by process instance ID.

Input: Numeric

Initiator

Filter by the user ID of the process instance initiator.

The user ID is a unique value, and depends on the ID management system.

Input: String

Correlation key

Filter by correlation key.

Input: String

Description

Filter by process instance description.

Input: String

State

Filter by different states. You can select more than one status to display results that meet any of the selected states. Removing the status filter displays all processes, regardless of status.

The following filter states are available:

- Active
- Aborted
- Completed
- Pending
- Suspended

Errors

Filter by process instances with or without errors.

Name

Filter by project name.

Date and time filtering

Start Date

When the process was started.

Last Update

When the process was updated or modified.

Each of these filters have the following quick filter options:

- Last Hour
- Today
- Last 24 Hours
- Last 7 Days
- Last 30 Days
- Custom

Selecting **Custom date** and time filtering opens a calendar tool for selecting a date and time range.

Last Hour

Aug 17, 2017 12:00 AM

Aug 17, 2017 11:59 PM

Today

12 : 00 AM

11 : 00 PM

Last 24 hours

Last 7 days

Last 30 days

Custom

Apply

Cancel

July 2017							August 2017						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
25	26	27	28	29	30	1	30	31	1	2	3	4	5
2	3	4	5	6	7	8	6	7	8	9	10	11	12
9	10	11	12	13	14	15	13	14	15	16	17	18	19
16	17	18	19	20	21	22	20	21	22	23	24	25	26
23	24	25	26	27	28	29	27	28	29	30	31	1	2
30	31	1	2	3	4	5	3	4	5	6	7	8	9

Creating a custom process instance list

You can view the list of all the running process instances in **Menu > Manage > Process Instances** in Business Central. From this page, you can manage the instances during run time and monitor their execution. You can customize which columns are displayed, the number of rows displayed per page, and filter the results. You can also create a **custom process instance list**.

Prerequisites

- A project with a process definition has been deployed in Business Central.

Procedure

- In Business Central, go to **Menu > Manage > Process Instances**.
- In the **Manage Process Instances** page, click the advanced filters icon on the left to open the list of process instance **Advanced Filters** options.
- In the **Advanced Filters** panel, enter the name and description of the filter that you want to use for your custom process instance list, and click **Add New**.
- From the list of filter values, select the parameters and values to configure the custom process instance list, and click **Ok**.

A new filter is created and immediately applied to the process instances list. The filter is also saved in the **Saved Filters** list. You can access saved filters by clicking the star icon on the left side of the **Manage Process Instances** page.


Managing process instances using a default filter

You can set a process instance filter as a default filter using the Saved Filter option in Business Central. A default filter will be executed every time when the page is open by the user.

Procedure

1. In Business Central, go to **Menu > Manage > Process Instances**.
2. On the **Manage Process Instances** page, click the star icon on the left of the page to expand the **Saved Filters** panel.

In the **Saved Filters** panel, you can view the saved advanced filters.



3. In the **Saved Filters** panel, set a saved process instance filter as the default filter.

Viewing process instance variables using basic filters

Business Central provides basic filters to view process instance variables. You can view the process instance variables of the process as columns using **Show/hide columns**.

Procedure

1. In Business Central, go to **Menu > Manage > Process Instances**.
2. On the **Manage Process Instances** page, click the filter icon on the left of the page to expand the **Filters** panel.
3. In the **Filters** panel, select the **Definition Id**.
The filter is applied on the current process instance list.
4. Click **Show/hide columns** on the upper right of the process instances list and the process instance variables of the specified process id will be displayed.
5. Click the star icon to open the **Saved Filters** panel.
In the **Saved Filters** panel, you can view all the saved advanced filters.

Viewing process instance variables using advanced filters

You can use the **Advanced Filters** option in Business Central to view process instance variables. When you create a filter over the column processId, you can view the process instance variables of the process as columns using **Show/hide columns**.

Procedure

1. In Business Central, go to **Menu > Manage > Process Instances**.
2. On the **Manage Process Instances** page, click the advanced filters icon to expand the **Advanced Filters** panel.
3. In the **Advanced Filters** panel, enter the name and description of the filter, and click **Add New**.
4. From the **Select column** list, select the processId attribute. The value will change to **processId != value1**.
5. From the **Select column** list, select **equals to** for the logical query.
6. In the text field, enter the name of the process id.
7. Click **Save** and the filter is applied on the current process instance list.
8. Click **Show/hide columns** on the upper right of the process instances list and the process instance variables of the specified process id will be displayed.
9. Click the star icon to open the **Saved Filters** panel.

In the **Saved Filters** panel, you can view all the saved advanced filters.

Execution error management

Viewing process execution error in Business Central

You can view process errors in two locations in Business Central:

- **Menu > Manage > Process Instances**
- **Menu > Manage > Execution Errors**

In the **Manage Process Instances** page, the **Errors** column displays the number of **errors**, if any, for the current process instance.

Prerequisites

- An error has occurred while running a process in Business Central.

Procedure

- In Business Central, go to **Menu > Manage > Process Instances** and hover over the number shown in the **Errors** column.
- Click the number of errors shown in the **Errors** column to navigate to the **Manage Execution Errors** page.

Managing execution errors

The **Manage Execution Errors** page shows a list of errors for all process instances.

By definition, every process error that is detected and stored is unacknowledged and must be handled by someone or something (in case of automatic error recovery). Errors are filtered on the basis of whether or not they have been acknowledged. Acknowledging an error saves the user information and time stamp for traceability. You can access the **Error Management** view at any time.

Procedure

1. In Business Central, go to **Menu > Manage > Execution Errors**.

2. Select an error from the list to open the **Details** tab. This displays information about the error or errors.
3. Click the **Acknowledge** button to acknowledge and clear the error. You can view the error later by selecting **Yes** on the **Acknowledged** filter in the **Manage Execution Errors** page.


If the error was related to a task, a **Go to Task** button is displayed.

4. Click the **Go to Task** button, if applicable, to view the associated job information in the **Manage Tasks** page.

In the **Manage Tasks** page, you can restart, reschedule, or retry the corresponding task.

Error Filtering

For execution errors in **Menu > Manage > Execution Errors**, you can use the **Filters** and **Advanced Filters** panels to sort errors as needed.



You can filter execution errors by the following attributes in the **Filters** panel:

Type

Filter by errors by type. You can select multiple type filters. Removing the status filter displays all processes, regardless of status.

The following filter states are available:

- DB

- Task
- Process
- Job

Process Instance Id

Filter by process instance ID.

Input: Numeric

Job Id

Filter by job ID. The job id is created automatically when the job is created.

Input: Numeric

Id

Filter by process instance ID.

Input: Numeric

Acknowledged

Filter errors that have been or have not been acknowledged.

Error Date

Filtering by the date or time that the error occurred.

This filter has the following quick filter options:

- Last Hour
- Today
- Last 24 Hours
- Last 7 Days
- Last 30 Days
- Custom

Selecting **Custom** date and time filtering opens a calendar tool for selecting a date and time range.

Last Hour
Today
Last 24 hours
Last 7 days
Last 30 days
Custom
Apply Cancel

Aug 17, 2017 12:00 AM

12 : 00
AM

Aug 17, 2017 11:59 PM

11 : 00
PM

July 2017


Su	Mo	Tu	We	Th	Fr	Sa
25	26	27	28	29	30	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31	1	2	3	4	5

August 2017

Su	Mo	Tu	We	Th	Fr	Sa
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

Re-trigger / retry the instance

- Once the cause is resolved, you can **retry** the instance from the point of failure (or sometimes from an earlier safe point) so it can continue its flow.
- In some situations you may reschedule or restart the specific task in the instance via the *Manage Tasks* screen (if human task was involved).
- In more advanced uses, you might use REST or API calls to re-trigger a node instance or restart the instance. (For example see support note: trying to trigger a node instance for a process instance).
- After retry, the process instance should proceed as designed (assuming the fix resolved the error).



Keycloak – LDAP User Federation Configuration Guide


Verify realm settings

Realm selected: **Spotlight_realms**

Key fields visible in screenshot:

Name: spotlight-realm


- Select: spotlight-realm



Open User Federation Page

Navigate to:

Left Menu → Configure → User Federation



Add User Federation Provider


Go to:

User Federation → Add Provider → Idap

Dropdown shows options:

Kerberos

Ldap



Configure LDAP Provider- Required Settings

Values taken from screenshots:


Field	Value
Enabled	ON
Console Display Name	Idap
Priority	0
Import Users	ON
Edit Mode	UNSYNCED
Vendor	Active Directory
Username LDAP Attribute	sAMAccountName

RDN LDAP Attribute	cn
UUID LDAP Attribute	objectGUID
User Object Classes	person
Connection URL	ldap://tem-ex-dc1.temenos2-abuok.com:636
Bind DN	(full DN from screenshot)
Bind Credential	*****
Search Scope	Subtree

Both tests successful:

LDAP connection successful

LDAP authentication successful



The screenshot shows the 'Add user federation provider' configuration page in the Red Hat Single Sign-On console. The page is titled 'Add user federation provider' and is part of the 'User Federation' section. It contains two main sections: 'Required Settings' and 'Advanced Settings'.

Required Settings:

- Enabled:** ☒
- Console Display Name:** ldap
- Priority:** 0
- Import Users:** ☒
- Edit Mode:** UNPRICED
- Sync Registrations:** ☐
- Vendor:** Active Directory
- Username LDAP attribute:** cn
- RDN LDAP attribute:** cn
- UUID LDAP attribute:** objectGUID
- User Object Classes:** *
- Connection URL:** ldap://tem-ex-dc1.temenos2-abuok.com:636
- Users DN:** OU=users,OU=Tamweel Aoula,DC=temenos2-abuok.com
- Custom User LDAP Filter:** [\${MAttributes[username]}]
- Search Scope:** Subtree
- Bind Type:** simple
- Bind DN:** CN=ldap User,CN=Managed Service Accounts,DC=temenos2-abuok.com
- Bind Credential:** *****

Advanced Settings:

- Enable SAML:** ☐
- Enable the LDAPv3 Password Modify:** ☐

Buttons for 'Test connection' and 'Test authentication' are visible on the right side of the form.

Enabled ☒

Console Display Name

Priority

Import Users ☒

Auth Mode

Sync Registrations ☐

* Vendor

* Username LDAP attribute

* RDN LDAP attribute

* UID LDAP attribute

* User Object Classes

* Connection URL [Test connection](#)

* Users DN

Custom User LDAP Filter

Search Scope

* Bind Type

* Bind DN

* Bind Credential [Test authentication](#)

Advanced Settings

Enable StartTLS ☐

Enable the LDAPv3 Password Modify Extended Operation ☐ [Query Supported Extensions](#)

Validate Password Policy ☐

Trust Email ☐

Use Trustware SPI

Connection Timeout

Advanced Settings

From screenshots:

- Enable StartTLS → OFF
- Enable Password Modify → OFF
- Validate Password Policy → OFF
- Pagination → ON
- Trust Email → OFF
- Connection Timeout → (blank)
- Read Timeout → (blank)

Advanced Settings

Enable SaaS TLS ☐ OFF

Enable the LDAP Password Modify Extended Operation ☐ OFF

Validate Password Policy ☐ OFF

Trust Email ☐ OFF

Use Truststore SPI Only for Idaps

Connection Timeout

Read Timeout

Pagination ☐ ON

Connection Pooling

Connection Pooling ☐ OFF

Kerberos Integration

Allow Kerberos authentication ☐ OFF

Use Kerberos For Password Authentication ☐ OFF

Sync Settings

Batch Size 1000

Periodic Full Sync ☐ ON

Full Sync Period 43200

Periodic Changed Users Sync ☐ ON

Changed Users Sync Period 86400

Cache Settings

Cache Policy NO_CACHE

Save Cancel

Sync Settings

Setting	Value
Batch Size	1000
Periodic Full Sync	ON
Full Sync Period	43200
Periodic Changed Users Sync	ON
Changed Users Sync Period	86400

Cache Policy: NO_CACHE

Advanced Settings

Connection Pooling

Kerberos Integration

Sync Settings

Batch Size 1000

Periodic Full Sync ☐ ON

Full Sync Period 43200

Periodic Changed Users Sync ☐ ON

Changed Users Sync Period 86400


Cache Settings

Cache Policy NO_CACHE

Provider Saved Successfully

LDAP provider now appears in list:

Provider	Enabled	Priority
Ldap		0



Imported Users Verification

User list correctly fetched from LDAP.

Fields visible:

- ID
- Username
- Email
- Last Name
- First Name
- Actions (Edit / Impersonate / Delete)

