



DDL Commands

1. Database and Table creation




2. Table Alteration


Added new column "Email" and modified "Designation" data type to support wide values



Dropped age column from Employee table



Rename Hire_date to Date joining



3. Table Renaming

Rename Table Department to "Departments_Info"

Table: departments_info

Columns:
 Department_ID int PK
 Department_name varchar(100)

```

43
44 ## Drop column age from Employee table
45
46 ALTER TABLE employees
47 DROP column Age;
48
49 ## Rename hire date in to Date of Joining
50
51 ALTER TABLE Employees
52 RENAME column Hire_Date to Date_of_Joining;
53
54
55 ## 3. TABLE RENAMING
56
57 RENAME TABLE Department to Departments_Info;
58
59 RENAME TABLE Location to Locations;
60
61 ## 4. TABLE TRUNCATION(Truncate)
62
63

```

#	Time	Action	Message	Duration / Fetch
5	15:03:12	CREATE TABLE Employees (Emp_ID int primary key, Employee_name varchar(100), Gender varchar(100))	0 row(s) affected	0.047 sec
6	15:05:24	ALTER TABLE Employees ADD Column Email varchar(40)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
7	15:06:11	ALTER TABLE Employees modify Designation varchar(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
8	15:09:45	ALTER TABLE employees DROP column Age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
9	15:11:03	ALTER TABLE Employees RENAME column Hire_Date to Date_of_Joining	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
10	15:13:05	RENAME TABLE Department to Departments_Info	0 row(s) affected	0.016 sec

Rename table Location to “Locations”

Table: locations

Columns:
 Location_ID int PK
 Location_name varchar(100)

```


46 ALTER TABLE employees
47 DROP column Age;
48
49 ## Rename hire date in to Date of Joining
50
51 ALTER TABLE Employees
52 RENAME column Hire_Date to Date_of_Joining;
53
54
55 ## 3. TABLE RENAMING
56
57 RENAME TABLE Department to Departments_Info;
58
59 RENAME TABLE Location to Locations;
60
61 ## 4. TABLE TRUNCATION(Truncate)
62
63
64
65
66

```

#	Time	Action	Message	Duration / Fetch
6	15:05:24	ALTER TABLE Employees ADD Column Email varchar(40)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
7	15:06:11	ALTER TABLE Employees modify Designation varchar(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
8	15:09:45	ALTER TABLE employees DROP column Age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
9	15:11:03	ALTER TABLE Employees RENAME column Hire_Date to Date_of_Joining	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
10	15:13:05	RENAME TABLE Department to Departments_Info	0 row(s) affected	0.016 sec
11	15:14:24	RENAME TABLE Location to Locations	0 row(s) affected	0.016 sec


4. Table Truncate

Truncate Employees Table




5. Database and Table Dropping

Drop the employee table and database




CONSTRAINTS:

1. Recreated the dropped Dataset and Employees table



2 & 3. Changes made in Department_Info & Locations table using constraints



4. Changes made in Employee table using constraints

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

- companydb
- dataset
 - Tables
 - departments_info
 - employees
 - locations
 - Views
 - Stored Procedures
 - Functions
 - employee_details
 - sales
 - sys
 - world

Administration Schemas

Information

Table: employees

Columns:

Emp_ID	int AI PK
Employee_name	varchar(100)
Gender	varchar(10)
Age	int
Hire_Date	date
Designation	varchar(30)
Salary	decimal(10,2)
Department_ID	int
Location_ID	int

Object Info Session

SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
1 CREATE DATABASE Dataset;
2 USE Dataset;
3
4 CREATE TABLE Employees (
5     Emp_ID int auto_increment unique primary key,
6     Employee_name varchar(100) Not Null,
7     Gender varchar(10) Not Null Check (Gender = "M" or "F"),
8     Age int Not Null Check (Age >= 18),
9     Hire_Date date Default (Current_Date),
10    Designation varchar(30),
11    Salary decimal(10,2),
12    Department_ID int,
13    Location_ID int,
14    FOREIGN KEY (Department_ID) REFERENCES Departments_Info(Department_ID),
15    FOREIGN KEY (Location_ID) REFERENCES Locations(Location_ID)
16 ) auto_increment = 1001 ;
17
18
19
20
21 CREATE TABLE Departments_Info (
```

SQLAdditions

My Snippets

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	16:03:46	CREATE TABLE Employees (Emp_ID int auto_increment unique primary key, Employee_name varchar(100) ...	0 row(s) affected	0.047 sec