







Redeem  
Voucher

Welcome  
Venkat



-  Tests  
(/certo-meter/online-tests)
-  Preparation Content  
(/certo-meter/lessons)
-  Notice Board  
(/certo-meter/current-affairs)
-  Discussions  
(/certo-meter/discussions)

**Hello Venkat!** This is your 1st attempt

## Set-04

**YOUR SCORE:**  
**0/ 30**


**YOUR TIME:**  
**1 MIN**

**YOUR PERCENTILE:**  
**35.71%**


[VIEW SOLUTIONS](#)

Over All Analysis

Name



■ Correct
 ■ Incorrect
 ■ Unattempted



■ Correct Answers
 ■ Incorrect Answers
 ■ Unattempted Questions
 ■ Unused Time

[VIEW IN TABLE FORMAT](#)

Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
<b>Total</b>	<b>0/30</b>	<b>1/30 Min</b>

## ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

## TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

## SECTIONAL COMPARISON

**Sectional Comparison****Time Analysis**

### Section Wise Report



# SOLUTIONS

[< Prev](#)
[Next >](#)

JUMP TO QUESTION

LL SECTIONS ▼

LL STATUS ▼

Question No:

1

Question ID:

700776.0

Answer Status:

Missed

Time Taken:

0 Sec

Given the code fragment:

```

public class Person {
    String name;
    int age = 25;

    public Person(String name) {
        this();
        setName(name);
    }

    public Person(String name, int age) {
        Person(name);
        setAge(age);
    }

    //setter and getter methods go here

    public String show() {
        return name + " " + age + " " + number ;
    }

    public static void main(String[] args) {
        Person p1 = new Person("Jesse");
        Person p2 = new Person("Walter",52);
        System.out.println(p1.show());
        System.out.println(p2.show());
    }
}

```

What is the result?

A. Jesse25

Walter 52

B. Compilation fails only at line n1

C. Compilation fails only at line n2

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20 21

22 23 24

25 26 27

28 29 30

**D.** Compilation fails at both line n1 and line n2

<b>A</b> A	<b>B</b> B
<b>C</b> C	<b>D</b> D

Bookmark 

◀ Prev

Next ▶

The Correct Answer is **A, C**

### DETAILED SOLUTION

**(error at line n1 as default constructor is undefined in inner class and at line n2 method is undefined as it is out of scope)**

### QUESTION DISCUSSIONS

need discussion (Question: 700776.0 )

 Ankit  1 Months ago

explanation is right but answer option is seems be wrong

 Reply

 Ashish kumar  1 Months ago

answer wrong as explanation is right

RAISE ISSUE