Certo Meter (/)

Hello Venkat! This is your 1st attempt

Set-03

YOUR SCORE:	YOUR TIME:	YOUR PERCENTILE:
0/ 30	1 MIN	25%

VIEW SOLUTIONS

Over All Analysis	Name

Answer Distribution

- Correct
- Incorrect
- Unattempted

Time Spent

- Correct Answers
- Incorrect Answers
- Unattempted Questions
- Unused Time

Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	**0/30**	**1/30 Min**

VIEW IN TABLE FORMAT

ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

SECTIONAL COMPARISON

| Sectional Comparison | Time Analysis |

Section Wise Report

Percentage

100%

75%

50%

25%

0%

Over All   Name

Sections

■ Score   ■ Accuracy   ■ Attempt Rate   ■ Time Taken

SOLUTIONS

❮ Prev   Next ❯

Question No:	Question ID:	Answer Status:	Time Taken:
27	**700726.0**	**Missed**	**0 Sec**

Given the code fragment:

```java
public static void main(String[] args) {
    StringBuilder sb = new StringBuilder(5);
    String s = "";

    if (sb.equals(s)) {
        System.out.println("Match 1");
    } else if (sb.toString().equals(s.toString())) {
        System.out.println("Match 2");
    } else {
        System.out.println("No Match");
    }
}
```

What is the result?

A. Match 1

B. Match 2

C. No Match

D. A NullPointerException is thrown at runtime.

A A	B B
C C	D D

Bookmark ✏

❮ Prev   Next ❯

The Correct Answer is **B**

DETAILED SOLUTION

(Both SB and S are set to null, since argument 5 is not a string. StingBuilder can be compared after passing to the inbuilt function toString)

QUESTION DISCUSSIONS

No Discussions Yet!

RAISE ISSUE